

PACKAGING SUPPLIES

STEEL STRAPPING


- Strongest material for a wide range of strapping requirements
- Ideal for heavy shipments that require stronger protection over polypropylene and polyester
- Black painted and waxed finished



Model No.	Strap Width"	Core Dimensions"	Strength lbs.	Coil'
PF404	1/2 x 0.020	16 x 3	1200	2940
PF405	5/8 x 0.020	16 x 3	1500	2360
PF406	3/4 x 0.020	16 x 3	1800	1960
PF407	1 1/4 x 0.031	16 x 1 1/4	5500	760

STEEL SEALS

- All fully galvanized steel
- Open (Snap-on) type:
Used on flat and smooth surfaces
- Fully closed (push) type:
Used on curver and irregular surfaces



Model No.	Strap Width"	Qty /Box
OPEN (SNAP-ON)		
PF408	1/2	2000
PF409	5/8	2000
PF410	3/4	2000
PF411	1/2	5000
PF412	5/8	5000
PF413	3/4	5000
PF414	1 1/4	1000

Model No.	Strap Width"	Qty /Box
FULLY CLOSED (PUSH)		
PF415	1/2	2000
PF416	5/8	2000
PF417	3/4	2000
PF418	1/8	5000
PF419	5/8	5000
PF420	3/4	5000
PF421	1 1/4	1000

STEEL & POLYPROPYLENE STRAPPING DISPENSER

- Strapping cart is designed to be compatible with both polypropylene and steel strapping
- The unique multi-tier discs accommodate three core strapping sizes: 16" x 3", 16" x 6", and 8" x 8"
- Rubber rollers prevent strapping from unrolling
- Cart includes large storage tray for strapping accessories
- Heavy-duty 8" rubber wheels for easy maneuverability

Model No. PE555



1/2" STEEL STRAPPING SYSTEMS

EASY-TO-USE, EFFICIENT SYSTEM PROVIDES MAXIMUM STRENGTH PACKAGING, BUNDLING & PALLETIZING

Contains open seals for flat surfaces

Consists of the following components:

- 1- PA528 1/2" x 0.020" steel strapping
- 1- PC446 cutter 3/8" - 1 1/4"
- 1- PC938 3/8" to 3/4" wide standard tensioner
- 1- PA550 1/2" wide sealer for open seals
- 1- PA533 1/2" wide open seals 2000/box
- 1- PE555 dispenser

Model No. PB654



SAFETY CUTTERS FOR STEEL STRAPPING

STANDARD-DUTY

- Cuts steel strapping 3/8-1 1/4" wide x .036" thick
- Safety design holds strapping in place to prevent injuries from flying ends
- Rubber pads gently release strapping when being cut

Model No. PC446



HEAVY-DUTY

- Cuts steel strapping 3/8-2" wide x .050" thick
- Powerful drop-forged steel design
- Heavy-duty performance for industrial applications
- 24" long

Model No. PC479



STEEL STRAPPING TENSIONERS

PUSH BAR STYLE

- Accepts steel strapping 0.020" thick
- Light tension, limited take-up
- Ideal for applications on small, round or irregular surfaces
- For use with push type closed seals




PA567

FEED-WHEEL STYLE

- Accepts steel strapping 0.035" thick
- Fast and easy operation
- Medium/heavy tension, unlimited take-up
- Ideal for applications on flat surfaces
- For use with open seals



PC938



PE350



PUSH BAR STYLE

Model No.	Description	Width"
PA567	Standard	3/8 - 1/2
PE350	Heavy-Duty	3/8 - 3/4

FEED-WHEEL STYLE

Model No.	Description	Width"
PC938	Standard	3/8 - 3/4
PC399	Heavy-Duty	3/4 - 1 1/4

STEEL STRAPPING SEALERS

FOR USE WITH OPEN SEALS

- Double notch creates a strong interlocking joint
- Heat-treated steel construction for added durability
- Ball handles provide a superior grip
- Ideal for use with feed-wheel tensioners

Model No.	Width"
PA550	1/2
PA562	5/8
PA551	3/4



FOR USE WITH CLOSED & SEMI-CLOSED SEALS

- Single notch
- Chrome-plated steel construction
- Ball handles provide a superior grip
- Ideal for use with push-bar style tensioners

Model No.	Width"
PE351	1/2
PE352	5/8
PE353	3/4



FOR USE WITH CLOSED & SEMI-CLOSED SEALS

- Single notch
- Heat-treated steel construction for added durability
- Ideal for use with push-bar style tensioners
- For use with 1 1/4" wide steel strapping
- 28" long

Model No. PB016



POLYPROPYLENE STRAPPING

- The most inexpensive of all strapping materials
- Lightweight, easy to apply and recyclable
- Available in both manual and machine grade
- Manual application is ideal for low and moderate volume users
- Ideal for light duty palletizing, unitizing, carton closing and bundling



Model No.	Colour	Strap Width"	Strength lbs.	Coil'	Coils /Carton	Dim. Core"	W"	Wt. lbs.
MACHINE GRADE								
PA526	White	3/8	300	12900	1	8	8	28
PF073	White	1/2	300	9000	1	8	8	31
MANUAL GRADE								
PF079	Black	5/8	500	7500	1	8	8	31
PF067	Black	5/8	700	6000	1	8	8	31
PF078	Black	3/4	1050	4500	1	8	8	31
PF075	Black	1/2	600	7200	1	8	8	31
PF071	Black	1/2	750	5600	1	16	6	40
PF077	Black	5/8	850	6000	1	8	8	31
PF074	Black	5/8	1100	4400	1	16	6	40
PF083	Black	1/2	600	7200	1	16	6	31

SEALS & BUCKLES FOR POLYPROPYLENE STRAPPING



Model No.	Strap Width"	Type	Qty /Box
STEEL SEALS			
PA509	1/2	Open	2000
PA510	5/8	Open	2000
PC886	3/4	Open	1000
PLASTIC BUCKLES			
PA500	3/8	Plastic	1000
PA498	1/2	Plastic	2000
PA499	5/8	Plastic	1000
WIRE BUCKLES			
PA501	1/2	Wire	2000
PA502*	1/2	H.D. Wire	1000
PA503	5/8	Wire	2000
PA504*	5/8	H.D. Wire	1000

*Recommended for strap with strength over 400 lbs.

POLYPROPYLENE STRAPPING SEALERS

- Heat-treated steel construction for superior strength and durability
- Prevents strapping from loosening during transit
- Long 18" handle requires less effort
- Use on steel seals

Model No.	Strap Width"
PA555	1/2
PA556	5/8
PF459	3/4



POLYPROPYLENE & POLYESTER STRAPPING TENSIONERS

- Ideal for applications on flat surfaces
- Accepts strapping 3/8 - 3/4" wide
- Superior design and performance
- Premium copper bushings
- Built-in strapping cutter
- For use with open seals or buckles

Model No. PC939



1/2" POLYPROPYLENE STRAPPING SYSTEMS

Consists of the following components:

- 1- PF071 1/2" x 5600', 750-lb. strength poly strapping
- 1- PE555 dispenser
- 1- PA555 1/2" poly sealer
- 1- PC939 polypropylene and polyester tensioner
- 1- PA509 1/2" open seals, 2000/box

Model No. PD023



POLY STRAPPING KIT

- Hand strap large or small packages
- Carton comes complete with polypropylene strapping and steel buckles
- Conveniently stored in a portable cardboard box



Model No.	Strap Width"	Strength lbs.	Feet /Ctn.	Buckles /Ctn.
PF072	1/2	300	3300	360

EDGEBOARD CORNER PROTECTORS

- Improves stocking strength and cushions package edges against hard knocks
- Also helps improve the flow of strapping and stretch film around the product
- 20 per bundle



PRE-BUNDLED PACKS

Model No.	Leg"	Thickness"	Length"
PB264	2.5 x 2.5	0.200	36
PB265	2.5 x 2.5	0.200	42
PB266	2.5 x 2.5	0.200	48
PB267	3 x 3	0.200	36
PB268	3 x 3	0.200	42
PB269	3 x 3	0.200	48

Note: Pallet quantities are available. Other thicknesses and lengths available upon request.

EDGE PROTECTORS

- Plastic edge protectors spread strapping tension across a 2" surface
- Protects packages from surface damage
- 1" L x 1 1/4" W
- For use with strapping up to 3/4" W
- Quantity of 1000 per package
- Priced per package

Model No. PA497



KNIVES & CUTTERS

HEAVY-DUTY UTILITY KNIVES



Model No.	Mfg. No.	Description
PA227	L-1	Heavy-Duty Knife
PA228	L-2	Heavy-Duty Knife w/an Ergonomically-Designed Handle that Features a Rubber Grip Insert
PB861	NL-AL	Auto-Lock Heavy-Duty Hand Saver™ Utility Knife
PB949	NA-1	Cushion Grip Cutter w/Auto-Lock Blade Slide
PA190	180	Quality at an Economical Price. Features Snap-Off Blades
PA224	H-1	Extra Heavy-Duty Cutter w/Rubber Grip Insert
PB834	SK-4	Carton Cutter Knife w/Self-Retracting Blade for Enhanced User Safety
PA212	CL	Heavy-Duty Utility Knife w/Ratchet Lock
PA246	SL-1	All Purpose Utility Knife
PB860	NOL-1	18 mm All-Over Rubber Grip HD Utility Knife

REPLACEMENT BLADES

Model No.	Use With	Blades /Pkg.
PA238	All Knives Except PA190 and PA224	10
PA239	All Knives Except PA190 and PA224	50
PA199	PA190 and PB949	10
PA731	PA190 and PB949	50
PB835	PB834 Only	10
VQ359	PA224 Only	5
VQ360	PA224 Only	20
PC544	PC563 Only	100

BAG SEALER & TAPE

- Heavy-duty bag sealer with tape cutter
- Easy to use; just twist bag shut and move through slot

Model No. PE356



REPLACEMENT BLADE

Model No. PE383

BAG SEALING TAPE

- 3/8" x 216' PVC tape

Model No.	Colour
PF208	White
PF209	Yellow
PE538	Red
PF211	Blue
PF212	Green




SNAP IT 'N' TRAP IT HEAVY-DUTY UTILITY KNIVES

- Innovative design allows for convenient way to snap-off and securely store dull blade segments
- Enables you to renew and dispose up to 16 blade segments quickly
- Features the Olfa silver LB blade, made of premium carbon tool steel for superior sharpness and durability
- Heavy-gauge stainless steel blade channel tightly secures the blade
- Built with high-impact ABS plastic handle for strength
- Tackles the toughest of jobs like cutting drywall, linoleum, rubber and more

Model No. PE987

Mfg. No. DL-1



REPLACEMENT BLADES

Model No. PA238 10/pkg. Mfg. No. LB-10B

Model No. PA239 50/pkg. Mfg. No. LB-50B



SAFETY KNIVES WITH CONCEALED BLADE

- Adjustable blade positioning design which allows for four cutting points on a single-edge utility blade
- Highly productive, it delivers 4x's more cuts than a single-edge, fixed blade "gooseneck" safety knife
- Uses the Olfa SKB-10 blade, a single-edge blade featuring one blunt edge for safer handling
- Versatile, it features a 5/32" (4 mm) throat inlet to cut through a variety of materials, and a stainless steel tape slitter for box tape slitting
- Acetone resistant for easy cleaning
- Fits both right and left-handed users with no blade adjustment necessary
- Tool-free blade change

Model No. PE929

Mfg. No. SK-10



REPLACEMENT BLADES

Model No. PE990 10/pkg.

Mfg. No. SKB-10/10B



INDUSTRIAL UTILITY KNIVES



aurora tools

Model No.	Description
PE813	Blade Screw-Lock, Comes w/Blade Snapper
PE814	Auto-Lock Blade, Attached Blade Snapper
PE549	Auto-Lock Blade, Lightweight Design
PE345	Attached Blade Snapper
PE346	Auto-Lock Blade, Attached Blade Snapper, Built-In Belt Clip
PE349	Blade Screw Lock, Rubber Handle Insert for Superior Grip
PE812	Auto-Reload Blade Change, Auto-Lock Blade, Thumb Operated Screw-Lock for Heavy-Duty Operation, Rubber Handle Insert for Superior Grip, Attached Blade Snapper, Includes 4 Heavy-Duty Blades

REPLACEMENT BLADES

Model No.	Use With
PE406	PE812 Only, 10/Pkg.
PE408	PE813 and PE814, 10/Pkg.
PF205	PE549 Only, 10/Pkg.
PE407	PE345 and PE346, 10/Pkg.
PE410	PE349 Only, 10/Pkg.

INDUSTRIAL MARKERS & BAGS

FOR COLD SURFACES

B[®] PAINTSTIK[®] -50° TO 150°F



The Original ALL Purpose Cold Surface Markers

- Real paint in stick form
- Ideal for long-lasting, weather, fade and abrasion resistant identification
- Leaves bright, highly visible marks on all materials, including asphalt, aluminum, glass, plastic, marble, lumber and steel
- Writes on rough, smooth, oily, wet, dry, icy and rusty surfaces



Model No.	Colour	Model No.	Colour
PA298	White	NE264	Green
PA320	Black	PA300	Orange
PA309	Yellow	PA353	Grey
NE265	Red	PA348	Blue

BALL PAINT MARKER[®] -50° TO 150°F



- Produce long lasting, weather and water resistant fine line marks with real paint that dries in minutes
- Writes like a pencil on metal, wood, plastics, rubber - any surface or material
- Packaged in unbreakable 2-oz. plastic bottles with cap to prevent drying or leaking



Model No.	Colour	Model No.	Colour
PA339	White	PA345	Green
PA340	Yellow	PA343	Orange
PA341	Red	PA342	Black
PA344	Blue		

B-L[®] BLUE PAINTSTIK[®] -50° TO 150°F

Makes permanent marks that bleed through painted surfaces. Available in blue only.

Model No. PA356

PRO-LINE HP[®] MARKERS

- High performance paint marker has unsurpassed writing capabilities on oily, soapy and wet surfaces
- Excellent on most metals, coatings, plastics, glass, ceramics and other non-porous materials
- Low in halogenated compounds and sulphur allowing use in stainless steel and other corrosion sensitive applications



Model No.	Colour
PE507	White
PE508	Yellow
PE509	Red
PE510	Black
PE511	Blue
PE512	Green
PE513	Silver
PE514	Orange

Xylene Free!



RECLOSABLE POLY BAGS

- Zippered opening allows for easy sealing, opening and resealing
- Keeps out dirt and moisture
- Hang-holes allow user to hang on hooks or pegs
- 2-mil or 4-mil thickness for heavier duty applications
- 1000 bags per case



Model No.	Bag Dimensions"
2-MIL THICKNESS	
PE713	2 x 2
PE714	2 x 3
PE716	3 x 3
PA040	3 x 4
PE718	3 x 5
PE720	3 x 6
PE721	4 x 4
PA058	4 x 6
PE724	4 x 8
PE725	5 x 7
PA063	5 x 8
PE729	6 x 6
PE727	6 x 8

Model No.	Bag Dimensions"
2-MIL THICKNESS	
PA071	6 x 9
PE728	6 x 10
PE731	7 x 10
PE733	8 x 8
PA075	8 x 10
PE734	9 x 12
PE708	10 x 10
PA029	10 x 12
PE707	10 x 13
PE709	12 x 12
PE710	12 x 15
PE712	15 x 20

Custom sizes and printed bags available. Please inquire.

VALVE ACTION[®] PAINT MARKERS



MARKING RANGE -50° TO 150°F.

- A fast drying, lead free paint marker ideal for all surfaces
- Weather and fade resistant
- Replaceable fibre tip ensures full use of the marker



Model No.	Colour
PA418	White
PA431	Black
PA420	Red
PA422	Green
PA419	Yellow
PA423	Aluminum
PA421	Blue

REPLACEMENT TIPS (12/PKG)

Model No. PA424

QUIK STIK[™] TWIST-UP PAINT MARKERS

- All purpose paint marker for marking metal, wood, glass, plastic, cardboard and more
- Fast drying paint is fade and weather resistant
- 20% more marks than other brands
- Easy-to-use twist-up holder with self-storing cap keeps hands and clothing clean
- Available in four bright colours: White, yellow, red and black
- 72 per case



Model No.	Colour
PB937	White
PB938	Yellow
PB939	Red
PB940	Black

#15 SHARPIE[®] MARKERS

Fine point marker. Extra tough tip that will not spread or mush. High visibility ink.



Model No.	Colour
PA393	Black
PA395	Blue
PA392	Red

Model No.	Bag Dimensions"
4-MIL THICKNESS	
PE715	2 x 3
PE717	3 x 4
PE719	3 x 5
PE722	4 x 4
PE723	4 x 6
PE726	5 x 8
PE730	6 x 9
PE732	8 x 10
PE104*	9 x 12
PE711	12 x 15

*500 bags/case

INDUSTRIAL & OFFICE SEATING

DELUXE SWIVEL STOOLS

- 360° swivel motion is ideal for workers who have repetitive side to side movement
- Seat easily adjusts to your selected height, just raise or lower the steel rod and lock securely in place
- 2" foam over a 1/2" plywood base and 1/2" foamed backrest
- All-welded frame constructed of 1" diameter 16-gauge steel
- 3/4" circular tube footrest
- Four leg cluster design has a 22" spread giving them optimum stability
- Black vinyl upholstery with a royal grey frame
- Optional casters available



OJ905 has an ergonomic self-skinned molded polyurethane foam seat and back, features lumber support, waterfall seat and 4-leg frame for superior comfort and durability.

Model No.	Adjustable Height"	Seat Dimensions"	Wt. lbs.
OJ905	25 - 31	19 x 17	33
FC670	25 - 31	19 x 17	33
FC675	Set of 4 Casters	-	2

STATIONARY & ADJUSTABLE HEIGHT STOOLS

Stationary



Adjustable



- Ruggedly built for long lasting service in a warehouse factory or office
- All-welded frame is a 7/8" diameter steel tube
- Legs are braced with a 3/4" 18-gauge circular footrest for increased strength and stability
- 14" diameter embossed steel seat has a 1/8" tempered hardboard inlay
- FC656 has a 14 1/2" x 15" sq. seat and is reinforced by steel bars
- All stools have four chrome floor glides that will not damage floors
- On the adjustable models the telescopic legs have screw locks that adjust on 1" increments
- Contoured back rest constructed of 19-gauge steel
- Royal grey
- OK067 is a chrome-painted premium shop stool

Model No.	Height"	Seat Dimensions"	Wt. lbs.
STATIONARY HEIGHT			
A. FC649	24	14	20
B. FC647	24	14	12
B. FC648	30	14	14
C. OK067	25 1/2	13 1/2	12

Model No.	Height"	Seat Dimensions"	Wt. lbs.
ADJUSTABLE HEIGHT			
D. FC653	25 - 33	14	12
E. FC655	25 - 33	14	20
F. FC656	18 - 26	14 1/2 x 15	18

SPECIALTY STOOLS

- Designed specifically for laboratories and medical offices
- 14" diameter, 3" high, vinyl-covered seat
- Pneumatic mechanism to adjust the height
- Footring is standard on stools with a 20" - 33" adjustable height, optional on the other stools
- Optional casters or glides available



MUR-VAN MANUFACTURING

Model No.	Adjustable Height"	Wt. lbs.
WITH CASTERS		
OC785	16 - 22	14
OC786	20 - 28	18
OC787	23 - 33	20
WITH GLIDES		
OC788	16 - 22	14
OC789	20 - 28	18
OC790	23 - 33	20

Optional footring OC819 for heights 16"-22" and 21"-28" only

SWIVEL STOOLS

- Seats made of 19-gauge embossed steel with 1/8" tempered hardboard inlay
- 1" diameter, 16-gauge steel frame all-welded tubing
- Circular 18-gauge footrest guarantees comfort and stability
- Heavy-duty rubber cushioned steel glides protect floors
- 1" x 14 1/2" long steel adjustment stem for easy height selection on all units
- 9 1/2" x 15 3/4" backrest is 4-way adjustable
- Optional casters available: FC675



Model No.	Adjustable Height"	Seat Dimensions"	Wt. lbs.
FC658	22 - 28	14	19
FC661	22 - 28	14	28
FC665	17 - 23	14 1/2 x 15	27
FC675	Set of 4 Casters	-	2

SIT/STAND STOOLS

- Sit/stand stools dramatically reduce fatigue for workers unable to sit down on the job
- Can be positioned for up close work
- FC683 heavy gauge triangular glides provide safety, features a built-in footrest, a 15" wide x 13 7/8" high self skinning polyurethane seat mounted to an adjustable spring suspension frame that automatically tilts forward up to 15° while in use
- Removable seat attaches to frame with a double pin locking system which easily adjusts to 12 positions from 21" to 35"
- FC685 features a sturdy, tip proof 5-leg base with a padded comfortable "Bicycle style" seat
- Pneumatic height adjustment from 23 1/2" to 33 1/2"

Model No. FC683 Manual Adjustment

Model No. FC685 Pneumatic Adjustment



INDUSTRIAL & OFFICE SEATING

INDUSTRIAL SEATING

- Features a full 8" of pneumatic lift while seated
- Exclusive extension tube provides an adjustable height range of 17" to 35"
- Seats and backs are microcellular self skinning polyurethane foam which inhibits punctures, tears and moisture absorption
- Large 26" diameter 5-leg steel base with 2 1/2" diameter glides ensure stability and safety even at the highest levels
- Large wide angle footrests make it easy to step up into seat



FC680
Features 22° back angle and 10° seat tilt adjustment w/double paddle handles.



FC681
Features 3" back rest height and 3" back rest depth adjustment.
Assembly required.

Model No.	Seat	Dimensions"	Backrest	No. of Footrests
FC680	18 1/2 x 17		15 3/4 x 9	3
FC681	16 1/4 x 16 1/4		14 1/2 x 9	1

PNEUMATIC SWIVEL STOOLS

- 5" gas lift
- Height adjusts from 15" to 20 1/2"
- Black select fabric
- Weight: 10 lbs

Model No. OD846



OD847



- 10" gas lift
- Height adjusts from 22" to 32"
- Weight: 12 lbs

Model No. OD847

STEEL BASE SWIVEL STOOLS

- 5" pneumatic lift of 25" to 30", for easy height adjustment
- Five legs and an all-welded steel base, gives optimum stability
- 16-gauge, 1" diameter steel legs • Full 360° rotation
- Powder-coated black Santex
- Optional casters are available



OJ973



OJ974



OJ975

Model No.	Upholstery Seat	Seat Dimensions"	Wt lbs.
OJ973	Vinyl & Foam-Padded Seat & Back	19 x 17	33
OJ974	Polyurethane Seat & Back	18 x 17	33
OJ975	Premium Self Skinned Polyurethane Seat & Back	19 x 18	35
OJ976	Optional Set of 5 Tile Casters (Includes Leg Insert Socket)		

SHOPTECH ERGONOMIC INDUSTRIAL STOOLS



- Industrial seating that brings ergonomic comfort and productivity to the shop floor, the laboratory or the shipping office
- Durable, easy to clean, molded polyurethane seating is the perfect solution for clean rooms or wipe down applications
- **OE088** has an overall height of 16 to 21 1/2" with a 19" W x 14" D seat
- **OE089** sit/stand stool has an overall height of 19 to 26 3/4", seat is 19" W x 14" D with a 6" W x 5" H back



Model No.	Description	Wt. lbs.
OE088	Stool	20
OE089	Sit/Stand	19

ERGONOMIC INDUSTRIAL SHOP SEATING



- Industrial chairs featuring comfortable and supportive seating that is easy to clean
- Seats made of a soft molded polyurethane material, backs formed to support the body for greater comfort and less fatigue
- Pneumatic height adjustment of 15" to 20 1/2"
- 5-prong poly on steel base with dual wheel carpet casters
- Optional chrome footring adds 10" to height
- Glides recommended with footring
- **OC816** and **OC821** task chairs have adjustable backrest height, depth and angle
- Optional stool kit **OC822**



OC815

Model No.	Description	Wt. lbs.
W/CASTERS		
OC815	Operator's Chair	25
OC816	Task Chair	26.5
NH450	Operator's Chair w/Stool Kit	30
NH451	Task Chair w/Stool Kit	31.5
W/GLIDES		
OC820	Operator's Chair	25
OC821	Task Chair	26.5
NH452	Operator's Chair w/Stool Kit	30
NH453	Task Chair w/Stool Kit	31.5



OC816

DRAFTING STOOLS

- Designed with a contoured seat and back
- 3-way back adjustment provides user comfort
- Seat and back are made with a solid 3/4" plywood frame and fastened together with T-nuts
- Standard 100% polypropylene black fabric upholstery
- One piece durable plastic base with chrome footrest
- Two pneumatic gas levers simplify height adjustment from 23" to 33" and ergonomic tilt
- With casters

Model No. OA286



INDUSTRIAL & OFFICE SEATING

1405 & 1410 PREMIUM SERIES CHAIRS

- Task and operator chair
- Molded foam cushions
- "One-touch" ergonomic chair controls
- Gas lift height adjustment
- Back height and depth adjustment
- Seat and back angle adjustment on 1410 Series
- Optional arms and stool kit available
- Dual wheel carpet casters

Black Onyx



Charcoal



Model No.		Description	Seat Dimensions				Back Dimensions	
Black Onyx	Charcoal		W"	D"	x H"	W"	x H"	
OE744	OE745	1405 Series Chair	17 1/2	x 18	x 17-22 1/2	16 1/4	x 14	
OE746	OE747	1405 Series w/Stool Kit	17 1/2	x 18	x 22-27	16 1/4	x 14	
OE748	OE749	1410 Series Multi Functional	17 1/2	x 18 1/2	x 18-23 1/2	17 1/2	x 15	



TASK CHAIRS & ECONOMICAL STENO CHAIRS

- Pneumatic height adjustments
- Backrest height adjustments
- Five prong poly on steel base
- Dual wheel carpet casters
- Stool kit available
- Optional arms
- Optional glides (recommended with stool kit)

Black Onyx



Charcoal



Model No.		Description	Seat Dimensions			Back Dimensions		Wt. lbs.
Black Onyx	Charcoal		W"	D"	x H"	W"	x H"	
ECONOMICAL STENO CHAIRS								
OC310	OC309	w/o Arms	18	x 17	x 17-22	16 1/2	x 11 1/2	30
OC312	OC311	w/T-Arm Kit	18	x 17	x 17-22	16 1/2	x 11 1/2	32
OE093	OE092	w/Stool Kit	18	x 17	x 22-27	16 1/2	x 11 1/2	35

TASK CHAIRS

OE095	OE094	w/Stool Kit	18	x 17	x 24-30	16 1/2	x 13 1/2	35
-------	-------	-------------	----	------	---------	--------	----------	----



OPTIONS FOR CHAIRS

Model No. OA271
Loop Arm Kit
(width adjustable)



Model No. OC323
T-Arm Kit (width & height adjustable)



Model No. OA269
Stool Kit



ACTIV® A-43 MID-BACK MESH-CHAIRS


- Tilt mechanism with lockout feature and tension adjustment
- Height and depth adjustable lumbar support between 18 1/4" to 21 1/2"
- Optional height and tilt adjustable headrest
- Back is 22" height and 19 1/2" width
- Seat is 20" width and 19 1/2" depth
- Height and width adjustable armrests
- Fabric options on seat and optional headrest
- Soft touch mesh on seat as standard fabric
- Black base and gas cylinder



Model No.	Description
OK208	Mid Back Mesh-Chair
ON573	Head Rest

ACTIV® SERIES A-96 MESH CHAIRS

- Flexibly adjusts to support your back as you move in your seat while working
- Allows airflow to your back to keep you cool and comfortable
- Feels soft and comfortable, not rigid, against your back
- Mesh contoured shaped back
- Black fabric on seat
- Pneumatic seat height adjustment between 18 1/2" and 21 1/2"
- Back is 19 1/2" high and 18" wide
- Seat is 19 1/4" wide and 20" deep
- Fixed armrests
- Tilt feature with lockout
- Tension adjustment
- Chrome base and gas cylinder
- Carpet caster



Model No. OK210



ACTIV® A-618 LEATHER MANAGER'S CHAIRS

- Thick padded and contoured seat and back for superior comfort
- Seat is 21 3/4" width and 21" depth
- Back is 24" height and 21 1/2" width
- Back features built-in lumbar support which allows increased relaxation of the back
- Contoured armrests for increased support
- Pneumatic seat height adjustment from 18" to 22"
- A tilt mechanism with lockout and tension adjustment control knob
- Contoured backrest shaped to fit the contours of the body
- Soft-touch leather like fabric
- Fixed armrests



Model No. OK390



ACTIV® A-41S GUEST CHAIRS

- Breathable mesh fabric backrest
- Contoured backrest shaped to fit the contours of the body
- Lumbar support allows increased relaxation of the back
- High density foam seat cushion with plastic shell seat pan
- Fixed loop style armrests
- Black 4-legged base
- Seat: 18 1/2" H x 18 1/2" W x 19 1/2" D
- Back: 16 1/2" H x 17 1/2" W
- Stacks five high

Model No. ON707



POLYPROPYLENE FOLDING CHAIRS

- Durable contoured back and seat for all day comfort
- Steel framing and folding legs for extra strength
- Easy to clean
- Dimensions: 15 1/2" L x 16 1/2" W x 33 1/2" H
- Capacity : 350 lbs.

Model No. ON602



ECONOMY DRAFTING CHAIRS

- Pneumatic seat height control adjusts from 23" to 33"
- Manual back height and depth adjustment
- Chrome-plated adjustable footring
- Five-star nylon-reinforced base for strength and durability
- Back dimensions: 16" W x 9 1/2" H
- Seat dimensions: 18 3/4" W x 16 5/8" D



Model No.	Colour	Wt. lbs.
OE096	Black	25



STAG4 ERGONOMIC SEATING

- Ergonomic seat allows user to work in a kneeling position with comfort
- Reduced pressure sensations felt in the knees, ankles and lumbar region
- 1-lever mechanism for seat height adjustment and 20° adjustable slope for kneeling position
- Padding: Dual-density cushions, closed-cell foam
- Upholstery for standard unit: Easy to maintain black/grey moburg and naugahyde, antibacterial, antistatic material
- For welding unit: Flame retardant natural cow suede
- Seat height adjustment: Standard pneumatic lift: 16" to 21"
- Dimensions: Knees: 9.5" W x 16" D
Seat: 12.5" W x 12" D
Steel base: 21" x 27"
- Five 3" caster wheels with three brakes, adaptable to all surfaces
- Includes small tool tray



Model No	Description
OG347	Ergonomic Bench
OG348	Ergonomic Bench w/Welding Fabric



TF180 ERGONOMIC INDUSTRIAL STOOLS

- An ergonomic stool with a larger seat improving workers comfort
- Seat height adjustment: Pneumatic lift: 23" to 33"
- Dimensions: Seat: 17.5" W x 14" D
Backrest: 12" W x 14" H
- Mechanism: three levers seat height adjustment, tilting seat, and tilting backrest
- Padding: Dual-density cushions, closed-cell foam
- Base: 28" diameter, steel
- Five 3" caster wheels adaptable to all surfaces



Model No	Description
OP241	Ergonomic Industrial Stool
OP242	Ergonomic Stool w/Welding Fabric



HEAVY-DUTY STEP STOOLS

- Comes with a double platform with non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- 16 1/2" overall height
- Capacity: 500 lbs.
- Wt.: 10 lbs.

Model No. ON528



STEP STOOLS

- Tough 1-piece poly construction with anti-skid bottom
- Threaded top and expanded step
- 16" diameter base provides added stability
- Glides easily on retractable rubber casters
- 13" overall height
- Capacity: 350 lbs.
- Wt.: 7 lbs.

OA300



Model No.	Mfg. No.	Colour
OA299	2523BL	Black
OA300	2523BE	Beige



COMPUTER CABINETS

ALL-WELDED DESK TOP CABINETS

- Locking slide-in pocket doors with inner compartments for storage of files or manuals
- Pull out keyboard shelf • Sliding tray may be used for mouse pad or as a writing surface
- Vented back for air circulation • Finish baked enamel blue and grey
- Ships fully assembled

Model No. OC533

OPEN PEDESTAL STANDS

- 32" high, designed to support the desk top unit for stand-up operation
- Blue-baked enamel finish
- **Includes:** Convenient storage shelf and adjustable leg levellers for uneven work surfaces
- Shipped knocked down

Model No. OC534

ENCLOSED PEDESTAL STANDS/PRINTER STANDS

- Roll in/roll out hideaway printer stand which locks inside the enclosure when not in use
- Printer stand has two adjustable shelves as well as one bottom 28" W x 25" D shelf for printers or paper
- 30" high enclosure may be oriented for left or right hand access
- Blue and grey baked enamel finish
- Shipped knocked down

Model No. OC535



Desk top cabinet with enclosed stand/printer stand

Desk top cabinet with open pedestal stand



Model No.	Description	Dimensions					Wt. lbs.
		W"	x	D"	x	H"	
OC533	Desktop Upper Computer Cabinet Only	30	x	27 3/4	x	30	122
OC534	Computer Cabinet Open Pedestal Stand Only	30	x	27 3/4	x	32	66
OC535	Computer Cabinet Enclosed Stand w/Printer Stand	30	x	27 3/4	x	33	142

MOBILE COMPUTER CABINETS

- All-steel welded construction
- Top monitor compartment is 22 1/2" W x 23" D x 18 3/4" H with a slide-out keyboard shelf
- Locks independently of bottom section which includes two adjustable shelves
- 5" polyolefin casters (two rigid, two swivel w/brake)
- **Includes:** Vented back for air circulation and a 6-outlet power strip with built-in surge suppression
- Overall dimensions: 26" W x 24" D x 64" H
- Weight: 149 lbs.
- Durable baked enamel blue and light grey finish
- Shipped fully assembled

Model No. OC532



MOBILE SECURITY COMPUTER CABINETS

- Secure locking cabinet with resistant acrylic see-thru window for LCD monitor
- Slide-out locking keyboard is 19 3/4" W x 17 1/2" D x 4" H
- Lower compartment is 20 1/2" W x 21" D x 23 1/2" H and has a locking front and rear access doors
- Two convenient side wing shelves for additional work space, fold down when not required
- 5" heavy-duty casters (two rigid, two swivel w/brake)
- Overall dimensions: 24 1/2" W x 22 1/2" D x 62 1/4" H
- Powder coat finish provides a durable finish



OG880



Model No.	Colour
OG880	Blue
OG881	Putty
OG882	Light Grey
OG883	Black

MOBILE COMPUTER CABINETS

- All-steel construction
- Slide-out keyboard tray
- Lower lockable cabinet is 24 5/8" W x 22 7/8" D x 22 5/8" H
- 2-position shelf can be located for desk top style or up to 18" H tower style CPU's
- Fixed shelf is 24 5/8" W x 22 7/8" D x 11 1/2" H and provides ample room for any sheet fed style or continuous form style printer
- Rear cabinet access holes for paper feed, cables and ventilation fan (not included)
- 5" polyolefin casters (two rigid, two swivel w/brake)
- Overall dimensions: 27" W x 24" D x 49 1/4" H
- Blue
- Weight: 125 lbs.
- Shipped knocked down, assembly required with simple hand tools

Model No. OC839



COMPUTER CABINETS

- A unique 2-piece heavy-duty all-welded steel construction that provides space efficient security for your valuable electronic equipment
- Locking upper compartment with plexiglass window provides viewable access for most 20" monitors
- Lower compartment features one fixed bottom and one adjustable shelf
- Top level can be bolted onto a desk (bolts not included)
- Louvers in the rear provide equipment ventilation
- Heavy-duty all-welded steel top and bottom sections bolt together for easy assembly
- **Includes:** 5" casters (two rigid, two swivel w/brake)



OE825

Model No.	Description	Dimensions					Colour
		W"	x	D"	x	H"	
OE824	Complete Computer Enclosure w/Casters	24 1/2	x	22 1/2	x	59 1/2	Light Grey
OE825	Complete Computer Enclosure w/Casters	24 1/2	x	22 1/2	x	59 1/2	Putty
OE826	Top Level (Internal)	20 3/4	x	21 3/4	x	19 1/4	Light Grey
OE827	Top Level (Internal)	20 3/4	x	21 3/4	x	19 1/4	Putty

COMPUTER CABINETS & LITERATURE RACKS

EXTRA WIDE COMPUTER CABINETS

- Heavy-duty all-welded construction with vented back for air circulation
- Separate locking upper and lower compartments allow access only to the equipment needed
- Slide out keyboard shelf facilitates ergonomic operation
- Two adjustable shelves in lower section can be located for any style equipment
- Top compartment: 46 1/2" W x 23" D x 18 1/2" H
- Lower cabinet section: 46 1/2" W x 23" D x 30" H
- Overall dimensions: 50" W x 24" D x 64" H
- Tough powder coat finish
- Complete with five polypropylene casters
- Includes 6-outlet UL listed and CSA approved power strip with built-in surge protection



Model No. ON576
Mfg. No. CSC6718

HOOK & LOOP FASTENERS

- Used as an alternative to zippers, screws, snaps, and bolts
- One nylon strip consists of tiny hooks and another consists of soft pliable loops
- Simply press together to fasten and pull apart to open
- Applications include the apparel, furniture, packaging and printing industries
- Peel & stick (adhesive backed)



Hook		Loop		Width"	Length yds
White	Black	White	Black		
OC500	OC501	OC502	OC503	1	10
OC504	OC505	OC506	OC507	1	25

COMPUTER CABINETS FOR HARSH ENVIRONMENTS

- Heavy-duty all-welded construction with forklift channels for easy movement
- Built-in fan with guard and filter keeps equipment cool and provides positive air pressure in the enclosure to keep out dust
- Locking upper compartments with plexi-glass window provides viewable access to most 20" monitors
- Locking pull-out drawer facilitates ergonomic operation of keyboard and mouse while top and bottom compartments are locked
- Roll-out printer shelf in lower section provide full access and is height adjustable for any style equipment
- Adjustable bottom shelf provides space for desktop or tower style CPUs
- Rear access panel for easy cable management
- Caster base includes 5" polypropylene casters (two rigid, two swivel with brake)
- Tough powder coat finish
- Includes 6-outlet UL listed and CSA approved power strip with built in surge protection
- Optional caster base available for even greater mobility



Model No.	Mfg. No.	Description	Dimensions			Colour	Wt. lbs.
			W"	x D"	x H"		
ON574	CSC6850	Computer Cabinet	28 1/2	x 28 1/2	x 60	Blue	255
ON575	CSC6852	Optional Caster Base	-	-	38	Blue	11

LITERATURE STORAGE RACKS

- Construction is of sturdy heavy gauge steel
- Provide a convenient and compact way to store literature
- Most models accommodate 150 standard 8 1/2" x 11" sheets, while others are wider to hold magazines and special forms



DURHAM MFG
Est. 1922



Optional legs to permit free standing as illustrated are available for all literature racks.

ROTATING LITERATURE RACKS



Putty	Model No.				Overall Dimensions					Openings				Paper Width"	No. of Pockets	Wt. lbs.
	Grey	Tan	Black		W"	x D"	x H"	W"	x D"	x H"	W"	x D"	x H"			
OC540	OA152	OA130	OC536		9 3/4	x 4 1/8	x 65 1/2		8 5/8	x 3/4	x 8 1/2		8 1/2	23	32	
OC559	OA166	OA156	OA607		13 1/8	x 4 1/8	x 58 1/2		12 1/8	x 1	x 8 3/4		12	20	38	
OC541	OA161	OA155	OC537		9 3/4	x 4 1/8	x 36		8 5/8	x 3/4	x 8 1/2		8 1/2	11	18	
OC558	OA148	OA162	OA125		13 1/4	x 4 1/8	x 36		12 1/8	x 1	x 8 3/4		12	11	24	
OC543	OA169	OA165	OC539		9 3/4	x 4 1/8	x 21		8 5/8	x 3/4	x 8 1/2		8 1/2	5	9	
OC557	OA163	OA144	OA609		13 1/8	x 2	x 26 1/4		12 1/8	x 5/16	x 5 5/8		12	10	13	
OC545	OA171	OA624	OC544		Optional Legs for 9 3/4" Wide Models (Sold Individually)											
OC556	OA164	OA167	OC555		Optional Legs for 13 1/8" Wide Models (Sold Individually)											
ROTATING LITERATURE RACKS																
OC553	OA149	OA179	OC552		14 1/8	x 14 1/8	x 66		8 5/8	x 3/4	x 8 1/2		8 1/2	92	136	
OC549	OA134	OA158	OC548		14 1/8	x 14 1/8	x 48 1/2		8 5/8	x 3/4	x 8 1/2		8 1/2	44	92	
OC547	OA145	OA128	OC546		14 1/8	x 14 1/8	x 21 1/4		8 5/8	x 3/4	x 8 1/2		8 1/2	20	47	

FILING SYSTEMS

VERTICAL FILING SYSTEMS

Ideal for filing blueprints, charts, artwork and other oversized documents. Cuts filing and retrieving time; saves on floor space. Exclusive suspension system allows clamps to slip easily in and out of storage racks. Clamps open to 1" to hold up to 100 individual sheets (20 lbs. maximum weight per clamp).

MOBILE VERTICAL FILES

- All-steel construction with four ball bearing swivel casters (two lock)
- Fits 24" to 36" clamps (order separately)
- Holds up to 12 clamps that simply drop in and lift out
- Maximum capacity is 1200 sheets or 240 lbs.
- Compact economy
- Width adjusts from 27 1/2" to 39 1/4"
- Depth is 16" overall
- Height adjusts from 40" to 52"
- Assembly required
- Weight: 25 lbs.

Model No. OE130



HEAVY-DUTY MOBILE STANDS

- Steel construction with four 3" ball bearing swivel casters (two lock)
- Holds 12 hanging clamps in pivot brackets that swing open for easy access to contents
- Height adjusts from 43 5/8" to 61 5/8" for sheets up to 54" long
- Adjusts from width 27 1/2" to 37 1/2"
- Tropic sand finish
- Assembly required



Model No.	Description	Wt. lbs.
OE129	Mobile Stand Only	47
OA195	Mobile Stand with 12-24" Clamps	61
OA196	Mobile Stand with 12-30" Clamps	63
OA213	Mobile Stand with 12-36" Clamps	65
OA197	Mobile Stand with 12-42" Clamps	67

PRINT-LOCK® HANGING CLAMPS



- Clamps hold up to 100 sheets or 20 lbs.
- Green plastic label holders included
- Available in natural aluminum with polished chrome plated cast alloy wing knobs and black end caps



Model No.	Description	Clamp/Pkg.	Wt. lbs.
OE135	18" Long Hanging	6	6
OE136	24" Long Hanging	6	7
OE137	30" Long Hanging	6	8
OE138	36" Long Hanging	6	9
OE139	42" Long Hanging	6	10

VERTICAL FILES W/RECESSED DRAWER HANDLES

- High side walls accommodate hanging files and eliminate the need for hanging file frames
- Removable cam lock included
- Full cradle suspension
- Easy-to-grab recessed pull
- Fully adjustable and removable follower block is standard in every drawer
- Legal size: 18" W x 26 9/18" D




Black	Model No. Grey	Putty	Description	Height"	Wt. lbs
OTE611	OTE612	OTE613	2-Drawer	29	70
OTE618	OTE619	OTE620	3-Drawer	40	104
OTE624	OTE625	OTE626	4-Drawer	52	128

DATA ORGANIZERS

- Horizontal literature rack
- All racks easily bolt together with fasteners provided
- Steel modular, horizontal racks that can be grouped for floor or table mounted storage
- Capacity for literature or directories up to three inches thick
- 8" legs (model CA159) available to raise unit off the floor
- Tan enamel finish
- Includes: Mounting clips

DURHAM MFG
Est. 1922



Specifications	Model OA157	Model OA168	Model CA159
Height "	10 3/4	14 1/4	33 7/8
Width "	33 3/4	33 3/4	3 1/8
Depth "	11 5/8	11 5/8	12 1/8
Opening Width "	11	11	-
Opening Depth "	11 1/2	11 1/2	-
Opening Height "	3	3	-
No. of Openings	9	12	-
Paper Width "	8 1/2	8 1/2	-

WIDE SPAN RECORD STORAGE SHELVING

- Efficiently organize and store all records in a single information retrieval center
- Record management is facilitated with easy to identify printed storage boxes
- 12-gauge steel posts and beams and warp free particle board decks provides maximum strength
- Easy to install with snap together shelf beams, no nuts and bolts
- Storage boxes constructed of white corrugated fibreboard, with handles, making it a durable and easily maneuverable box, a perfect choice for economical storage
- Order complete units, including shelving, deck and boxes, or shelving with deck only
- Grey




METALWARE
STEEL SHELVING
CORPORATION

Shelving & Deck Only Model No.	Complete Unit w/Boxes Model No.	No. of Shelves	Dimensions L" x D" x H"	No. of Boxes
RL997	RN006	3	72 x 18 x 60	30
RL998	RN007	3	72 x 32 x 60	60
RL999	RN008	4	72 x 18 x 84	40
RN001	RN009	4	72 x 32 x 84	80
RN002	RN010	3	42 x 18 x 60	18
RN003	RN011	3	42 x 32 x 60	36
RN004	RN012	4	42 x 18 x 84	24
RN005	RN013	4	42 x 32 x 84	48

POLYPROPYLENE FOLDING TABLES

- Blow molded polypropylene top
- Lightweight with folding legs for easy storage
- 29" fixed table height with locking steel legs
- Easy to clean
- Folding legs automatically lock by use of gravity activated mechanism when opened
- Capacity: 500 lbs. for solid table
350 lbs. for fold-in-half table



Chairs (ON602) not included

Model No.	Description	Dimensions L" x W" x H"	Wt lbs.
ON598	Rectangular	48 x 24 x 29	22
ON599	Rectangular	72 x 30 x 29	35
ON600	Rectangular	96 x 30 x 29	50
ON601	Rectangular Fold-in-Half	72 x 30 x 29	36
OK137	Round	48 x 48 x 29	31
OK138	Round	60 x 60 x 29	47

ECONO/STOR® BOXES

- The perfect choice for economical storage of semi-active or dead records
- Recycled material
- OA081 can be adapted to hold up to one cubic foot of legal or letter size



Model No.	Record Size	Dimensions W" x D" x H"	Stackable Up To
OA082	Letter	12 x 24 x 10	650 lbs.
OA079	Legal	15 x 24 x 10	700 lbs.
OA081	Letter or Legal	12 x 15 x 10	350 lbs.

CORKBOARDS

- Ideal for office or warehouse environments
- Sturdy aluminum frame
- Plastic-molded corners protect the boards and wall from damage
- Double-sided cork for added durability



MILETON

Model No.	Dimensions"	Wt. lbs.
ON593	18 x 24	3.5
ON594	24 x 36	6
ON595	36 x 48	10.5
ON596	48 x 72	18
ON597	48 x 96	30

CORKBOARD ACCESSORIES

PUSH PINS

Plastic head, assorted colours. 100 per pkg.


Price per package

Model No. OJ472



WHITE BOARDS

- White writing surface provides clean, colourful display
- Effortless erasing, wipes clean with cloth or felt brush
- Aluminum frame
- Plastic corners for board and wall protection



ON531

MILETON

MAGNETIC

Model No.	Dimensions"	Wt. lbs.
ON535	24 x 36	6
ON536	36 x 48	10.5
ON537	48 x 72	18

NON-MAGNETIC

Model No.	Dimensions"	Wt. lbs.
ON530	18 x 24	3.25
ON531	24 x 36	6
ON532	36 x 48	10.5
ON533	48 x 72	18
ON534	48 x 96	30

DURA-INK® DRY ERASE INK MARKERS

- Ideal for white board marking in offices and factories
- Mark can be removed quickly and easily with dry rag, towel, or eraser

Markal
High Performance Industrial Markers



Model No.	Colour
PE773	Red
PE774	Black
PE775	Blue
PE776	Green

CLOCKS, DESK LAMPS & KEY CABINETS

TIME CLOCKS

- Large, easy-to-read analog clock face
- LED display of year, month and date
- Automatic or manual printing
- Print window with light
- Automatically adjusts for Daylight Savings Time, short months, leap year and power outages
- Selectable for 4-digit imprint
- Built-in battery backup



SPECIFICATIONS:

Power Supply: 110/120 AC ±10% (50/60 Hz)
Power Consumption: Normal 3 W, Max. 12 W
Ambient Temperature: 14°F - 113°F (-10°C - 45°C)
Humidity: 10% - 90% (no condensation)
Dimensions: 6 3/4" W x 6 1/4" D x 8" H
 150 x 172 x 165 (mm)
Weight: 6 lbs. (2.7 kg)

Model No.	Description
HN140	English

TIME CLOCK ACCESSORIES

- Card rack is adjusted for standard 8 1/4" long cards
- Fits 25 standard time cards
- Rack is adjustable to accommodate cards of different widths



Model No.	Description
HA004	Card Rack
HA001	1000 Time Cards, English
HN141	Replacement Ribbon for HN140 & HN164 Time Clock

HA004


WALL CLOCKS

BATTERY-OPERATED

- 12" diameter round office wall clock
- 12/24 hour
- Glass face
- Black chrome frame



Model No. HT072



HT072

ELECTRIC

- 12" diameter round office wall clock
- 12/24 hour
- Plastic face
- Black frame



Model No. HX019



HX019

BATTERY OPERATED

- 14" diameter quartz clock
- Silent quartz movement with second hand
- Use 1 AA battery
- Plastic face
- Chrome frame



Model No. HT071



HT071

TIME CLOCKS

- Manual or automatic print
- Selectable imprints: year (4-digit), month, date and time or notation
- Selectable print format: year, month and date or Julian date; day or date; AM/PM or 0-23 hours; regular minutes or 100th of an hour
- Right or left side printing
- Desk or wall mount
- Fast, easy set-up of date, time, print format, etc.
- Easy-to-replace ribbon cartridge
- Easy-to-read LCD display
- Automatic adjustment for Daylight Saving Time
- Quartz clock accuracy
- Built-in lithium battery backup protects clock and program data in the event of power failure
- Fast, quiet dot matrix printing
- Selectable notations: RCV'D, SENT, FAX'D, VOID, PAID, CFM'D APR'D, CMPL'D, ORIGN, FILE



SPECIFICATIONS:

Power Supply: 120 AC ±10%, 60 Hz
Power Consumption: Normal 3W, Max. 6W
Ambient Temperature: 14°F - 113°F (-10°C - 45°C)
Humidity: 10% - 90% (no condensation)
Dimensions: 5 1/2" W x 6 1/2" D x 6" H
 150 x 140 x 165 (mm)
Weight: 4.2 lbs. (1.8 kg)

Model No.	Description
HN164	English

KEY STORAGE CABINETS

- Organize and control your office or warehouse with wall-mounted key cabinets
- Heavy gauge steel construction with piano hinged doors and key panels – provide a secure location for key storage
- Industrial 19-gauge body with 18-gauge door on all except OJ922, it has a 20-gauge body and 19-gauge door
- Durable beige powder coat epoxy finish
- All models come with numbered slots and key tags



OJ924



Model No.	Description	Dimensions			
		W"	x	D"	x H"
OJ922	30-Key Cabinet	8	x	2 1/2	x 12
OJ923	60-Key Cabinet	10 3/4	x	3	x 12 1/4
OJ924	120-Key Cabinet	13	x	3 1/4	x 17
OJ925	240-Key Cabinet	16 1/2	x	5	x 20
OJ927	500-Key Cabinet	18	x	5 1/2	x 25
OJ928	Key Tags – 20/Pack	-		-	-

SWING ARM CLAMP-ON DESK LAMPS

- Spring arm adjusts to many positions
- 36" reach
- Clamp to any surface
- Durable baked enamel finish
- Uses standard 100-watt bulb (not included)
- Certified for sale in Canada by an accredited certification body



Model No.	Frame Colour	Light	Type
XA982	Black	100 W	Incandescent

REPLACEMENT BULBS

Model No.	Colour	Light
XC557	Frosted	100 W

OASIS WATER COOLERS

Oasis® water coolers are manufactured with a heavy gauge steel frame which provides durable and quiet operation. They feature a 5-year limited warranty on the sealed refrigeration system and most component parts. All waterways are constructed of lead-free materials and HFC 134A is used as a refrigerant. No CFCs are used. All units are standard tan sandstone finish. Drinking water temperature is 50°F/10°C. Certified for sale in Canada by an accredited certification body.



WALL-MOUNTED COOLERS

Units come in standard or compact models. All units are shipped with complete instructions and wall mounting bracket. Units should be installed with the nozzle 36" from the floor.

Model No.	Mfg. No.	Description	GPH Capacity	Dimensions				Wt. lbs.	
				W"	x	D"	x		H"
0J952	PLF4CM	Compact	4	17	x	13 3/16	x	16	51
0A061	P8M	Standard	8	17	x	29 7/8	x	14	73
0A536	P14M	Standard	14	17	x	29 7/8	x	14	76



OA061

COMPACT FREE-STANDING COOLERS

Attractive economical line suitable for applications in offices, shops or factories where space saving is critical.

Model No.	Mfg. No.	Description	GPH Capacity	Dimensions				Wt. lbs.	
				W"	x	D"	x		H"
0A063	P3CP	Compact	3	12	x	12	x	43 3/4	66
0A064	P5CP	Compact	5	12	x	12	x	43 3/4	69
0A548	P10CP	Compact	10	12	x	12	x	43 3/4	73



OA063

AGAINST-A-WALL OR FREE-STANDING COOLERS

All plumbing connections are completely sealed within the cabinet, permitting flush-to-wall installation.

Model No.	Mfg. No.	Description	GPH Capacity	Dimensions				Wt. lbs.	
				W"	x	D"	x		H"
0C709	P8FA	Standard	8	17	x	14	x	43 3/4	94
0A550	P14FA	Standard	14	17	x	14	x	43 3/4	96



OC709

BARRIER-FREE WHEELCHAIR COOLERS

- Designed specifically for easy access
- Wheelchairs fit under edge of water basin for comfort and convenience
- Instructions and wall mounting brackets included
- Drinking water temperature 50°F



Model No.	Mfg. No.	Bubbler Valve Type	GPH Capacity	Dimensions				Wt. lbs.	
				W"	x	D"	x		H"
0A059	P8AC	3 Electric Push Bars	7.8	17 1/2	x	18 1/2	x	22 11/32	54



OA059

DRINKING WATER FILTER FOR OASIS® COOLERS


- Removes dirt, cloudiness, particles, unpleasant odours and taste
- Reduces chlorine by 97%, lead between 95.9% and 99% and cryptosporidium and giardia cysts by 99.99%
- Works with all the Oasis® water coolers listed on this page
- Fast and easy-to-change refill cartridges with automatic shut-off valve inside the filter
- Designed to last 1500 gallons or approximately six months
- **Includes:** Brackets, complete filter and colour-coded waterline connections

Model No. OG445 Filter

Mfg. No. 033926-002

Model No. OG446 Refill cartridge

Mfg. No. 033879-001



INSULATED BEVERAGE COOLERS

- Heavy-duty blow-molded resin resists chips and dents in the toughest work area or job site
- Injection grade insulated liner material keeps your water or beverage cold
- Leak-resistant screw on lid
- Drip-resistant spigot
- Sturdy molded-in handles on the 10-gallon
- Universal cup dispenser is available for 3 gallons and up, holds 200 cups



Model No.	Mfg. No.	Description	Wt. lbs.
NI653	FG16830111	3 Gallons	5.4
ON611	1840999	5 Gallons	7.5
ON607	1841106	5 Gallons with Dispenser	7.5
NI656	FG16100111	10 Gallons	10.9
NI657	FG825706	Universal Cup Dispenser	0.82

RECYCLING CONTAINERS

RECYCLING CONTAINERS, TOPS & BOXES

For use in areas of high paper generation, such as near copiers, printers and in mailrooms.

- Serves as a convenient central collection site for multiple workstations
- Recycling boxes are perfect for curbside recycling programs
- Contains post-consumer recycled resin (PCR) exceeding EPA guidelines



Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions"	Colour	Wt. lbs.
STATION CONTAINERS						
NH779	3958-73	Square Recycling Container with Recycle Symbol	35	19 1/2 sq x 27 5/8 H	Dark Blue	9.86
NH780	3959-73	Square Recycling Container with Recycle Symbol	50	19 1/2 sq x 34 1/4 H	Dark Blue	13.47
STATION CONTAINER TOPS						
NH763	2791	Untouchable® Bottle and Can, Recycling Top, Fits NH779, NH780 Containers	-	-	Dark Blue	7.05
NH764	2794	Untouchable® Paper Recycling Top, Fits NH779, NH780 Containers	-	-	Dark Blue	7.05
RECYCLING BOXES						
JC060	5714-73	Recycling Box	14	20 3/4 L x 16 W x 14 3/4 H	Blue	4.5
JC061	5714-73	Recycling Box	14	20 3/4 L x 16 W x 14 3/4 H	Green	4.5
JC062	5718-73	Recycling Box	18	25 3/4 L x 16 W x 14 3/4 H	Blue	5
JC063	5718-73	Recycling Box	18	25 3/4 L x 16 W x 14 3/4 H	Green	5

RECYCLING CONTAINERS

- Promote fast, easy and efficient recycling collection
- All-plastic construction will not rust, chip or peel
- Blue colour in a variety of shapes and capacities to suit your workspace
- Recycling symbol imprinted on the containers
- Contains post-consumer recycled resin (PCR) exceeding EPA Guidelines



A. DESKSIDE CONTAINERS

- Designed to be used with existing office containers and accessories
- Easy and effective way to collect waste paper
- JC134 fits inside or outside of desk side containers - allows for easy separation of trash and recycling

Model No.	Mfg. No.	Capacity US Qt.	Dimensions L" x W" x H"	Wt. lbs.
NG274	2955-73	13 5/8	11 3/8 x 8 1/4 x 12 1/8	2
NA737	2956-73	28 1/8	14 3/8 x 10 1/4 x 15	2
NG277	2957-73	41 1/4	15 1/4 x 11 x 19 7/8	3
JC134*	2950-73	4 3/4	10 5/8 x 7 1/4 x 11 1/2	0.75

*Fits NA737 & NG277 only

B. STATION CONTAINERS

- Serves as a convenient central collection site for multiple workstations
- For use in areas of high paper generation, such as near copiers, printers and in mailrooms
- Available in Untouchable® containers, half, round and square and Slim Jim®

Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions L" x W" x H"	Wt. lbs.
UNTOUCHABLE® CONTAINERS					
NG279	3520-73	Half Round	21	21 x 11 x 28	8
JB606	3569-73	Square	23	16 x 15 x 31	7
JB607	2689-88	Swing Top - Black	-	16 x 16 x 4	3
SLIM JIM® CONTAINERS					
NG283	3540-74	Slim Jim®	23	20 x 11 x 30	8
NG266	2703-88	Slim Jim® Paper Top w/No Imprint	-	20 1/2 x 11 5/16 x 23/4	3
JB525	2673-60	Slim Jim® Untouchable® Top w/No Imprint	-	20 1/2 x 11 3/8 x 5	3

C. COLLECTION CONTAINERS

- Serves as a central collection container or shipping container, reducing the amount of handling
- Transport recyclable waste with ease and efficiency
- 8" rubber casters on dolly, sold separately
- Colour of dollies: Black

Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions"	Wt. lbs.
BRUTE® CONTAINERS					
NG288	2620-73	Round	20	19 1/2 Dia. x 22 7/8 H	7
NA697	2632-73	Round	32	22 Dia. x 27 1/4 H	11
JE165	2643-73	Round	44	24 Dia. x 31 1/2 H	14
NA704	2640	Round Dolly for 20, 32 and 44 US gal. Containers	-	18 Dia. x 5 1/4 H	8
NG292	3536-73	Square	40	23 1/2 sq. x 28 3/4 H	15
NA757	3530	Square Dolly for 28 and 40 US gal. Containers	-	17 1/4 sq. x 6 1/4 H	7

RECYCLING CONTAINERS

GLUTTON® RECYCLING STATIONS

- All-plastic construction resistant to corrosion and withstands impacts

GLUTTON® STATIONS

- Two Glutton® containers, four Slim Jim® containers, one station lid frame, eight restrictive-opening tops (four circles, two slots, one square, one triangle) and one label pack containing both iconic labels and word labels in three languages (English, French, Spanish)
- Dimensions: 53" L x 24" W x 35.3" H
- 92-gallon capacity

Model No. **JB612** Mfg. No. 1792372 Dark Blue
 Model No. **JB613** Mfg. No. 1792374 Beige



JB612



1/2 GLUTTON® STATIONS

- One Glutton® container, two Slim Jim® containers, one lid, three restrictive openings and label pack
- Dimensions: 26.8" L x 24" W x 35.3" H
- 46-gallon capacity
- Colour: Dark blue


Model No. **JC092** Mfg. No. 1792339



JC092

SLIM JIM® WITH VENTING CHANNELS

- Durable, all-plastic construction
- Efficient size and shape fits tight spaces
- Venting channels reduces lifting force by 68% on average, which enhances workplace ergonomics
- Integrated handles allow for easier lifting
- Available with universal recycling symbol imprint
- Stainless steel dolly resists rusting, provides easy mobility and fits all Slim Jim®'s containers
- Bases and tops sold separately



JB521

JB524

JB530



Model No.	Mfg. No.	Description	Capacity US Gal.	L"	W"	H"	Colour
JB519	3540-60	Container	23	22	x 11	x 30	Black
JB520	3540-60	Container	23	22	x 11	x 30	Beige
JB521	3540-60	Container	23	22	x 11	x 30	Grey
JB523	3540-07	Container w/Recycling Symbol	23	22	x 11	x 30	Green
JB524	3540-07	Container w/Recycling Symbol	23	22	x 11	x 30	Blue
JB525	2673-60	Swing Top	-	20.6	x 11.6	x 5	Black
JB529	2674	Hinge Top	-	21.9	x 13.45	x 1.24	Black
JB530	3553	Slim Jim® Dolly	-	20.3	x 9.3	x 9.5	Stainless Steel

SLIM JIM® CONTAINERS & TROLLEY SYSTEMS

- Durable, all-plastic construction
- Efficient size and shape fits tight spaces
- Linking trolley moves multiple units, or can be used individually as a dolly
- Trolley accepts both size containers
- Bases and tops sold separately



NG266

NG269

NG267

NG263



Model No.	Mfg. No.	Description	Capacity US Gal.	L"	W"	H"	Colour
NA765	3540	Container	23	20	x 11	x 30	Beige
NG262	3540	Container	23	20	x 11	x 30	Blue
NG261	3540	Container	23	20	x 11	x 30	Brown
NA766	3540	Container	23	20	x 11	x 30	Grey
NG263	3541	Container	15.9	23 1/8	x 11	x 24 7/8	Beige
NG264	3541	Container	15.9	23 1/8	x 11	x 24 7/8	Blue
NG265	3541	Container	15.9	23 1/8	x 11	x 24 7/8	Grey
NG266	2703	Paper Recycling Top	-	20 3/8	x 11 5/16	x 2 3/4	Blue
NG267	2692	Bottle and Can Recycling Top	-	20 3/8	x 11 5/16	x 2 3/4	Green
NG269	2688	Handle Top	-	20 3/8	x 11 5/16	x 2 3/4	Grey
NG271	3551	Slim Jim® Trolley	-	23 7/16	x 15	x 10 13/16	Black
COMBO							
NG969	3542-20	NG265 Container and NG269 Handle Top	-	-	-	-	Grey

HALF MOON BULLSEYE™ RECYCLING CONTAINERS

- Ideal for use in tight areas; can be placed directly against a wall
- Round opening for cans and bottles or rectangular slot for paper
- Colour: Blue
- Other colours available (sandstone, greenstone and granite grey)
- Decals sold separately



NC442



BULLSEYE™ RECYCLING CONTAINERS

- Ideal for the separation of recyclables
- Round hole for cans and bottles or a rectangular slot for paper
- Colour: Blue
- Other colours available (sandstone, greenstone and granite grey)
- Decals sold separately



Model No.	Capacity Gal.	Opening	L"	W"	H"
NC442	15	Round	22 1/2	x 12 1/4	x 36
NC443	15	Rectangular	22 1/2	x 12 1/4	x 36

DECALS

Model No.	Description	Language
JD323	Cans Only	Bilingual
JD324	Cans & Glass Only	Bilingual
JD325	Cans, Glass & Plastic Only	Bilingual

Model No.	Capacity Gal.	Opening	L"	W"	H"
NA804	16	Round	20 1/2	x 11	x 34
NA806	30	Round	20 1/2	x 20 1/2	x 34
NA805	16	Rectangular	20 1/2	x 11	x 34
NA807	30	Square	20 1/2	x 20 1/2	x 34

DECALS


Model No.	Description	Language
JD326	Glass Only	Bilingual
JD327	Plastic Only	Bilingual
JD328	Paper Only	Bilingual

WASTE CONTAINERS

BRUTE® VENTED CONTAINERS, TOPS & DOLLIES

- Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel
- Nest for easy storage and cleans easily due to seamless construction
- New venting channels on 20, 32, and 44 gallon containers allow for easy removal of garbage bags
- Pro-Touch™ handle grips allow for comfortable gripping and lifting
- Four cinches on container enable users to secure bags to container
- Choice of snap-on flat lid or dome top
- Dome top turns container into a rugged outdoor receptacle
- Door swings shut to keep out water and trap odours
- Dome top also fits 45-gallon steel drums
- Twist-on round 5-wheel dolly fits 20-55 US gallon containers
- Universal 5-wheel dolly fits any size round Brute® container and supports up to 500 lbs.

Note: Items shown in rim caddy NI596 are not included.



Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions Dia." x H"	Colour	Wt. lbs.
NA685*	2610	Brute® Container	10	15 5/8 x 17 1/8	Grey	3
NA686*	2610	Brute® Container	10	15 5/8 x 17 1/8	White	3
NA683*	2609	Flat Lid	-	16 x 1	Grey	1
NA684*	2609	Flat Lid	-	16 x 1	White	1
NA691*	2620	Brute® Vented Container	20	19 1/2 x 22 7/8	Grey	7
NA692*	2620	Brute® Vented Container	20	19 1/2 x 22 7/8	White	7
NA693*	2620	Brute® Vented Container	20	19 1/2 x 22 7/8	Yellow	7
NG250	2620	Brute® Vented Container	20	19 1/2 x 22 7/8	Blue	7
NA687*	2619	Flat Lid	-	19 7/8 x 1 1/4	Grey	2
NA688*	2619	Flat Lid	-	19 7/8 x 1 1/4	White	2
NA689*	2619	Flat Lid	-	19 7/8 x 1 1/4	Yellow	2
NA698*	2632	Brute® Vented Container	32	22 x 27 1/4	Grey	11
NA699*	2632	Brute® Vented Container	32	22 x 27 1/4	White	11
NA700*	2632	Brute® Vented Container	32	22 x 27 1/4	Yellow	11
NG251	2632	Brute® Vented Container	32	22 x 27 1/4	Blue	11
NG551	2632	Brute® Vented Container	32	22 x 27 1/4	Red	11
NA694*	2631	Flat Lid	-	22 1/4 x 1 3/8	Grey	3
NA695*	2631	Flat Lid	-	22 1/4 x 1 3/8	White	3
NA696*	2631	Flat Lid	-	22 1/4 x 1 3/8	Yellow	3
NA701	2637	Dome Top	-	22 11/16 x 12 1/4	Grey	15
NA703*	2637	Dome Top	-	22 11/16 x 12 1/4	Red	15
JB463*	2643	Brute® Vented Container	44	24 x 31 1/2	Grey	14
NA706*	2643	Brute® Vented Container	44	24 x 31 1/2	White	14
JB465*	2643	Brute® Vented Container	44	24 x 31 1/2	Yellow	14
JB466	2643	Brute® Vented Container	44	24 x 31 1/2	Blue	14
JB467*	2645	Flat Lid	-	24 1/2 x 1 1/2	Black	4
JB616*	2645	Flat Lid	-	24 1/2 x 1 1/2	White	4
JB618*	2645	Flat Lid	-	24 1/2 x 1 1/2	Yellow	4
NA712	2647	Dome Top	-	24 13/16 x 12 19/32	Grey	16
NA713	2647	Dome Top	-	24 13/16 x 12 19/32	Red	16
NA716*	2655	Brute® Container	55	26 1/2 x 33	Grey	16
NA715*	2654	Flat Lid	-	26 3/4 x 2	Grey	4
NA717	2657	Dome Top	-	27 1/4 x 14 1/2	Grey	17
NA718	2657	Dome Top	-	27 1/4 x 14 1/2	Red	17
NA704	2640	Twist-On Dolly	20 - 55	18 x 6 1/2	Black	8
NA714	2650	Universal Dolly	10 - 55	24 3/8 x 7 1/8	Black	17
NI596	9W87	Rim Caddy for 44-Gallon Container (32 1/2 L" x 26 1/2 W" x 6 3/4 H")	-	-	Yellow	5

* Accepted for use in Canadian food processing facilities

JB463



NA704



NA714



NI596 Rim Caddy for 44-Gallon Container (Sold Separately)



SQUARE BRUTE® CONTAINERS, TOPS & DOLLIES

- Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel
 - Built-in handles, double-ribbed base for increased stability and dragging capacity and seamless construction with rounded corners for easy cleaning
 - Twist-on dolly for easy mobility
 - Strong, snap-on lid keeps odours in
 - Grey and white are USDA Meat and Poultry Equipment Group listed
- Note: Items shown in caddy bag NC428 are not included.



Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions L" x W" x H"	Colour	Wt. lbs.
NC425†	3526	Brute® Container	28	21 1/2 x 21 1/2 x 22 1/2	Grey	10
NC426†	3526	Brute® Container	28	21 1/2 x 21 1/2 x 22 1/2	White	10
NA754	3527	Flat Lid	-	22 x 22 x 2	Grey	3
NA755†	3527	Flat Lid	-	22 x 22 x 2	White	3
NA758	3536	Brute® Container	40	23 1/2 x 23 1/2 x 28 3/4	Grey	15
NA759	3536	Brute® Container	40	23 1/2 x 23 1/2 x 28 3/4	White	15
NA762	3539	Flat Lid	-	24 x 24 x 2	Grey	4
NA763	3539	Flat Lid	-	24 x 24 x 2	White	4
NA757**	3530	Twist-On Dolly	-	17 1/4 x 17 1/4 x 6 1/4	Black	7
NC428*	2642	Brute® Caddy Bag	-	20 x 20 x 20 1/2	Yellow	2

* Fits 40 US gallon containers only. ** Weight Capacity: 250 lbs.

† Accepted for use in Canadian food processing facilities

NA754



NC425



NC428 Caddy Bag for 40-Gallon Container (Sold Separately)

WASTE CONTAINERS & DRUM TOPS

UNTOUCHABLE™ CONTAINERS

- Durable tough polyethylene construction, crack resistant and ideal for indoors or outdoors use
- Ideal for hotel lobbies, restrooms, shopping malls, restaurants and snack areas
- Optional swing top or flat top swings open freely
- ADA compliant, touch free

Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions				Colour	Wt. lbs.	
				L"	x	W"	x			H"
JB619	3569	Untouchable™ Container	23	16 1/2	x	15 1/2	x	31	Beige	7
JB620	3569	Untouchable™ Container	23	16 1/2	x	15 1/2	x	31	Grey	7
JB608	2689	Swing Top	-	16	x	16	x	4	Beige	3
JB607	2689	Swing Top	-	16	x	16	x	4	Black	3
NC432	3958	Untouchable™ Container	35	19 5/8	x	19 5/8	x	27 1/4	Beige	9
NC433	3958	Untouchable™ Container	35	19 5/8	x	19 5/8	x	27 1/4	Grey	9
NC434	3959	Untouchable™ Container	50	19 3/4	x	19 3/4	x	34	Beige	13
NC435	3959	Untouchable™ Container	50	19 3/4	x	19 3/4	x	34	Grey	13
NC436	2664	Swing Top	-	20 1/8	x	20 1/8	x	6 1/4	Beige	4
NC437	2664	Swing Top	-	20 1/8	x	20 1/8	x	6 1/4	Grey	4
NA751	3520	Untouchable™ Half Round Container	-	21	x	11	x	28	Beige	8
NA752	3520	Untouchable™ Half Round Container	-	21	x	11	x	28	Grey	8
NI551	3620	Half Round Lid	-	21 5/16	x	21 1/3	x	9 1/6	Black	3



MARSHALL™ CONTAINERS

- Under normal use (with top on and swing door shut) the container will restrain flames and extinguish them
- Optional grey rigid liner
- ADA compliant

Model No.	Mfg. No.	Capacity US Gal.	Dimensions		Wt. lbs.
			Dia."	x H"	
NH381	NH382	8160	15 3/8	x 36 1/2	20
NH383	NH384	8170	18	x 42	23

RIGID LINERS

Model No.	Mfg. No.	Capacity US Gal.	For Container	Dimensions		Wt. lbs.
				Dia."	x H"	
NA770	3550	12 1/8	15 US gal.	12	x 27 1/4	5
NA771	3552	22	21 US gal.	14 1/2	x 30 1/8	7



FIRE RESISTANT WASTEBASKETS

- Rounded corners add strength and durability; will not rust, chip or dent
- U.L. classified containers contain burning paper without the wastebasket melting or contributing fuel to the container's contents
- CSFM approved and UL listed



Model No.	Mfg. No.	Capacity Quarts	Dimensions				Wt. lbs.	
			L"	x	W"	x		H"
NA676	NA677	2541	11.2	x	8.3	x	12.3	5
NA678	NA679	2543	14.5	x	10.5	x	15.3	6
NC438	-	2544	15.0	x	11.3	x	20.0	8

ROUND TOP CONTAINERS

- A proven fire safe approach to indoor litter control without sacrificing appearance or performance
- Self-extinguishing design
- Self-closing stainless steel door snuffs out fires
- Durable Uni-Koat® powder coated finish
- Non-corrosive stainless steel base ring protects floors and carpets
- Galvanised liner makes emptying easy
- Complies with OSHA and ADA standards
- FM, CSFM approved and UL listed

Model No.	Mfg. No.	Capacity US Gal.	Dim.		Wt. lbs.
			Dia."	x H"	
NA889	NH047	12	15	x 30	22
NA890	NH048	15	15	x 36	26
-	-	15	15	x 36	26



RANGER™ CONTAINERS

- Seamless structural web construction will not rust, corrode and is easy to clean
- Metal bag straps provide a secure method of liner retention
- Optional pedestal base design for 45 gallons and up provides stability even in outdoor environments
- UL classified and FM approved on models with doors
- ADA compliant



Model No.	Mfg. No.	Capacity US Gal.	Dimensions				Wt. lbs.				
			L"	x	W"	x		H"			
JB531	JB532	8430-88	1	Door Top	35	21.5	x	21.5	x	41	30
JB534	-	9171-88	2	Door Top	45	24.8	x	24.8	x	41.5	41
JB536	-	9173-88	4	Openings	45	24.8	x	24.8	x	41.5	37
JB538	-	9175-00	2	Door Top	65	24.8	x	24.8	x	49.25	50
JB540	-	9176-00	4	Openings	65	24.8	x	24.8	x	49.25	60
JB542	-	9177-00	-	Weighted Base	-	24.5	x	24.5	x	6	8.5

SELF-CLOSING DRUM TOPS

- Convert metal or plastic drums into safe waste containers
- Self-closing push door controls odours
- Thumb screws for fastening
- FM approved when used with a steel drum



Model No.	Colour	Diameter"	Wt. lbs.
NA669	Green	24 1/2	12
NA670	Red	24 1/2	12
NH720	Black	24 1/2	12
NA672	Green	20	9

WASTE CONTAINERS

GALVANISED GARBAGE CANS

- Uniform thickness throughout, no rough spots or barbs
- Handles are riveted in place for maximum strength
- Standard garbage cans are manufactured of pre-galvanised steel and come with plain covers
- Heavy-duty cans are manufactured of pre-galvanised steel with a heavier zinc coating for greater durability
- Covers are spring lock type with soldered seams, and 16-gauge steel reinforcing bands on the bottom
- Smooth, bright, rust proof finish
- **NG311** comes with plain cover



Model No.	Capacity Gal.	Top Dia."	Bottom Dia."	O.A. Height"	Gauge	Wt. lbs.
STANDARD CANS						
NG307	9	15	13 3/4	18	30	6.5
NG309	16 1/2	17	15	26 3/4	30	9
NG310	20	17	15	30 3/4	30	9.5
HEAVY-DUTY CANS						
NG311	9	15	13 3/4	18	28	8
NG312	16 1/2	17	15	27 1/4	26	12.5
NG313	20	17	15	31	26	13

PRE-GALVANISED STEEL GARBAGE CANS

- Manufactured from 30-gauge pre-galvanised steel
- Top is 3/16" wire rolled
- Bottom is deeply formed for extra strength, raised 5/8" for longer life and handling ease
- Handles are smooth edged and riveted
- Single handled self-locking cover (included) is deeply formed and has reinforcing ribs for extra strength
- Smooth, bright, rust proof finish



Model No.	Capacity Gal.	Dimensions Dia." x H"	Wt. lbs.
NG314	14	17 x 23	8
NG315	16 1/2	17 x 26 3/4	8.5

GLUTTON™ CONTAINERS

- Sturdy heavy-duty plastic construction is easy to clean and requires no maintenance
- Perfect for large crowds and high traffic areas such as plant lunchrooms, manufacturing and shopping areas, parks and airports
- Designed to withstand extreme weather and handling
- Optional hooded top/rain shield available with or without doors
- Huge 50 US gallon capacity eliminates frequent emptying
- Optional hold down base, **NI075** sold separately
- ADA compliant, touch free



Model No.	Mfg. No.	Description	Capacity US Gal.	Dimensions L" x W" x H"	Colour	Wt. lbs.
NA842	256B	Glutton™ Container	50	25 1/2 x 22 3/4 x 31 1/8	Brown	17
NA843	256B	Glutton™ Container	50	25 1/2 x 22 3/4 x 31 1/8	Cream	17
NA844	256V	Hooded Top w/o Doors	-	26 5/8 x 23 x 13	Brown	13
NA846	256V	Hooded Top w/o Doors	-	26 5/8 x 23 x 13	Red	13
NA848	256X	Hooded Top w/Doors	-	26 5/8 x 23 x 13	Brown	19
NA849	256X	Hooded Top w/Doors	-	26 5/8 x 23 x 13	Red	19
NA850	256K	Rigid Liner	-	23 1/4 x 20 1/4 x 29	Grey	9
NI075	256W	Base	-	21 1/8 x 18 x 5	Black	6

BRUTE® ROLL OUT CONTAINERS

- Containers are made of durable polyethylene that will not chip, crack or peel
- Hinged lids remains attached and locked for efficient handling
- One-piece body construction provides superior durability and strength



50 US GALLON

- Molded-in axle retainer adds strength
- New in-mold catch bar is compatible with semi-automated lift systems
- Heavy-duty, 8" wheels allow for easy mobility, even over steps and curbs

65 & 95 US GALLON

- Steel catch bar is compatible with semi-automated lift systems
- Molded-in foot tilters helps manoeuvre heavy loads



Model No.	Mfg. No.	Dimensions L" x W" x H"	Capacity US Gal.	Colour	Wt. lbs.
NI825	9W27	29 x 23.5 x 36.75	50	Grey	27.13
NI824	9W27	29 x 23.5 x 36.75	50	Blue	27.13
NI485	9W21	25 x 32.3 x 41.8	65	Grey	25.6
NI486	9W22	36 x 27.3 x 45.6	95	Grey	36
NI487	9W22	36 x 27.3 x 45.6	95	Blue	36

SLIM JIM® WALL MOUNTED CONTAINERS

- Wall-mounting this unit maximises off-the-floor space and allows for floor cleaning
- Duramold® construction resists denting, chipping and peeling
- Dimensions: 19 1/2" L x 11 7/8" W x 32 5/8" H
- Capacity: 15 US gallons
- Weight: 12 lbs.
- FM approved for fire safety when wall mounted
- ADA compliant



Model No.	MFG No.	Colour
NA817	7822-00	Beige
JD954	1829401	Blue

RMP® GARBAGE BAGS

- Bags are "Best in Class" on attributes such as energy use, amount of recycled material, post consumer waste retrieved and re-used
- Quality of these "green bags" is as good as "non-green bags"
- Excellent strength and puncture resistance eliminate the need for double bagging
- Excellent performance when compared to standard in the category
- Certified UL ECOLOGO® by a well recognized Canadian third party certification body
- UL ECOLOGO® certified bags are less harmful for the environment

Model No.	Black	Clear	Dimensions"	Description	Qty /Case
JD130	JD146	20 x 22	Utility	500	
JD131	JD147	22 x 22	Utility	500	
JD132	JD148	24 x 22	Utility	500	
JD133	JC835	22 x 24	Utility	500	
JD134	JD150	26 x 36	Regular	250	
JD135	JD151	26 x 36	Strong	200	
JD136	JD152	26 x 36	X-Strong	150	
JD137	JD153	30 x 38	Regular	250	
JD138	JD154	30 x 38	Strong	200	
JD139	JD155	30 x 38	X-Strong	150	
JD140	JD156	35 x 50	Regular	250	
JD141	JD157	35 x 50	Strong	200	
JD142	JD158	35 x 50	X-Strong	150	
JD143	JD159	42 x 48	Regular	250	
JD144	JD160	42 x 48	Strong	200	
JD145	JD161	42 x 48	X-Strong	150	



SALT/SAND CONTAINERS

SALT/SAND CONTAINERS GP1000

- Ideal for schools, public works, parks and recreation, fire departments, transit, hydro, police and curbside or mobile locations
- Rugged, double-walled, one-piece construction
- Molded from industrial strength polyethylene
- Weather-resistant, corrosion-free
- Heavy-duty capacity: 1000 lbs. or 11 cu.ft.
- 1-year warranty



ND341



Model No.	Description	Dimensions			Colour
		L"	W"	H"	
ND203	Body Only	42	29	30	Yellow
ND204	w/Casters and Hasp	42	29	36	Yellow
ND338	w/Casters Only	42	29	36	Yellow
ND339	w/Hasp Only	42	29	30	Yellow
ND335	Body Only	42	29	30	Grey
ND336	w/Casters and Hasp	42	29	36	Grey
ND340	w/Casters Only	42	29	36	Grey
ND341	w/Hasp Only	42	29	30	Grey

STORALL 1000 GENERAL PURPOSE CONTAINERS

Molded from durable UV stabilized polyethylene, the StorAll is designed to provide year-round maintenance free protection for your items.

- Ideal for campgrounds, cottages, businesses, farms, trailer parks, golf courses, marinas, etc.
- Double-walled lid and convex base
- Knuckle and rod reinforced hinge design
- Molded forklift feet and lifting handles
- Keeps contents safe and dry
- Stacking design saves space and costs of shipping
- Stacks 10 high in a trailer un-skidded and 9 high skidded
- 48" L x 30" W x 29" H
- Capacity: 1000 lbs. or 13 cu.ft.



Model No. CC389 Yellow

Model No. CC390 Grey

Model No. CC391 Yellow w/Hasp

Model No. CC392 Grey w/Hasp



ON-SITE 55 SALT/SAND CONTAINERS

- Tough polyethylene construction
- Versatile unit ideal for indoor and outdoor use
- Ideal for salt and sand, utility storage, garbage, etc.
- 32" L x 23" W x 23" H
- Capacity: 500 lbs. or 5.5 cu.ft.

Model No NJ091 Yellow

Model No NJ092 Grey



STORALL 500 CONTAINERS

The StorAll 500 is a versatile container designed for year-round storage of salt/grit. Its unique nesting design reduces storage space requirements and lowers the cost of transportation.

- Ideal for schools, public works, parks and recreation, subways, bus terminals and any public/private walkway
- Made of tough, durable polyethylene construction
- Molded forklift and hand recessed holes
- Double wall reinforced lid
- Knuckle and rod reinforced hinge design
- Weather-resistant, corrosion-free
- Stacks up to seven high
- Capacity: 500 lbs. or 5.5 cu.ft.
- 1-year warranty



Model No.	Dimensions			Colour
	L"	W"	H"	
ND202	30	24	24	Grey
ND337	30	24	24	Yellow

SOS™ STORAGE CONTAINERS

FEATURES:

- Rotationally molded of LLDPE
- Impact resistant
- Double wall lockable lid
- Water tight
- Lock not included
- 5-year warranty

APPLICATIONS:

Salt or sand - Pool or parking -
Ship or shore - Dock or dugout -
Farm or factory - Safety or security -
Cottage or construction - Truck or trailer



Model No.	Dimensions			Capacity lbs.	Colour
	L"	W"	H"		
ND700	30	24	24	500	Yellow
ND701	30	24	24	500	Grey
ND702	42	29	30	1000	Yellow
ND703	42	29	30	1000	Grey
NJ117	48	33	34	1750	Yellow
NJ118	48	33	34	1750	Grey
NJ119	72	36	36	3500	Yellow
NJ120	72	36	36	3500	Grey

1-GALLON POLYETHYLENE SCOOPS

- Rotationally molded with 1/4" thickness for industrial strength
- Ideal for: farm/feed, restaurant, salt and sand, compost/garden, industry
- Other colours available

Model No. PE095 Yellow

Model No. PE096 White



DUMPING HOPPERS & TILT TRUCKS

STEEL SELF-DUMPING HOPPERS

- Fork lift-operated self-dumping hoppers
- Designed specifically for efficient handling of scrap metal, raw materials and other bulk materials
- Available in capacities ranging from 1/2 to 5 cubic yards
- Can be fitted with casters for better mobility
- Standard 10-gauge thickness, heavy-duty 7-gauge thickness or extra heavy-duty 3-gauge steel construction
- Painted with epoxy primer and blue enamel finish
- F.O.B. Laval, QC or Calgary, AB



Casters sold separately



Hoppers roll forward when unlatched for easy dumping



Hoppers can be used with casters, a forklift truck or both

APPLICATION GUIDELINE

- Standard 10 gauge:** General use, factory waste and small metal parts.
- Heavy-Duty 7 gauge:** Rugged use, heavy-duty metals in construction field.
- Extra Heavy-Duty 3 gauge:** For extreme conditions, heavy material dropped in container. Handling of hot materials, in refineries.

CASTER SETS FOR HOPPERS:

- Set includes two rigid and two swivel

Standard 10 Ga. Model No.	Wt. lbs.	Heavy-Duty 7 Ga. Model No.	Wt. lbs.	Extra HD 3 Ga. Model No.	Wt. lbs.	Cap. Cu. Yards*	Dimensions L" x W" x H"		
NB949	438	NB950	597	NB948	796	1/2	48	x 42 1/4	x 29 1/8
NB955	468	NB956	638	NB954	850	3/4	57 9/16	x 42 1/4	x 36 1/4
NB967	495	NB968	675	NB966	898	1	63 1/8	x 42 1/2	x 40 1/4
NB961	563	NB962	767	NB960	1022	1 1/2	62 3/8	x 54 1/2	x 43 1/4
NB973	603	NB974	821	NB972	1095	2	62 5/8	x 67	x 43 5/8
NB979	696	NB980	948	NB978	1264	3	63 5/8	x 67	x 55 5/8
NB985	825	NB986	1150	NB984	1575	4	63 5/8	x 87	x 55 5/8

* Measured with overflow capacity

Model No.	Wheel Type	Capacity lbs.	Wt. lbs.
NB987	6" Phenolic	4000	8
NB988	6" Rubber	2000	11
NB989	6" Steel	4000	24
NB990	8" Phenolic	4000	16
NB991	8" Rubber	2000	20
NB992	8" Steel	4000	48

STEEL TILT TRUCKS

- Steel trucks provide long lasting durability
- Finished in blue enamel, and are mounted on two rigid and one swivel 6" rubber caster
- F.O.B. Laval, QC

Model No.	Capacity Cu.Yds.	Outside Dimensions L" x W" x H"			Steel Gauge	Wt. lbs.
NA991	1/2	50	x 30	x 36	12	150
NA993	1	66	x 30	x 42	12	250
NA992	1 1/2	66	x 30	x 48	12	320
NA994	2	78	x 38	x 48	12	400



NA991

POLYETHYLENE SELF-DUMPING HOPPERS

- Tilts a full 30° below horizontal to ensure complete dumping
- Pull-release safety latch prohibits premature dumping
- Used on a fork lift truck for elevated dumping or with polyolefin casters
- Smooth interior will not support bacteria growth and can be cleaned by steam or pressure washer
- Black body will not rust, corrode or pit
- Weight is 1/3 that of steel
- Ideal for compounding chemical powders, resins and granular materials
- Also ideal for the bulk handling of refuse
- Four 6" polyolefin casters available for all sizes



MK759 (no casters)



MK760 (with casters)

Model No.	Capacity Cu. Yds. lbs.		Dimensions L" x W" x H"			Casters Included	Wt. lbs.
MK759	1/2	750	55	x 26 1/4	x 40	No	173
MK760	1/2	750	55	x 26 1/4	x 47 5/8	Yes	202
MK761	1	1000	71 1/2	x 31 1/4	x 44 7/8	No	224
MK762	1	1000	71 1/2	x 31 1/4	x 52 1/2	Yes	251
MK763	1 1/2	1000	83 5/8	x 42 7/8	x 49 1/8	No	307
MK764	1 1/2	1000	83 5/8	x 42 7/8	x 56 1/4	Yes	361
MK765	2	1000	83 7/8	x 46	x 49 1/2	No	303
MK766	2	1000	83 7/8	x 46	x 57 5/8	Yes	344
MK767	2 1/2	1000	83 1/2	x 55	x 49 1/2	No	305
MK768	2 1/2	1000	83 1/2	x 55	x 56 5/8	Yes	368



POLYETHYLENE DUMP TRUCKS

- Manœuvrable and easy to load and dump
- Speeds the handling of waste, scrap, shavings, or any other bulk materials that require efficient disposal
- Standard and heavy-duty units are contained in an all-welded steel chassis
- All units feature two large fixed front wheels, and smaller swivel casters at the rear



Model No.	Description	Capacities		Type Rear Wheels	Type Front Wheels	O.A. Dimensions			Wt. lbs.
		Cu.Yds.	lbs.			L" x W" x H"			
MN084	Light-Duty	5/8	500	8" Mold-on Rubber	3" Non-Marking Rubber	54 1/2	x 31 3/8	x 36	64
NA982	Standard	5/8	850	10" Mold-on Rubber	5" Non-Marking Rubber	59	x 28	x 39	97
NA984	Standard	1.1	1250	12" Mold-on Rubber	5" Mold-on Rubber	72	x 34	x 40	162
NI261	Heavy-Duty	1.1	2000	12" Mold-on Rubber	5" Mold-on Rubber	72	x 34	x 40	175

POLYETHYLENE TILT TRUCKS

- Sturdy, rotationally-molded plastic construction ensures easy manœuvrability and dumping
- Smooth surface is easy to clean and resists pitting and corroding
- Inset wheel and axle design helps prevent damage to surfaces and equipment
- Accepted for use in Canadian food processing facilities



Model No.	Capacity		Dimensions				Wt. lbs.
	Cu. Yds.	lbs.	L" x W" x H"				
MK788	1/2	450	56 3/4 x 28 x 38 1/2	63			
MK769*	1/2	850	60 1/2 x 28 x 38 1/2	77			
MK789	1	850	72 1/4 x 33 1/2 x 43 3/4	111			
MK770*	1	1250	72 1/4 x 33 1/2 x 43 3/4	111			
MK790**	1	2100	72 1/4 x 33 1/2 x 43 3/4	178			

RECYCLING TILT TRUCKS

ML540	1/2	850	60 1/2 x 28 x 38 1/2	77
LIDS				
ML541	Lid for MK788 and MK769			
ML542	Lid for MK789, MK770 and MK790			

*Also available in:



** Towable tilt truck features tow hitch and hitch pin.



STRUCTURAL FOAM TILT TRUCKS

- Size and shape is designed to fit through commercial doorways and elevators
- Ergonomically designed steering handle provides excellent manœuvring and dumping capabilities
- Secondary handle, at the base, helps maintain control of the truck while finishing dumping action
- ML534, MK757 and ML536 feature quiet rolling non-marking grey casters and 12" wheels
- ML535, MK758 and ML537 have 12" black rubber wheels

Model No.	Capacity		Dimensions				Wt. lbs.
	Cu. Yds.	lbs.	L" x W" x H"				
ML534	1/2	450	57 1/2 x 26 3/4 x 33 3/4	87			
ML535	1/2	850	57 1/2 x 26 3/4 x 33 3/4	96			
MK757	3/4	600	64 1/2 x 30 1/4 x 38	92			
MK758	3/4	1000	64 1/2 x 30 1/4 x 38	99			
ML536	1	1250	70 3/4 x 33 1/2 x 42 1/4	139			
ML537	1	2100	70 3/4 x 33 1/2 x 42 1/4	141			



DOMES LIDS

Model No.	Description
ML538	Lid for ML534 and ML535
MK780	Lid for MK757 and MK758
ML539	Lid for ML536 and ML537



POLYETHYLENE TRUCKS

TAPERED WALL POLY BOX TRUCKS

- Bins are leakproof, easy to clean, food-approved natural white polyethylene
- Available with 3/4" BC fir plywood base or all-welded steel chassis with a durable Kleton blue enamel finish
- Four 4" non-marking bolted-on rubber casters (two swivel and two rigid)
- Stackable for storage
- Made of FDA-compliant materials



Heavy-Duty Steel Chassis



General Purpose Plywood Base

Model No.	Base	Capacity		O. A. Dimensions			Wt. lbs.
		Cu. ft.	lbs.	L" x W" x H"			
NA039	Plywood	7	600	31 x 21 x 24	28		
NA040	Plywood	9	600	36 x 25 x 29	38		
NA041	Plywood	11	600	39 x 27 x 31	42		
NA042	Plywood	14	600	39 x 29 x 34	57		
NA043	Plywood	16	600	43 x 31 x 34	61		
NA056	Steel Chassis	11	1000	39 x 27 x 31	55		

STRAIGHT WALL POLY BOX TRUCKS

- Bins are leakproof, easy to clean, food-approved natural white polyethylene
- Available with 3/4" BC fir plywood base or an all-welded steel chassis with a durable Kleton blue enamel finish
- Two bolted-on swivel and two rigid casters
- Optional covers are available for many units
- Made of FDA-compliant materials



Heavy-Duty Steel Chassis



General Purpose Plywood Base

Model No.	Base	Capacity		O.A. Dimensions			Wt. lbs.
		Cu. ft.	lbs.	L" x W" x H"			
4" NON-MARKING RUBBER CASTERS							
NA023	Plywood	8	600	28 x 28 x 32	45		
NA024	Steel Chassis	8	1000	28 x 28 x 32	65		
NA044	Plywood	11	600	39 x 27 x 29	57		
NA045	Steel Chassis	11	1000	39 x 27 x 29	80		
NA027	Plywood	14	600	46 x 29 x 31	64		
NA058	Steel Chassis	14	1000	46 x 29 x 31	95		
NA047	Plywood	16	600	41 x 31 x 37	77		
NA048	Steel Chassis	16	1000	41 x 31 x 37	110		
5" NON-MARKING RUBBER CASTERS							
NA030	Plywood	22	1000	58 x 34 x 33	102		
NA025	Plywood	25	1000	51 x 34 x 39	109		
5" SANDWICH CASTERS							
NA031	Steel Chassis	22	1500	58 x 34 x 33	150		
NA989	Steel Chassis	25	1500	51 x 34 x 39	160		
NA051	Steel Chassis	30	1500	66 x 36 x 38	180		
NA050	Plywood	30	1500	66 x 36 x 38	114		
NA034	Plywood	45	1500	77 x 40 x 44	165		
6" MOLD-ON RUBBER							
NA035	Steel Chassis	45	2000	77 x 40 x 44	210		

ELEVATED POLY BOX TRUCKS

- Rotationally molded polyethylene box, mounted on a raised steel chassis that elevates contents to working level
- Ideal for any application where constant loading and unloading operations are performed
- Capacity: 600 lbs.
- Made of FDA-compliant materials
- Covers available



NA055



Model No.	Capacity Cu. ft.	O.A. Dimensions			Wt. lbs.
		L" x W" x D"	Outside Box Dimensions L" x W" x H"		
NA038	5	38 x 23 x 33	38 x 23 x 10	60	
NA055	8	25 x 48 x 36	48 x 25 x 17 1/2	72	
CA064		Cover for NA038			
CA070		Cover for NA055			

HEAVY-DUTY POLYETHYLENE BOX TRUCKS

- Tapered wall black recycled polyethylene body
- Available with 3/4" BC fir plywood base or an all-welded steel chassis
- Plywood base stacks easily for convenient storage
- Four 3" swivel polyolefin casters
- Steel base painted durable Kleton blue enamel finish



NE842 Steel

NE841 Plywood



Model No.	Base	Capacity		O.A. Dimensions			Wt. lbs.
		Cu. ft.	lbs.	L" x W" x H"			
NE839	Plywood	9	500	36 x 25 x 29	40		
NE840	Steel Chassis	9	800	36 x 25 x 30	58		
NE841	Plywood	11	500	39 x 27 x 31	45		
NE842	Steel Chassis	11	800	39 x 27 x 32	65		
NE843	Plywood	14	500	39 x 29 x 34	55		
NE844	Steel Chassis	14	800	39 x 29 x 35	80		
NE845	Plywood	16	500	43 x 31 x 34	65		
NE846	Steel Chassis	16	800	43 x 31 x 35	100		

LIGHT-DUTY POLYETHYLENE BOX TRUCKS

- Designed for lighter loads
- Rotomolded from black recycled plastic
- All-swivel threadguard casters
- NA005 includes a plywood base



NG697



Model No.	Capacity		Overall Dimensions			Caster Size"	Weight lbs.
	Cu. ft.	lbs.	L" x W" x H"				
NG697	9	175	36 1/2 x 24 1/2 x 26	2 1/2	23		
NA005	12	200	39 x 27 x 29	3	30		

POLYETHYLENE TRUCKS

EASY-ACCESS STARCARTS™

- Drop-style sidewall allows cart to be loaded and unloaded easily
- Treated plywood undercarriage
- 5" Threadguard casters available in corner or diamond pattern
- Grey



NA009

Model No.	Capacity		O.A. Dimensions			Caster Placement	Wt. lbs.
	Cu. ft.	lbs.	L" x W" x H"				
MN645	19	800	43 x 31 x 36	Corner	52		
MN646	19	800	43 x 31 x 36	Diamond	52		
NA009	21	900	46 x 31 x 39	Corner	75		
NA010	21	900	46 x 31 x 39	Diamond	75		
MN132	24	900	46 x 31 x 49	Corner	85		
MN133	24	900	46 x 31 x 49	Diamond	85		
NA011	24	900	63 x 31 x 39	Corner	100		
NA012	24	900	63 x 31 x 39	Diamond	100		

MINI STARCARTS™

- Designed to take the punishment of industrial and institutional applications at an economical price
- Polyethylene construction
- Plated steel undercarriage
- 3" all swivel Threadguard casters, corner placement
- Grey



NC460

Model No.	Capacity		O.A. Dimensions			Wt. lbs.
	Cu. ft.	lbs.	L" x W" x H"			
NC460	5	200	21 x 21 x 27	20		
NC461	6	200	33 x 19 x 28	25		
NC462	7	200	33 x 23 x 24	25		
NC463	7	200	24 x 24 x 38	30		
NA001	8	300	35 x 25 x 25	30		
NC464	9	300	48 x 19 x 28	40		

STARCARTS™

- Heavy-duty polyethylene carts can handle loads up to 800 lbs.
- Choice of 3" or 4" Threadguard casters depending on model
- Corner or diamond caster placement
- Treated plywood undercarriage
- Grey (other colours available)



NA004

MN466

Model No.	Capacity		O.A. Dimensions			Caster Dia."	Caster Placement	Wt. lbs.
	Cu. ft.	lbs.	L" x W" x H"					
NA002	12	400	39 x 27 x 30	3	Diamond	40		
NA004	12	800	39 x 27 x 31	4	Corner	50		
NA003	12	800	39 x 27 x 31	4	Diamond	50		
NC465	15	400	41 x 29 x 31	3	Diamond	45		
NC466	15	800	41 x 29 x 32	4	Corner	55		
NC467	15	800	41 x 29 x 32	4	Diamond	55		
NA006	16	400	43 x 31 x 33	3	Diamond	50		
NA007	16	800	43 x 31 x 34	4	Corner	60		
NA008	16	800	43 x 31 x 34	4	Diamond	60		
NC468	19	800	43 x 31 x 36	4	Corner	65		
NC469	19	800	43 x 31 x 36	4	Diamond	65		

OPTIONAL SPRING PLATFORM

- Optional spring platform eliminates excess bending, therefore reducing the risk of back related injuries

Model No.	Description
MN466	Can be used with NA002, NA003 & NA004
MN467	Can be used with NC465, NC466, NC467, NA006, NA007, NA008, NC468 & NC469

HEAVY-DUTY STARCARTS™

- Designed to offer increased load capacity while maintaining easy mobility
- Molded 100% polyethylene body has a double wall box style lip for greater resistance to impact
- Steel undercarriage
- Molded handle
- 12" and 10" semi-pneumatic wheels are made of durable hard rubber
- 5" swivel rubber or 6" swivel phenolic casters depending on capacity



NA052

Model No.	Capacity		O.A. Dimensions			Wheel Dia."	Caster Dia."	Wt. lbs.
	Cu. ft.	lbs.	L" x W" x H"					
NG033	16	1000	48 x 31 x 33	10	5	80		
NA052	24	1000	60 x 31 1/2 x 35 1/2	12	5	100		
NA053	39	1500	72 x 35 1/2 x 40	12	6	130		

TAPERED DESIGN CARTS

- Rounded corners absorb impact
- 1/2" plastic base is ideal for wet environments and is easy to clean
- Molded-in handles protect hands and provide easier steering
- Available in reprocessed black or natural white
- Natural white model is accepted for use in Canadian food processing facilities



NA013

Reprocessed Black Model No.	Natural White Model No.	Capacity Cu. ft. lbs.	O.A. Dimensions L" x W" x H"	Wt. lbs.
NA013	NA014	11 200	42 x 26 x 30	24
NA015	NA016	11 400	42 x 26 x 30	37
NA019	NA020	16 400	45 x 29 x 37	58

HEAVY-DUTY OVERSIZED STARCARTS™

- Tapered walls for easy shipping and storage
- Treated plywood undercarriage
- Corner or diamond caster placement
- Grey (other colours available)



Model No.	Capacity		O.A. Dimensions			Caster Dia."	Caster Placement	Wt. lbs.
	Cu. ft.	lbs.	L" x W" x H"					
ML543	22	800	59 x 35 x 32	5	Corner	70		
ML544	22	800	59 x 35 x 32	5	Diamond	70		
ML545	24	800	53 x 35 x 38	5	Corner	85		
ML546	24	800	53 x 35 x 38	5	Diamond	85		
ML547	46	1600	78 x 42 x 42	6	Corner	115		
ML548	46	1600	78 x 42 x 42	6	Diamond	115		

MOP BUCKETS & WRINGERS

MOP BUCKET & WRINGER COMBO PACKS

- Choose any of these conveniently combined buckets and wringers
- NC493 shown with dirty water bucket (NI869)



Model No.	Mfg. No.	Combo Pack		Colour	Wt. lbs.
		Bucket	Wringer		
NC493	7580-88-YEL	NI863 Brute®	NI871 Sideward	Yellow	17.5
NC492	7580-88-BR	NI864 Brute®	NI870 Sideward	Brown	17.5
NG965	7588-88-RD	NI865 Brute®	NI872 Sideward	Red	17.5
NG966	7588-88-GR	NI866 Brute®	NI873 Sideward	Green	17.5
NG967	7588-88-BL	NI867 Brute®	NI874 Sideward	Blue	17.5
NI828	7577-88-YEL	NI863 Brute®	NI908 Downward	Yellow	22
JA958	7577-88-BR	NI864 Brute®	NI907 Downward	Brown	22

MOP BUCKETS

- Constructed of plastic, which resists denting, chipping and peeling
- WaveBrake™ design, reduces wave motion when moving buckets, resulting in less spilling and splashing
- Large pour spout and handles designed to make emptying easy
- Contoured graduation markings
- Built-in mop handle clip, reduces damage to walls caused by flopping mop handles
- Buckets are nestable, ideal for small janitorial closets
- Optional dirty water bucket available in red and yellow only, prevents dirty water from mixing with clean water
- 3" non-marking casters are recessed under the bucket
- Dimensions: 20.1" L x 16" W x 17.4" H
- Capacity: 35 US qt.
- Weight: 9.1 lbs.



NI863



Model No.	Mfg. No.	Colour
NI863	7570-88	Yellow
NI864	7570-88	Brown
NI865*	7570-88	Red
NI866*	7570-88	Green
NI867*	7570-88	Blue

OPTIONAL DIRTY WATER BUCKETS

NI868	9C74	Yellow
NI869	9C74	Red

*Not sold separately. See combo packs.



NI869

MOP BUCKET & WRINGER COMBO PACKS

- Injection-molded with high-density plastic polymer, providing a durable, smooth, stain resistant surface
- Easy to clean and sanitize
- Flared skirt on the 40-quart bucket effectively works as a bumper to prevent furniture damage
- 3" ball bearing casters provide smooth, easy movement
- Downward wringer specially designed to wring mops from 12 to 32 oz.

Model No.	Description	Colour
NC508	32-Qt. Bucket/Wringer Combo	Blue
NC509	32-Qt. Bucket/Wringer Combo	Yellow
NC510	40-Qt. Bucket/Wringer Combo	Blue




NC508



MOP BUCKET & WRINGER COMBO PACKS

- WaveBrake™ design bucket reduces splashing and spilling
- Ergonomic handle
- 3" recessed non-marking casters
- 35-qt. bucket
- Includes: Dirty water bucket, which prevents dirty water from mixing with clean water

Model No. NI899 Side press
Model No. JA981 Down press



JA981 Down press



NI899 Side press

44-QUART MOP BUCKET & WRINGER COMBO PACKS

- WaveBreak™ innovative bucket design reduces splashing by 40%
- 44-qt. capacity for the largest of commercial cleaning jobs
- Durable wringer lasts up to 50 000 wrings
- Foot-activated pedal allows for easy emptying of bucket
- Dirty water bucket optional NI868 and NI869
- Cleaning cart compatible

Model No. JB614 Side press
Mfg. No. 6186-88
Model No. JB615 Down press
Mfg. No. 7576-88



JB614

MOP WRINGERS

- Constructed for heavy use with effortless operation
- Wringer directs water downward into buckets to help reduce splashing
- Improved wringer design, features an ergonomic handle and generates 25% more force
- Sideward pressure wringers are ideal for 12-32 oz. mops
- Downward pressure wringers accommodates all mop heads and is ideal for heavy-duty use



NI908

NI871




Model No.	Mfg. No.	Press Style	Capacity oz.	Colour	
				Colour	Wt. lbs.
NI870	6127-88	Sideward	12-32	Brown	8.4
NI871	6127-88	Sideward	12-32	Yellow	8.4
NI872	6127-88	Sideward	12-32	Red	8.4
NI873	6127-88	Sideward	12-32	Green	8.4
NI874	6127-88	Sideward	12-32	Blue	8.4
NI907	7575-88	Downward	16-32	Brown	11
NI908	7575-88	Downward	16-32	Yellow	11

PORTABLE MOBILE BARRIERS

Close off an area for maintenance or to isolate a potential safety hazard. Mobile, easy to transport, set up, take down and efficient to store.

- For indoor use
- 13' long with 16 articulating panels
- Two 5" non-marking wheels
- Four locking straps to secure barrier in closed position
- Flexible, can be set straight, curved or in a circle
- Easy to store
- Open: 13' L x 1" W x 40" H; Closed: 2' L x 13" W x 40" H
- Weight: 32 lbs.
- ANSI approved colour and graphics

Model No. SAJ714
Mfg. No. 9511



WET MOPS & ACCESSORIES

WIPING RAGS

- Disposable cloth wiping rags cannot be beat for their absorbency, durability, versatility and low price
- Made from 100% recycled materials
- Choose new or recycled rags
- Packaged in compressed poly bags:
 - Compact – 50% reduction
 - Save money on transport and storage
 - Waterproof
 - Stackable and easy to handle



JB447

RECYCLED GREY OR COLOURED FLEECE RAGS

- Soft, grey or assorted colours, cotton, poly blends, light to medium weight ideal for absorption of inks, light oil, water, etc.
- Ideal for medium industrial and manufacturing plants

RECYCLED WHITE OR COLOURED T-SHIRT RAGS

- White or light and assorted colours, low lint
- Used in light to medium industry such as, precision engineering, printing facilities, woodworking shops, fine metal work, utility companies, etc.

NEW WHITE OR COTTON-COLOURED JERSEY

- New washed, white or coloured, absorbent cotton jersey wipers are a work shop essential
- Ideal for applying oils and finishes, cleaning tools and machinery, or mopping up spills

Model No.	Description	Weight lbs.
FLEECE		
JB446	Recycled Coloured Fleece	10
JB447	Recycled Coloured Fleece	25
JD398	Recycled Grey Fleece	10
JD399	Recycled Grey Fleece	25
T-SHIRT		
JB442	Recycled Coloured T-Shirt	10
JB443	Recycled Coloured T-Shirt	25
JB450	Recycled White T-Shirt	10
JB451	Recycled White T-Shirt	25
NEW JERSEY		
JD573	New White Jersey	20
JD574	New White Jersey	10
JD571	New Coloured Jersey	25
JD572	New Coloured Jersey	10

BILINGUAL SAFETY FLOOR SIGNS

- Durable polypropylene construction
- Bright yellow for maximum visibility
- Message in both English and French
- Stamped black lettering will not fade or peel
- 12" W x 24" H
- Weight: 2 lbs.

Model No. JD391



FLOOR SIGNS

- Highly visible yellow polypropylene floor signs are durable and non-corrosive
- Hot stamped lettering will not peel or fade
- Messages for Caution and Closed signs are printed in English, French, German and Spanish
- Message "Wet Floor" printed in English only
- Weight: 2 lbs.
- ANSI and OSHA compliant colour and graphics

NB790



Model No.	Mfg. No.	Message	Height"
NB790	6112	2-Sided Multi-Lingual Caution	25
NC527	6114	4-Sided Multi-Lingual Caution	37
NC528	6112-77	2-Sided Caution Wet Floor	25
NC529	6114-77	4-Sided Caution Wet Floor	37
NC530	6112-78	2-Sided Multi-Lingual Closed	25
NC531	6114-78	4-Sided Multi-Lingual Closed	37



BRUTE® BUCKETS

- Molded-in graduations for accurate measuring
- Thick top rim with spout permits neat pouring
- Tough construction resists cracking and provides great flexibility
- Sturdy zinc-plated handle resist rusting or bending
- Double compartment bucket carries both cleaning solution and rinse water for efficient area cleaning, can be used with steel roller sponge mop
- Grey



Model No.	Mfg. No.	Description	Dimensions	Cap. qt.
NB853	2963	Brute® Round Bucket	10 1/2" Dia. x 10 1/4" H	10
NB848	2614	Brute® Round Bucket	12" Dia. x 11 1/4" H	14
NB851	2617	Double Compartment Bucket	14 5/8" L x 13 7/8" W x 10 1/8" H	17

WET MOPS

- High grade cotton yarn is durable and absorbent with excellent floor drying qualities, increasing worker productivity and safety
- Cotton industrial narrow band wet mops are economical and great for general purpose cleaning
- High grade rayon yarn is the most absorbent fibre and it releases moisture quickly from the mop making this a good economical finish mop for applying waxes or finishers
- Good quality, fast drying poly head band
- Fan-foot construction allows for maximum floor coverage
- Use with any narrow band mop handle



JB760



JB722



Model No.	Mfg. No.	Description	Wt. oz./grams
COTTON			
JB668	1616	Cut End	16/450
JB669	1620	Cut End	20/550
JB670	1624	Cut End	24/650
JB671	1632	Cut End	32/850
RAYON			
JB752	4016	Cut End	16/450
JB753	4020	Cut End	20/550
JB754	4024	Cut End	24/650
JB755	4032	Cut End	32/850



JB721

HANDLES

Model No.	Description	Length"
JB722	Metal Head, Wood Handle	54
JB721	Plastic Head, Fibreglass Handle	54
JC509	Plastic Head, Fibreglass Handle	60
JB723	Plastic Head, Fibreglass Handle	60



JB723

CLEANING CARTS

- Sturdy Duramold® construction
- Molded-in hooks and shelves are strategically placed to keep cleaning tools organized
- Swivel front casters and 8" rear wheels
- Includes: 25 US gallon yellow vinyl bag
- Dimensions: 46" L x 21 3/4" W x 38 3/8" H
- Cleaning tools not included
- Weight: 38 lbs.

Model No. JB599 Blue
Mfg. No. 6173-88

Model No. JB600 Black
Mfg. No. 6173-88



CLEANERS

MULTI-PURPOSE CLEANER & DEGREASER

- Formulated to safely clean and deodorize all washable surfaces
- Biodegradable, non-toxic, non-corrosive
- Concentrated
- Contains natural tangerine essential oils
- Accepted for use in Canadian food processing facilities
- Certified UL ECOLOGO®
- 4 L • Case Qty: 4

Model No. JC001



HEAVY-DUTY CLEANER & DEGREASER

- Super concentrated cleaning power for a variety of heavy-duty applications
- Biodegradable, non-toxic, non-corrosive
- Contains natural tangerine essential oils
- Dissolves grease, oil, inks, grime and tough stains on contact
- Accepted for use in Canadian food processing facilities
- Certified UL ECOLOGO®
- 4 L • Case Qty: 4

Model No. JC002



CLEANER & DEGREASER

PHOSPHATE-FREE HEAVY-DUTY DEGREASER & MULTI-PURPOSE CLEANER

- Concentrated, powerful, fast acting alkaline cleaner
- Removes stains, grime, oil, soot and grease on contact
- Biodegradable
- Accepted for use in Canadian food processing facilities
- 4 L • Case Qty: 4

Model No. JA148



LEMON-SCENTED MULTI-PURPOSE CLEANER/DEGREASER

- Concentrated
- Cleans, deodorizes and is safe to use on all washable surfaces
- Biodegradable, non-butyl
- 4 L • Case Qty: 4

Model No. JA147



NEUTRAL DETERGENT FLOOR CLEANER

- Concentrated neutral detergent specially formulated to clean any floor and add a brilliant shine to dull floors
- Cleans, brightens and deodorizes
- Low foaming, leaves pleasant citrus-orange scent, no rinsing required
- 4 L • Case Qty: 4

Model No. JA464



MULTI-PURPOSE BATHROOM CLEANER

- Formulated to clean, shine and deodorize with a fresh scent
- Safely cleans soap scum and urine from floor, counters, sinks, showers and toilets
- Concentrated
- Biodegradable, non-toxic, non-corrosive
- Contains natural essential oils
- No acids or bleach
- Certified UL ECOLOGO®
- 4 L • Case Qty: 4

Model No. JC004



TANGERINE OIL NEUTRAL CLEANER

- Safely cleans all washable surfaces using a neutral pH concentrated formulation
- Biodegradable, non-toxic, non-corrosive
- Contains natural essential oils
- Concentrated
- No rinse formulation
- Accepted for use in Canadian food processing facilities
- Certified UL ECOLOGO®
- 4 L • Case Qty: 4

Model No. JC006



NATURAL CITRUS BASED CLEANERS & DEGREASERS

- Concentrated, heavy-duty
- Biodegradable, phosphate-free, non-abrasive, non-butyl
- Accepted for use in Canadian food processing facilities
- 4 L • Case Qty: 4

Model No. JA465

WHITE PEARL HAND SOAP

- Rich blend of emollients leaves hands soft, fresh and clean
- Luxurious high quality concentrated lotion
- Pleasant almond scent
- Biodegradable, phosphate-free
- Accepted for use in Canadian food processing facilities
- 4 L • Case Qty: 4

Model No. NI347

PINK LIQUID HAND SOAP

- Leaves hands smelling baby fresh, soft and clean
- Biodegradable, phosphate-free
- Accepted for use in Canadian food processing facilities
- 4 L • Case Qty: 4

Model No. NI343

TRIGGER BOTTLES & SPRAYERS

PLASTIC BOTTLES

- Blow-molded from high-density polyethylene
- Available in three sizes: 16 oz., 24 oz. and 32 oz.



Model No.	Description	Size	Dimensions	
			Dia."	H"
NG655	Round Bottle with Graduations	24 oz.	3 1/8	x 8
NI424	Round Bottle with Graduations	32 oz.	3 1/8	x 9 7/8
NI412	Round Bottle with WHIMIS Label with Graduations	24 oz.	3 1/8	x 8

TRIGGER SPRAYERS

- All sprayers adjustable to provide fine mist to a steady stream
- Dip tubes available in two lengths and come equipped with filter screen



Model No.	Description
NJ166	Multi Purpose Sprayer 8" Dip Tube Red/White
NJ167	Large Multi-Purpose Sprayer 9" Dip Tube Blue/White

BROOMS & HANDLES

PUSH BROOM DEGREES OF SWEEP

Push brooms are available in fine, medium, coarse, and extra-coarse.



JC215



JC199



JC194

Model No.	Mfg. No.	Description	Fibre	Handle	Bloc Dim."
JC215	58118	Industrial Fine Sweep	Synthetic	Threaded	18
JC216	58124	Industrial Fine Sweep	Synthetic	Threaded	24
JC217	58126	Industrial Fine Sweep	Synthetic	Threaded	36
JC194	6318	Industrial Medium Sweep	Synthetic	Threaded	18
JC195	6324	Industrial Medium Sweep	Synthetic	Threaded	24
JC196	6336	Industrial Medium Sweep	Synthetic	Threaded	36
JC213	56018	Warehouse Medium Sweep	Natural Tampico and Synthetic	Threaded	18
JC214	56024	Warehouse Medium Sweep	Natural Tampico and Synthetic	Threaded	24
JC199	8318	Industrial Coarse Sweep	Synthetic	Threaded	18
JC200	8324	Industrial Coarse Sweep	Synthetic	Threaded	24
JC201	8336	Industrial Coarse Sweep	Synthetic	Threaded	36
JC197	7414	X-Coarse Street Sweep	Synthetic	Tapered	14
JC198	7416	X-Coarse Street Sweep	Synthetic	Tapered	16

5/16" Dia. threaded handles: **JB698** (54") or **JB719** (60"), metal tip)

1 1/8" Dia. tapered handles: **JB718** (54") or **JB720** (60")

CORN BROOMS

Corn brooms are available in medium and heavy service duty.

Medium: Multi-purpose indoor broom that is lightweight and used as a commercial corn broom for office buildings.

Heavy: Good outdoor industrial quality broom. The construction has more weight and reinforcement, and is designed for durability.



JB978

Model No.	Mfg. No.	Service Duty	Description
JB977	763	Medium	Janitorial, Corn & Grass
JB978	762	Heavy	Warehouse, All-Corn

SWEEPING COMPOUND

- 100% biodegradable
- Ideal to clean and reduce airborne dust during sweeping
- Allows for easy removal of dust and dirt on sealed and unsealed wood, concrete and metal floors



JD521



JD570



LOBBY-PRO™ UPRIGHT DUST PAN SYSTEMS

- Durable all-plastic pail and yoke, reduces noise, resists corrosion
- Wear pads and wheels featured on all models
- Adjustable handle grip for enhanced user comfort (NH505 only)



JB653



NH505



Model No.	Mfg. No.	Description	Dimensions				
			L"	x	W"	x	H"
NH386	2531	Upright Dust Pan	12 3/4	x	11 1/4	x	5
NH504	2532	Upright Dust Pan with Cover	12 3/4	x	11 1/4	x	5
NH505	2533	Deluxe Upright Dust Pan	12 3/4	x	11 1/4	x	5
JC185		Lobby Broom w/48" Handle					
JB653		Lobby Broom w/28" Handle					

BROOM HANDLES

JC857: Hardwood handle with connector for Flexsweep® broom.

JB716 and **JB715:** Non-conductive fibreglass handle with nylon tip.

JB717: Economy metal extension pole (up to 78") for painting, scrubbing windows or washing trucks.

JB655: Solid 1" diameter hardwood handles for all bolt-in brooms (Firefly™).

JB718 and **JB720:** Wood tapered handle.

JB698: Economy wood threaded handle.

JB719: Wood handles with metal tip for longer thread life.



JC857



JB716
JB715

JB717

JB655

JB718
JB720

JB698

JB719



Model No.	Mfg. No.	Description	Dimensions		
			L"	x	Dia."
JC857	2538	Flexsweep® Handle and Connector	60	x	1 1/8
JB716	24511	Threaded Fibreglass - Blue	54	x	1
JB715	24510	Threaded Fibreglass - Blue	60	x	1
JB717	36778	2-Section Extension	78	x	1
JB655	2532	Jumbo Broom Wood	60	x	1
JB718	52506	Wooden Tapered	54	x	1 1/8
JB720	52513	Wooden Tapered	60	x	1 1/8
JB698	52504	Wooden Threaded	54	x	15/16
JB719	52510	Wooden Threaded - Metal Tip	60	x	15/16

FLEXSWEEP® INDUSTRIAL BROOMS

- Ideal for high frequency industrial use on smooth indoor floor surfaces
- Patented Flexsweep® connector acts like a shock absorber to combat the shearing stresses that break handles
- Connector removes the requirement for a brace and also gives the broom a lower profile for getting around and under equipment
- Synthetic fibre is oil, solvent, and moisture resistant which adds to the durability of this broom
- Sold ready to assemble with an industrial quality, 1 1/8" Flexsweep® handle



JC907



JC909

Model No.	Mfg. No.	Description	Length"
JC907	99966	Medium Sweep	18
JC908	99967	Medium Sweep	24
JC909	99971	Coarse Sweep	18
JC910	99972	Coarse Sweep	24

SWEEP-N-SCRAPE™ PUSH BROOMS

- Innovative metal scraper blade allows for easy removal of dried-on dirt or packed snow
- Long wearing PVC fibres are oil and solvent resistant
- Thick 1 1/8" hardwood handle and metal brace provide maximum strength and durability
- Perfect for driveways, sidewalks, patios, or garage floors



JB636



Model No.	Mfg. No.	Description	Length"
JB636	99824	X-Coarse/Scraper, Sweep-N-Scrape™	24

WASHROOM PRODUCTS

CASCADES® MOKA™ BATHROOM TISSUES

- Made from 100% unbleached recycled fibre of which 80% is from post-consumer material
- The most environmentally responsible choice on the market, by adding 20% corrugated box fibre into its pulp mix and eliminating bleaching chemicals
- Contains 0% bleaching chemicals
- Third party certifications include Green Seal™, UL ECOLOGO®, and offset with 100% green-e® certified wind electricity



JD405



Model No.	Mfg. No.	Type	Ply	Sheet Size L x W	Sheets /Roll	Rolls /Case	Dispenser Option
JD484	4134	Standard	2	4.3" x 3.75"	400	80	JC095
JD405	4004	High-Capacity	2	3.9" x 4"	865	24	JCS52, JCS53, JD393
JD411	4197	Jumbo Roll	2	3.5" x 1000'		12	JC096, JC097

LIKE-RAGS® 700/800 SERIES

- High performance nonwoven Sunplac towels designed for durability, strength, and absorbency
- 800 series towels are extremely strong
- Can be used in all cleaning and wiping applications
- Ideal for applications that require resistance to solvents and virtually lint free wiping
- Towels are reusable
- Eliminates waste and cost guesswork associated with industrial rags
- Number of ply: 1



JD581

JD576



JD580



Model No.	Mfg. No.	Description	Colour	Size L" x W"	Sheet /Unit
JD576	3791	700 Series Dispenser Box	White	9 3/4 x 16 3/4	100
JD577	3792	700 Series Jumbo Roll	White	12 x 13	870
JD578	3892	800 Series Dispenser Box	White	9 3/4 x 16 3/4	80
JD579	3893	800 Series Jumbo Roll	White	12 x 13	475
JD580	3894	800 Series Dispenser Box	Blue	9 3/4 x 16 3/4	80
JD581	3895	800 Series Jumbo Roll	Blue	12 x 13	475

TUFF-JOB® SCRIM REINFORCED WIPERS

- Ideal wiper for all-purpose wiping jobs where extra durability is needed and cost effective
- Low lint and good absorbency
- Perfect for general purpose wiping, surface and parts cleaning, wiping off solvents or chemicals, or the final wipe down of a product before packaging
- Polyester scrim webbing for extra strength and durability
- 100% recycled



Model No.	Mfg. No.	Colour	Ply	Size L" x W"	Sheets /Box
JC035	34200	White	4	16 3/4 x 9 3/4	150

BATH TISSUE

- Made entirely from 100% recycled fibres
- Combines softness, strength and sparkling whiteness at a competitive price
- Each roll is individually wrapped, ensuring sanitary protection
- Can be used where septic tanks are installed
- A great combination of strength, absorption, and value
- Certified UL ECOLOGO® and Green Seal Certified®



JC017



JC018

Model No.	Mfg. No.	Colour	Brand	Ply	Size L" x W"	Sheets /Roll	Rolls /Case
JC017	4043	White	Decor®	2	4.2 x 3.8	420	48
JC018	4058	White	North River®	2	4.2 x 4.1	500	48
JC930	4102	White	Elite®	2	4.2 x 3.75	400	48

UNIVERSAL ROLL TOWELS

- Long-lasting rolls minimize maintenance costs while maximizing service
- Embossing enhances hand feel and maximizes absorbency; fewer towels are used per hand dry
- North River® products are made from 100% recycled fibres, with a minimum of 65% post-consumer material and are certified UL ECOLOGO® and Green Seal Certified®
- Decor® products provide a level of quality that meets everyday needs
- A perfect combination of quality and value
- Fits on most universal dispensers



JC031



JC030

Model No.	Mfg. No.	Colour	Brand	Ply	Size L' x W"	Rolls /Case	Dispenser Option
JC027	101756	Natural	Decor®	1	205 x 8	24	JC101, JC102
JC028	1340	Ivory	North River®	1	700 x 8	6	JC101, JC102
JC029	1767	Natural	Decor®	1	425 x 8	12	JC101, JC102
JC030	1769	White	Decor®	1	425 x 8	12	JC101, JC102
JC031	1870	Mocha	North River®	1	700 x 8	6	JC101, JC102
JC055	1760	Kraft	Decor®	1	800 x 8	6	JC101, JC102
JC056	1762	White	Decor®	1	800 x 8	6	JC101, JC102

HORIZONTAL BABY CHANGING STATIONS

- Meets all global safety standards (ASTM, ADA and EN)
- Antimicrobial protection
- Easy-reach hooks
- Built-in shelf and liner storage
- Made of FDA compliant materials
- Protective laminated 2-ply tissue paper liners are available (sold separately), 320 liners/carton



Model No.	Mfg. No.	Description	Dimensions L" x W" x H"
JB910	7818	Changing table	33 1/4 x 21 1/2 x 4
NG454	7817	Liners 2-ply	13 1/2 x 5 1/2 x N/A

LIKE-RAGS® WIPERS

- Ideal replacements for rental shop towels or rags
- Excellent durability, strength, absorbency, and solvent resistance
- Like-Rags® are the ideal choice for applications that require resistance to solvents and virtually lint-free wiping – applying aircraft solvents, wiping down print presses or plates and solvents for furniture stains

JC037



Model No.	Mfg. No.	Colour	Ply	Size L" x W"	Sheets /Box
JC036	37246	White	1	16 3/4 x 9 3/4	150
JC037	37640	Blue	1	16 3/4 x 9 3/4	125

HAND CLEANERS & DISPENSERS

ORANGE PUMICE HAND CLEANER

- Fresh, natural orange citrus scent
- Pumice scrubbing particles for extra deep cleaning
- Quick and easy removal of dirt, grease, paint, ink, epoxy, tar, rust and most industrial soils
- High quality pump included with every bottle for controlled dispensing
- Can conveniently be used with or without water
- No harsh solvents, leaving hands soft and clean
- Accepted for use in Canadian food processing facilities
- 3.6 L • Case Qty: 4

Model No. JG223



GOJO® NATURAL ORANGE™ HAND CLEANER

- Quick-acting lotion formula for cleaning a broad range of industrial soils, medium dirt and grease
- Citrus scent



Model No.	Mfg. No.	Description	Dispenser	Qty /Case
GOJO® NATURAL ORANGE™				
JA330	0947-12	14-oz. Bottle	-	12
JA329	0948-04	1/2 Gallon w/Pump	-	4
JA152	0945-04	1 Gallon w/Pump	-	4
JA373	7250-04	2000-ml Refill for PRO™ 2000	JA370	4
GOJO® NATURAL ORANGE™ W/PUMICE				
JA327	0957-12	14-oz. Bottle	-	12
JA328	0958-04	1/2 Gallon w/Pump	-	4
NI254	0955-04	1 Gallon w/Pump	-	4
JA374	7255-04	2000-ml Refill for PRO™ TDX™ 2000	JA370	4
JA382	7556-02	5000-ml Refill for PRO™ TDX™ 5000	JA379	2

CHERRY GEL®

- Gel-style heavy duty hand cleaner with pumice scrubbers quickly cleans heavy dirt, grease and oil
- Contains skin conditioners and is pH balanced to promote skin comfort
- Provides a quick, easy and complete rinse and leaves skin feeling refreshed
- Pleasant cherry fragrance eliminates soil odours and leaves hands smelling clean
- Starter kit SEA256 includes one dispenser and one refill



SEA260



Model No.	Mfg. No.	Description	Dispenser	Qty /Case
SEA254	7590-02	5000-ml Refill	JA379	2
SEA255	7290-04	2000-ml Refill	JA370	4
SEA256	7290-D2	2000-ml Starter Kit	-	1
SEA257	2350-02	50 x 0.5-fl. oz. in Display Carton	-	2
SEA258	2352-15	6-oz. Bottle	-	15
SEA259	2354-08	10-oz. Bottle	-	8
SEA260	2356-02	1/2 Gallon	-	2
SEA261	2358-02	1-Gallon Bottle	-	2

MICRELL® ANTIBACTERIAL LOTION SOAP

- Kills germs, yet is gentle on hands even after repeated daily washings
- Contains quick-acting antimicrobial agent chloroxylenol (PCMX) and an effective degreaser
- Lightly scented, non-irritating formula encourages frequent use



JA367



Model No.	Mfg. No.	Description	Dispenser	Qty /Case
JA367	9759-12-CAN00	12-oz. Pump Bottle	-	12
JA368	9755-04-CAN00	1 Gallon	-	4
JA366	2157-08-CAN00	1000-ml Refill	JA363	8
JA365	2257-04-CAN00	2000-ml Refill	-	4
DISPENSERS				REFILL
JA363	2125-06-CAN00	1000-ml Space Saver™	-	JA366

PURELL® HAND SANITIZERS

- America's #1 brand of instant hand sanitizer
- Kills 99.99% of most common germs that may cause illness
- Works in as little as 15 seconds
- No water or towels needed
- Contains a unique moisturizing system that leaves hands feeling soft (gentler to the hands than most soaps)
- Dermatologist tested, dye-free



JA360

SAQ140

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
PURELL® HAND SANITIZERS				
JA357	2156-08-CAN00	1000-ml Refill for NXT® Dispenser	JA355	8
SAQ140	5456-04-CAN00	1200-ml Refill	SAQ139	4
PURELL® HAND SANITIZER WITH ALOE				
JA360	9674-12-CAN00	8-oz. (237 ml) Pump Bottle with Aloe	-	12
DISPENSERS				
JA355	2120-06-CAN00	Purell® 1000-ml NXT® Space Saver™	-	JA357
SAQ139	2720-06-CAN00	Purell® 1200-ml TFX® Touch Free Dispenser	-	SAQ140
JD983	9008-12	Holder for 12-oz. bottle	-	-

PURELL® ADVANCED HAND RUB

- Purell® in a 70% ethyl alcohol, fragrance-free antiseptic cleanser
- Effective in destroying certain bacteria
- Contains vitamin E and glycerine



JA722

JA358

SAR855

Model No.	Mfg. No.	Description	Dispenser	Qty /Case
SAR854	2770-08-CAN00	1000-ml NXT® Refill	JA355	8
SAR855	5770-04-CAN00	1200-ml Touchfree TFX™ Refill	SAQ139	4
SBA839	5795-04-CAN00	535-ml Foam Pump Bottle	-	4
SBA838	5395-02-CAN00	1200-ml Touchfree TFX™ Foam Refill	SAQ139	2
JA912	9650-24-CAN00	2-oz. (59 ml) Squeeze Bottle	-	24
JA722	9651-24-CAN00	4-oz. (118 ml) Bottle	-	24
JA358	9652-12-CAN00	8-oz. (237 ml) Pump Bottle	-	12
SAR856	3770-12-CAN00	12-oz. (354 ml) Bottle	-	12

VACUUMS

INDUSTRIAL WET/DRY STAINLESS STEEL VACS

- 8 US-gallon stainless steel tank
- 5.5 peak HP motor
- 85 CFM air flow
- 72" sealed pressure
- Swivel casters provide easy movement in any direction
- Positive lock on hose eliminates unexpected disconnections
- 18' power cord
- **1 1/4" accessories include:** Flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Model No. JC525

aurora tools



INDUSTRIAL WET/DRY STAINLESS STEEL VACS

- 12 US-gallon stainless steel tank
- 6.0 peak HP motor
- 86 CFM air flow
- 72" sealed pressure
- Swivel casters provide easy movement in any direction
- Positive lock on hose eliminates unexpected disconnections
- 18' power cord
- **1 1/4" accessories include:** Flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Model No. JC527

aurora tools



INDUSTRIAL WET/DRY STAINLESS STEEL VACS

- 16 US-gallon stainless steel tank
- 6.5 peak HP motor
- 100 CFM air flow
- 80" sealed pressure
- Heavy-duty rear wheels with swivel front casters provide easy movement
- Removable steel handle
- Positive lock on hose eliminates unexpected disconnections
- Large accessory storage box attached
- 20' power cord
- **2 1/2" accessories include:** Flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Model No. JC528

7' FLEXIBLE HOSE REPLACEMENT

Model No. JC834

ACCESSORIES & REPLACEMENT PARTS

Model No.	Description	For use with
JC531	Cartridge Filter	JC525, JC526, JC527, JC528
JC689	Hepa Cartridge Filter	JC525, JC526, JC527, JC528
JC588	Dust Collector Bag	JC525
JC589	Dust Collector Bag	JC526, JC527
JC591	Dust Collector Bag	JC528
JC534	Extension Wands	JC525, JC526, JC527
JC535	Utility Brush	JC525, JC526, JC527
JC536	6' Flexible Hose	JC525, JC526, JC527
JC537	Floor Brush	JC525, JC526, JC527
JC538	Crevice Tool	JC525, JC526, JC527

aurora tools



INDUSTRIAL WET/DRY STAINLESS STEEL VACS

- 10 US-gallon stainless steel tank
- 6.0 peak HP motor
- 86 CFM air flow
- 72" sealed pressure
- Swivel casters provide easy movement in any direction
- Positive lock on hose eliminates unexpected disconnections
- 18' power cord
- **1 1/4" accessories include:** Flexible hose, extension wands, crevice tool, utility nozzle, floor brush, cartridge filter and dust bag

Model No. JC526

aurora tools



INDUSTRIAL 18 US GAL. WET/DRY VAC 6.5 PEAK HP

- Large capacity wet/dry vac for the biggest cleaning needs
- 195 CFM
- 60" sealed pressure
- Features: 4-wheel dolly with transport handle, tool basket, tank drain, Lock-On® hose system, convertible blower port, cord wrap and 18' cord
- Some assembly required

Includes: 7-piece 1 1/2" accessory kit, high efficiency collector bag and ultra web cartridge filter

Model No. JD438



shop-vac

LARGE CAPACITY INDUSTRIAL WET/DRY VAC 6.5 PEAK HP

- Extra-large wet/dry vac for the largest cleaning jobs
- 195 CFM
- 60" sealed pressure
- Features: 4-wheel dolly with pneumatic rear wheels, transport handle, tool basket, tank drain, Lock-On® hose system, convertible blower port, cord wrap and 20' cord
- Also available in 24 US Gal. capacity, JD439
- Some assembly required

Includes: 7-piece 1 1/2" accessory kit and ultra web cartridge filter

Model No. JD439 24 US Gallons

Model No. JD440 32 US Gallons



shop-vac

JD440

INDUSTRIAL VACUUMS

LIGHTWEIGHT INDUSTRIAL DUTY WET/DRY VACUUMS 6.5 PEAK HP SINGLE STAGE MOTOR

- Single stage motor, wet/dry vacuum features blower port, Lock-On® hose system, quiet running motor, tool basket and tank drain
- Comes with a 4-wheel dolly
- Some assembly required

Includes: 1 1/4" 8-piece accessory package and filter kit



Model No.	Tank Cap. Gal/L	Tank Type	Peak HP	CFM	Electrical 120 V 60 Hz	Sealed Pressure"	Cord Length'	Wt. lbs.
NG332	6.5/29.5	Poly	6.5	185	9.7 A	66	18	19
NI142	8/36.3	Poly	6.5	185	9.7 A	66	18	27
NG333	8/37.8	Stainless	6.5	185	9.7 A	66	18	47



POWERFUL INDUSTRIAL WET/DRY VACUUMS, 2.5 PEAK HP, 2-STAGE MOTOR

- 2-stage quiet operation motor, wet/dry vacuums feature Lock-On® hose system, convertible blower port, double filtration system, tool basket and tank drain
- NI732 comes with an 11-piece 1 1/2" accessory package and filter kit
- NI730 comes with a 4-wheel dolly and 11-piece 1 1/2" accessory package and filter kit
- JG616 comes with a 4-wheel dolly and 13-piece 2 1/2" accessory package and filter kit



Model No.	Tank Cap. Gal/L	Tank Type	Peak HP	CFM	Electrical 120 V 60 Hz	Sealed Pressure"	Cord Length'	Wt. lbs.
NI732	10/45.5	Poly	2.5	100	9 A	90	35	27
NI730	8/37.8	Stainless	2.5	100	9 A	90	35	47
JG616	16/60.5	Poly	2.5	100	9.5 A	90	35	41



HEAVY-DUTY INDUSTRIAL VACUUMS, 3 PEAK HP, 2-STAGE MOTOR

- 2-stage motor, wet/dry vacuums feature Lock-On® hose system, blower port, double filtration system, tool basket
- 4-wheel dolly with non-marking wheels and tank drain

Includes: 1 1/2" 11-piece accessory package and filter kit with abrasive resistant HEPA cartridge filter



Model No.	Tank Cap. Gal/L	Tank Type	Peak HP	CFM	Electrical 120 V 60 Hz	Sealed Pressure"	Cord Length'	Wt. lbs.
JG614	10/37.8	Stainless	3.0	109	11A	105	35	51
NG337	20/75.7	Stainless	3.0	109	11 A	100	35	62



INDUSTRIAL VACUUMS

CONTRACTOR WET/DRY VACUUMS 6 & 6.5 HP SINGLE-STAGE MOTOR

CONTRACTOR VACUUMS

- Wet/dry vacuum with double filtration system
- Automatic float shutoff prevents wet pick up overflow
- 11.5-gallon stainless steel tank, convenient top and side carrying handles with a handy cord wrap
- Some assembly required

Includes: 1 1/2" accessory kit: 12' (3.66 m) flexible hose, two metal wands, 14" (35.56 cm) metal nozzle with detachable brush and squeegee, reusable dry filter (NG351), foam filter (NC252), disposable collector filter bag (NC238), rugged 3-wheel base with handle

Model No. NI650



INDUSTRIAL SR WET/DRY VACUUMS

- Multi-purpose vacuum with switch reluctance technology
- No motor brushes
- Up to 5000 hours of run time
- Rugged motor is warranted for 10 years
- Some assembly required

Includes: 2 1/2" 11-piece accessory kit and filter kit

Model No. JC139



Model No.	Tank Cap. Gal/L	Tank Type	Peak HP	CFM	Electrical 120 V 60 Hz	Sealed Pressure"	Cord Length'	Wt. lbs.
NI650	11.5/52.3	Stainless Steel	6.0	181	9.3 A	63	18	39
JC139	15/68	Poly	-	235	12 A	75	18	40



LIGHT CONTRACTOR WET/DRY VACUUMS – SINGLE STAGE MOTOR

CONTRACTOR/INDUSTRIAL 10 US GAL. WET/DRY VAC 6.5 PEAK HP

- Medium capacity stainless steel wet/dry vac is ideal for contractors and industrial applications
- Features: Stainless steel tank, 3-wheel dolly with transport handle, Lock-On® hose system, convertible blower port, cord wrap and top and side carry handles
- Also available in 15 US Gal. capacity – Model No. JD442 with metal accessories
- Some assembly required

Includes: 7-piece 1 1/2" accessory kit, high efficiency collector bag and ultra web cartridge filter

Model No. JD441
Model No. JD442



MEDIUM CAPACITY WET/DRY VACUUM 5 PEAK HP

- Medium capacity wet/dry vac for the toughest cleaning needs
- Features: Tool basket, tank drain, Lock-On® hose system, convertible blower port, cord wrap and top and side carry handles

Includes: 7-9-piece 1 1/2" accessory kit, high efficiency collector bag and ultra web cartridge filter

Model No. JD434



PORTABLE WET/DRY VACUUM 5.5 PEAK HP

- Portable and lightweight, this wet/dry vac is ideal for contractors and DIY
- Features: Lightweight portable design, Lock-On® hose system, convertible blower port, cord wrap and 20' cord

Includes: 3-piece 1 1/2" accessory kit, high efficiency collector bag and ultra web cartridge filter

Model No. JD436



Model No.	Tank Cap. Gal/L	Tank Type	Peak HP	CFM	Electrical 120 V 60 Hz	Sealed Pressure"	Cord Length'	Wt. lbs.
JD441	10/37.8	Stainless	6.5	195	12 A	60	18	36
JD442	15/56.8	Stainless	6.5	195	12 A	60	18	49
JD434	12/45.5	Poly	5	190	11.3 A	59	18	27
JD436	5/18.9	Poly	5.5	195	11.5 A	59	20	17



FACTORY INDUSTRIAL 44-GALLON DRUM VACUUMS

- 3.0 peak HP two-stage motor
- Large 44-gallon capacity and industrial head assembly built to handle the toughest jobs
- NG343 converts your steel drum into a wet/dry vacuum
- Heavy-duty dolly with NG342 only

Includes: 1 1/2" 4-piece accessory kit

Model No. NG342
Model No. NG343



SHOP SWEEPERS

- A time saving system for ridding large areas of litter
- 27" wide sweeping path cleans machine shops, factories, shipping and parking areas
- Does not require a motor or batteries to operate
- Can be used indoors/outdoors
- Lightweight structural foam frame has a large 1.4 cu. ft. capacity hopper
- Polypropylene main and side brooms adjust for different surfaces

Model No. NC099



Model No.	Tank Cap. Gal/L	Tank Type	Peak HP	CFM	Electrical 120 V 60 Hz	Sealed Pressure"	Cord Length'	Wt. lbs.
NG342	44/204.5	Metal	3	109	11 A	100	18	82
NG343	Head Assembly	N/A	3	109	11 A	100	-	30
NC099				Shop Sweeper				50



INDUSTRIAL VACUUMS

INDUSTRIAL PUMP VACUUMS, 6.5 PEAK HP MOTOR

shop-vac

- Industrial-duty pump vac can vacuum water quickly and easily
- 16-gallon (60.5L) poly tank empties itself using any standard garden hose (not included)
- Converts from wet/dry vac to pump-out operation
- Quiet vac pumps water up to heights of 50' (15m)
- Excellent for flooded basements, warehouses, hot tubs or spas

Includes: Both 1 1/4" 4-piece accessory kit and filter kit and 2 1/2" 8-piece accessory and filter kit

Model No. JG611

**Also available in 20 gallon version
Model No. JG617**



INDUSTRIAL WET/DRY VACUUMS, LONG LIFE MOTOR

shop-vac

- 2-Stage, long life motor
- 12-gallon stainless steel tank with drain
- 4-wheel dolly with transport handle
- Lock-On® hose system
- 5 years motor warranty

Includes: 7-piece 1 1/2" accessory and filter kit

Model No. JG612

**Also available in 14-gallon version
Model No. JG618**



Model No.	Tank Cap. US Gallons	Tank Type	Peak HP	CFM	Electrical 120V 60Hz	Sealed Pressure*	Cord Length'	Wt. lbs.
JG611	16/60.5	Poly	6.5	200	12 A	60	18	36
JG617	20/75.7	Poly	6.5	200	12 A	60	18	37
JG612	12/45.5	Stainless	2	100	8 A	80	18	36
JG618	14/53	Stainless	6.5	200	12 A	60	18	43

ACCESSORIES 1 1/2"

Model No.	Description	Model No.	Description
NC226	12" wands for overhead cleaning	NC219	14" metal master nozzle attachments required
NC218	51" chrome extension wands w/tool lock (2 pcs.)	NC243	14" squeegee shoe single blade
NC225	48" chrome extension wands fits NC218 only	NC220	14" squeegee shoe double blade
NG626	Metal extension wand (2 pcs.)	NC221	14" rug shoe
NC208*	27" crevice tool	NC222	14" brush shoe for dry floor cleaning
NC207*	15" crevice tool	NC277	Elbow joint 2 1/2"
NC228	Overhead pipe tool	NG627	Polypropylene master nozzle
NC242	3" metal round brush for irregular surfaces	NG628	Polypropylene squeegee
		NG629	Polypropylene carpet shoe

* Does not fit extension wands, to be used with hoses

ACCESSORIES 1 1/4"

Model No.	Description	Model No.	Description
JD449	Flexible crevice tool	NC264	Dual surface nozzle
JD450	Soft bristle brush	JD446	Wands (3-pieces)
JD451	Firm bristle brush	JD447	8' hose
NI903	Claw utility nozzle (fits all sizes)	JD448	Cleaning kit (3-pieces)

FILTERS & FILTER BAGS

Model No.	Description	Model No.	Description
NC196	Cloth filter bag. Fits all shop vacs	NC238	Collector filter bags for 8 to 11.5 gal. (3 pkg.)
NG350	Collector bags for Brute® (3 pkg.)	NC252	Foam filter sleeve, fits all wet/dry shop vacs
NG351	Re-usable filters. Fits all shop vacs	NG358*	High quality collector bags for 4 to 6.5 gal. (5 pkg.)
NG352	Filter, polyester. Fits all shop vacs	NG359*	High quality collector bags for 8 to 11.5 gal. (5 pkg.)
NC202	Collector bags for Hippo® (5 pkg.)	NG360*	High quality collector bags for 12 to 17.5 gal. (5 pkg.)
NC217	Cartridge filter. Fits all shop vacs	NI530*	Cleanstream® filter, fits all wet/dry shop vacs
NG354	Filter, polyester 11" diameter	NI735	Ultra Web Cartridge Filter
NG355	Filter, polyester 14" diameter	NI736	Cleanstream® Abrasive resistant filter
NG356	Filter, polyester 16" diameter		
NC236	Collector filter bags for 4 to 6.5 gal. (3 pkg.)		
NC237	Collector filter bags for 12 to 17.5 gal. (3 pkg.)		

* 95% efficient @ 0.1 micron particle size



Model No.	Description	Size	Colour
NG361	w/Curved wand, Brute® only	1 1/4" x 6'	-
NC215	w/Swivel end (crushproof)	1 1/2" x 25'	Black
NC223	Standard hose	1 1/4" x 18'	Black
NG363*	w/Threaded locking swivel	1 1/2" x 12"	Black
NG364*	w/Wire for Hippo®	1 1/4" x 6'	Black
NG365	Standard hose	2 1/2" x 6'	Black
NG366	w/Curved wand	1 1/4" x 8'	Black
NC249	w/Swivel	1 1/2" x 12'	Black

* Current industrial commercial wet/dry vac only.

AIR MANAGEMENT SYSTEMS

AIR-MOVERS®

- Heavy-duty air mover is designed to quickly dry wet carpets and floors, with a second position for drying ceilings
- 3-speed air control
- Collapsible transport handle
- Units are stackable for easy storage

JC142



MIGHTY MINI™ SHOP VAC® AIR MOVER®

- Designed to quickly dry wet carpets and floors, with a second position for drying ceilings
- 3-speed air control
- Two power outlets
- Units are stackable for easy storage

JC846



PORTABLE AIR CIRCULATOR

- Shop ventilation and cooling, floor and carpet drying, smoke and odor evacuation, storm damage, large area ventilation
- 3 speed system
- Telescopic handle with integrated wheels

shop-air
A ShopVac Company



Model No.	Tank Cap Gal/L	Tank Type	Peak HP	CFM	Electrical 120 V 60 Hz	Sealed Pressure	Cord Length	Wt lbs.
JC142	N/A	Poly	N/A	1600	5 A	N/A	30	12
JC846	0.5	Poly	0.5	500	1.5 A	N/A	10	50
JG613	0.5	Stainless	0.5	3000	3.5 A	N/A	30	46

ASHTRAYS

INFINITY™ SMOKING MANAGEMENT SOLUTIONS

- Sophisticated styling and all-metal construction for attractive and efficient smoking litter management
- High-capacity receptacles for heavy traffic areas
- Stainless steel snuff plate minimizes smoldering
- Integrated padlock tabs provide security against tampering and theft
- Weighted bases and bolt-down options for added stability outdoors
- 360° disposal area with domed tops for weather resistance
- Unobstructed funnels to reduce jamming during cigarette disposal

Model No.	Mfg. No.	Description	Diameter"	Height"	Capacity gal.	Colour
JB476	9W31	Base Mount	15.5	39	1.33	Black
JB477	9W32	Wall Mount	11.6	18	0.60	Black
JB478	9W33	Traditional	13	39.1	4.13	Black
JB480	9W33	Traditional	13	39.1	4.13	Pewter
JB481	9W33	Traditional	13	39.1	4.13	Bronze
JB479	9W34	High Capacity	15.4	39.8	6.7	Black
JB482	9W34	High Capacity	15.4	39.8	6.7	Pewter
JB483	9W34	High Capacity	15.4	39.8	6.7	Bronze



HEAVY-DUTY BUTT CANS

- Rugged heavy-duty fire safe galvanized steel base and neck tube finished in a tough powder coated red paint
- Polyethylene topper with molded-in graphics for cigarette butt disposal
- Self-extinguishing design offers maximum convenience and reduces the risk of fire



Model No.	Mfg. No.	Dim. Dia." x H"	Capacity US Gal	Wt. lbs.
JB906	26810R	11 1/2 x 34	2.5	9.6
JB907	26811R	11 1/2 x 38 1/2	5	10.5

GROUNDSKEEPER™ CIGARETTE WASTE COLLECTORS

- Restricted opening shields cigarette butts from view, weather and reduces oxygen flow quickly extinguishing cigarettes
- Galvanized steel canister securely holds large quantities of cigarette waste
- 2-piece design makes cleaning quick and easy
- Flame-retardant injection-molded plastic will not rust or fade
- Factory Mutual and CSFM approved for fire safety
- Can be bolted or tied to concrete for security
- Dimensions: 12 1/4" L x 12 1/4" W x 39 3/4" H

Model No. NI553
Mfg. No. 2570-88



GROUNDSKEEPER TUSCAN™ CIGARETTE WASTE COLLECTORS

- Column-style design
- Molded-in-colour polymer body with UV inhibitors, will not fade, chip, or rust
- Powder-coated aluminum cap will not burn or melt
- Galvanized steel ash canister
- Heavy steel base plate, will not fall over under windy conditions or if bumped
- Fastener and cable security kit available, NI688
- Dim.: 13" L x 13" W x 38 1/2" H
- Weight: 12.6 lbs.

Model No. NI686 Black
Mfg. No. 9W3000
Model No. NI687 Sand stone
Mfg. No. 9W3000

FASTENER & CABLE SECURITY KITS

Model No. NI688
Mfg. No. 9W2900



EXTERIOR SMOKING RECEPTACLES

- Heavy-duty 18-gauge brushed stainless steel
- Unique lid design protects unit in all weather conditions, eliminating messy clean-ups (NI753 only)
- Corrosion-resistant galvanized steel (22 ga) inner liner
- Tumbler keyed lock secures door
- Dimensions: 7" L x 3" W x 9" H
- Liner capacity: 1 L



NI753

Model No.	Description	Wt. lbs.
NI753	Ashtray with Cover	5
NI746	Ashtray without Cover	4
NI749	Lock and Key Replacement Kit	-
NI756	Replacement Inner Liner	-

EXTERIOR SMOKING RECEPTACLES

- Heavy-duty 18-gauge brushed stainless steel
- Unique lid design on NI743 protects unit from all weather conditions, eliminating messy clean-ups
- Corrosion-resistant galvanized steel (22 ga) inner liner
- Tumbler keyed lock secures door
- Dimensions: 9" L x 5" W x 13 1/2" H
- Liner capacity: 3.3 L
- Optional all-welded construction pedestal allows for floor mounting



NI752

Model No.	Description	Wt. lbs
NI752	Ashtray	11
NI743	Ashtray with Cover	11
NI744	Heavy-Duty Pedestal	18
NI749	Lock and Key Replacement Kit	-
NI755	Replacement Inner Liner	-



ASHTRAYS, SHELTERS & PAINTS

SMOKERS CEASE-FIRE®

- Innovative design limits the flow of oxygen to safely and quickly extinguish cigarettes and reduce the risk of fire
- Low maintenance, high-density polyethylene construction with a flame retardant additive
- UV protection, will not rust, dent, crack or peel - no more unsightly rust rings
- Molded-in graphics clearly identify unit for cigarette butt disposal
- Complete with large 16-qt. (15 L) capacity galvanized steel liner pail for easy cleaning excluding Personal Smokers Cease-Fire®
- FM approved

NH832

NI701



Pewter Grey	Model No. Adobe Beige	Deco Black	Mfg. No.	Description	Dimensions Dia." x H"	Capacity US Gallons	Wt. lbs.
NH832	NI378	NI694	26800	Original Smokers Cease-Fire®	16 1/2 x 38 1/2	4	12
NI701	NI702	NI703	26806	Personal Smokers Cease-Fire®	11 x 30	1	6

CEASE-FIRE® ASHTRAYS

- Specially designed contoured head directs smoke and gas from any fire inside the container back into the combustion area
- Air supply is limited and flames are extinguished in seconds
- Drum bodies made of heavy gauge steel with a grey enamel exterior and a rust preventive interior coating
- FM approved, corrosion-free aluminum heads provide easy clean-up and can be used with standard steel drums
- Aluminum heads are also available separately for use with existing metal drums

NC449



Model No.	Mfg. No.	Capacity US Gal.	Dimensions Dia." x H"	Opening Dia."	Wt. lbs.
NC444	26604	4.5	11 7/8 x 14 1/4	5	6
NC445	26606	6	11 3/4 x 17 3/4	5	6
NC446	26612	12	14 1/2 x 23	5 1/4	10
NC447	26615	15	14 1/2 x 27 3/4	5 1/4	12
NC448	26630	30	19 1/4 x 31 3/4	7	28
NC449*	26655	55	23 3/4 x 38 1/2	7 7/8	35

*Drum should be filled 3/4 full only.

REPLACEMENT HEADS

Model No.	Description
NI416	Aluminum Head for 4.5 and 6-Gallon Receptacles
NI417	Aluminum Head for 12 and 15-Gallon Receptacles
NI418	Aluminum Head for 30-Gallon Receptacles
NI419	Aluminum Head for 55-Gallon Receptacles

OUTDOOR POLY SHELTERS

- Provides great protection for anything from the outdoor elements
- 2-wall design can be used as a windbreaker for entrances to buildings
- Use as a smoking shelter to provide protection for up to six people with seating for four
- Sand (**not included**) ballast base prevents the need for anchoring to a cement slab
- Unique 2-piece design is easy to install and relocate on any flat surface
- Durable 4-season rigid polyethylene construction is virtually maintenance-free
- Available in 3-wall design and 2-wall design to meet smoking regulations for most areas
- Dimensions: 7' L x 6' W x 7' H
- F.O.B. Valleyfield, Quebec



MK672



Model No.	No. of Walls	Colour	Wt. lbs.
MK672	3	Beige	465
MK673	2	Beige	455
MK710	3	Grey	465
MK711	2	Grey	455

RUST TOUGH® ACRYLIC ENAMEL

AEROSOLS

- Complete coverage with one coat
- Dries to touch in 25 minutes; dries to handle in 1 hour
- Ideal for small touch-up jobs, painting irregular shapes or covering hard-to-reach areas
- For both indoor and outdoor use
- Tough, high-gloss finish resists chipping and peeling
- 20-oz. cans • Case qty: 6 cans

NOTE: Not recommended for immersion.



PRIMERS



NOTE: Actual paint colours may vary


ECO-GUARD™ LATEX SPRAY PAINT

- Latex (not water-reducible) paint provides a high gloss and excellent colour retention appearance
- Low odour, contents under pressure formula and MIR compliant make it the safest paint to use indoor or outdoor
- Soap and water clean-up
- Dries fast; in just 20 minutes to the touch
- Other colours are available
- 12-oz. cans
- Case Qty: 12 cans

Use on: metal, wood, masonry, plaster, most plastics, plastic foam and wicker



Model No.	Colour
NI464	Red (OSHA)
NI465	Orange (OSHA)
NI466	Yellow (OSHA)
NI467	Blue (OSHA)
NI468	Gloss white
NI469	Satin Grey
NI471	Max Flat Black
NI470	Grey Primer



NOTE: Actual paint colours may vary

FANS

CEILING FANS

- A major source of untapped energy is available at the ceiling in most industrial and commercial buildings
- Air stratification causes heat build-up at the ceiling as much as 25 °F or more above floor level temperatures
- By installing ceiling fans, this warm air can be recirculated down to floor level to maintain a uniform air temperature from floor to ceiling
- The result saving can be as much as 30%
- When ceiling fans are used for cooling people during the summer, they should be spaced 15' to 20' apart in the occupied area
- In warehouse storage areas, best results will be obtained if fans are mounted over aisle ways
- Fans should not be mounted less than 10' above the floor, the use of a safety cable is required on all ceiling fans

MARK I


- 1-year commercial warranty

MARK VI

- 2-year commercial warranty

JETPROOF

- Moisture and dust resistant
- Preassembled with watertight power cord and safety cable
- 2-year commercial warranty



 **Airmaster® Fan Company**

Model No.	Fan Blade"	Style	Down Length"	CFM	RPM	Voltage	Amps	Watts Full Speed	Wt. lbs.
EA357	56	Mark I	30/15	26 400	290	120	0.52	62	15
EA358	56	Mark VI	32/14	32 900	311	120	1.12	120	17
EA359	56	Mark VI	30/15	39 600	320	277	1.2	125	16
EA362	56	Jetproof (JP-CP)	24	32 900	311	115	1.12	120	16

Note: Safety cable included. Cord and plug not provided, must be hard wired, wiring must conform to all national, state and local code (except EA362).

ACCESSORIES

Model No.	Description	Wt. lbs.
CONTROLS FOR CEILING FANS		
EA363	Variable speed control regulates 1 to 6 fans. Not to exceed a maximum amp draw of 6 amps	1
EA364	Variable speed control regulates 7 to 12 fans. Not to exceed a maximum amp draw of 10 amps	1
EA365	Variable speed control, 277 V, regulates 1 to 3 fans. 1.5 Amps	1
GUARD KIT & MESH COVER FOR 56" FANS		
EA366	61" Dia. nickel chrome-plated top and bottom protective guard kit	21
EA367	Nylon mesh wraparound cover with nylon draw strings	1

SHUTTER FANS

- 115 V motor 1-phase
- Totally enclosed motor
- Direct drive, low pressure
- Fully assembled, ready to install
- 24" and 30": 3 speeds with pull chain motor, plug and cord included
- Rear guard meets OSHA standards

 **Airmaster® Fan Company**

Model No.	Fan Dia."	HP	0" S.P. CFM	1/8" S.P. CFM	A"	B"	F"	Dimensions				Panel" (square)	Wall Opening" (square)	Wt. lbs.
					G"	H"	J"	K"						
EA368	7	1/30	121	60	11.1	4	4	8.06	2.38	8	3	11 1/8	8 1/2	10
EA369	10	1/30	611	318	13.1	6	6	8.06	2.38	10	3	13 1/8	10 1/2	10
EA370	12	1/30	815	490	15.1	8	8	8.06	2.38	12	3	15 1/8	13	12
EA371	16	1/20	1216	765	19.1	12	12	9.06	2.38	16	4	19 1/8	17	20
EA372	18	1/15	1877	752	21.1	14	14	11	2.5	18	4.8	21 1/8	18 1/2	25
EA373	20	1/15	2235	920	23.1	16	16	11	2.5	20	4.8	23 1/8	20 1/2	35
EA374	24	1/4	3214	2015	27.1	20	20	12.7	3	24	5	27 1/8	25	48
EA375	30	1/4	4970	3510	33.1	26	26	12.7	3	30	5	33 1/8	30 1/2	57

36" BELT DRIVE DRUM FANS

- 115 V, 1/2 HP, 2-speed, 1-phase, ball bearing motor
- 3-bladed aluminum propellers
- 2-speed rocker switch
- Epoxy-coated barrel and steel resilient mounted guards
- Steel wheels with rubber tires
- Easy grip handle with cord wrap
- 10' cord with 3-prong plug
- Tilttable
- CFM: 7800 (high), 5300 (low)
- RPM: 660 (high), 450 (low)
- Weight: 116 lbs.

2-YEAR WARRANTY



Model No. EA318

 **Airmaster® Fan Company**

42" BELT DRIVE DRUM FANS

- 115 V, 1 HP, 2-speed, 1-phase, ball bearing motor
- Motor out of air stream – stays clean
- Aluminum 4-bladed propellers
- Rocker switch
- Epoxy-coated steel spiral, resilient mount guards
- Steel hubbed wheels, swivel locking casters
- 20 gauge roll form epoxy-coated housing
- 10', 3-conductor cord and plug
- CFM: 17 000 (high), 9558 (low)
- RPM: 430 (high), 285 (low)
- Quiet operation: 75 dB (high), 67 dB (low)
- Weight: 130 lbs.

2-YEAR WARRANTY




Model No. EA319

 **Airmaster® Fan Company**

48" BELT DRIVE DRUM FANS

- 115 V, 1 HP, 1-speed motor
- 4-bladed steel propellers
- Epoxy coated steel spiral, resilient mount guards
- Steel wheels with rubber tires
- Front leg bracket, pull handle
- 12' three-conductor SJT type cord with switch
- CFM: 17 173
- RPM: 385
- Weight: 165 lbs.
- Comes fully assembled

 **Airmaster® Fan Company**



20" HIGH VELOCITY PEDESTAL FANS

- Rugged all-metal construction
- 1/4 HP, 120 V, 60 Hz, 150 W, 3-speed motor
- CFM: 5950 (high), 4550 (med), 3850 (low)
- Adjustable pedestal base
- 6' grounded power cord
- Weight: 36 lbs.
- 1-year warranty

Model No. EA289



LIGHT INDUSTRIAL DIRECT DRIVE DRUM FANS

- 120 V/60 Hz, 2-speed motor
- All-metal construction, painted black
- 6' SJT power cord
- 6" casters with easy moving handle
- 1-year warranty



Model No.	Blade"	HP	Watts	CFM	High	Low	Wt. lbs.
EA286	28	2/5	290	8050	6500	22	
EA288	36	3/5	405	11 200	9100	30.5	

24" ROLL-ABOUT FANS

- 120 V, 1/5 HP, 3-speed motor
- Cart mounted fan for increased air circulation and optimal mobility
- Can be tilted/ positioned to maximize ventilation
- Cart and frame configuration provide stable quiet operation
- CFM: 8550 (high), 7770 (medium) 7040 (low)
- 1-year warranty

Model No. EA476



INDUSTRIAL AIR CIRCULATING FANS


- 115 V, 1-phase, 3-speed, totally enclosed air over ball bearing motor
- Adjustable pedestal (43"-63")
- Base diameter: 26" (non-oscillating) and 32" (oscillating)
- Wall/ceiling mounts with safety cable included
- 15' cord and 3-prong plug included
- RPM: 1100 (high), 800 (med), 600 (low)
- A safety cable kit is included in all overhead mounted air circulators to prevent the fan from falling if accidentally struck or mounting fails
- 2-year warranty



Airmaster® Fan Company



EA310



Model No.	Description	HP	F.L. Amps	CFM	High	Med	Low	Wt. lbs.
OSCILLATING								
EA311	24" Pedestal	1/3	3.2	4400	3460	2460	78	
EA315	30" Pedestal	1/3	3.2	6100	4400	2700	95	
EA313	24" Wall Mount	1/3	3.2	4400	3460	2460	46	
EA317	30" Wall Mount	1/3	3.2	6100	4400	2700	57	
NON-OSCILLATING								
EA310	24" Pedestal	1/4	3.5	4400	3460	2460	82	
EA314	30" Pedestal	1/4	3.5	6100	4400	2700	87	
EA312	24" Wall Mount	1/4	3.5	4400	3460	2460	42	
EA316	30" Wall Mount	1/4	3.5	6100	4400	2700	49	

OFFICE FANS

- Light-duty, best suited for office environments



Model No.	Description
EA304	6" Clip-on/Desk, 2-speed
EA305	12" Desk Oscillating, 3-speed
EA306	16" Desk Oscillating, 3-speed
EA526	16" Wall Oscillating, 3-speed
EA551	18" Pedestal Oscillating, 3-speed

EA526



EA305



EA551



Convertible desk clip feature

20" BOX FANS

- 3-speed control
- Five slim blades
- Fully assembled and ready to use
- Weight: 9.92 lbs.

Model No. EA527



HIGH VELOCITY FLOOR FANS

- 120 V/60 Hz, 1/4 HP, 3-speed motor
- All-metal construction, chrome grill and base
- CFM: 4725 (high), 3850 (med), 2975 (low)




Model No.	Dia."	Wt. lbs.
EA528	16	10
EA290	18	16.18



EA290

LIGHT INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V/60 Hz, 2-speed motor
- All-metal construction, chrome grill stand and base painted black
- Can be used in oscillating or non-oscillating mode
- Pedestal models feature adjustable height and heavy-duty round base for added stability
- 6' SJT power cord
- Stem length pedestal: 89-124 cm
- Arm length wall: 32 cm
- 1-year warranty



EA284



EA282

Model No.	Description	HP	CFM	High	Low	Wt. lbs.
OSCILLATING						
EA282	26" Pedestal	1/5	7525	4050	26.5	
EA283	30" Pedestal	1/3	8778	6780	31	
EA284	26" Wall Mount	1/5	7525	4050	25	
NON-OSCILLATING						
EA571	30" Pedestal	1/3	8400	6650	31	

HEATERS

PORTABLE OPEN COIL HEATERS

- Two heat settings (1500 W and 1000 W) provide full comfort and efficient operation
- Fully adjustable automatic thermostat
- Safety overload switch
- Power signal light
- Top-mounted handle and controls
- Grounded plug and controls
- 7.67" L x 8.38" W x 6.1" H



Model No.	Volts	Watts	BTU/H	Amps
EA469	120	1000/1500	3410/5120	8.3/12.5

PORTABLE FAN-FORCED/RADIANT UTILITY HEATERS

- Three heat settings provides full comfort and efficient operation
- 600 W radiant
- 900 W fan-forced
- 1500 W fan-forced and radiant
- Chrome-plated safety grill
- Automatic built-in thermostat
- Ceramic core element
- Tip-over safety switch and thermal limit
- 10.83" L x 12.6" W x 16.54" H



Model No.	Volts	Watts	BTU/H	Amps
EA466	120	600/900/1500	2048/3072/5120	5.0/7.5/12.5

OIL-FILLED HEATERS

- 1500-W, 7-fin, oil-filled heater
- Three heat settings provide full comfort and efficient operation
- Adjustable thermostat
- Built-in over heating protection
- 120 V

Model No. EA612



RADIANT PLUG-IN UNDER DESK HEATERS

- Safe comfortable radiant heat
- Extremely economical to operate, only draws 1.4 A
- Will not effect computer work stations
- Lighted on-off kick switch
- Built-in safety tip-over switch
- **Includes:** Velcro tabs and wire support hardware for easy installation

Model No.	Volts	Watts	Amps	Dim"
BA960	120	170	1.4	15 x 22 x 1



SINGLE TANK-TOP RADIANT HEATER

- Efficient, heats radiantly, directly, no loss of heat to the air
- Fast, reaches full output in seconds
- Economical, no electricity required
- Convenient, fully assembled, ready to use
- Quiet, no noisy annoying blowers
- Durable, made of rugged quality materials
- Problem-free, no moving parts, minimum maintenance
- For outdoor use only
- Variable BTU's: 8, 12 and 15000 BTU/hr
- Adjustable heat control: high, medium, low regulator
- Safe: heater shuts off automatically with loss of flame
- Ready to use: mounts directly to a 5 to 20-lb. propane cylinder (not included)
- Operating time: high, up to 30 hours on a 20-lb. cylinder
- Weight: 3.3 lbs.

Model No. EA291



PORTABLE CERAMIC HEATERS

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- PTC heating element
- Tip over safety switch and thermal safety fuse



Model No.	Volts	Watts	BTU/H	Amps
EA599	120	750/1500	2560/5200	6.25/12.5

PORTABLE FAN-FORCED UTILITY HEATERS

- Two heat settings (1300 W and 1500 W) provide full comfort and economic operation
- Adjustable thermostat
- Fan-only setting
- Tip over safety switch
- Built-in carrying handle with front safety guards



Model No.	Volts	Watts	BTU/H	Amps
EA598	120	1300/1500	4435/5120	10.8/12.5

PORTABLE FAN-FORCED CONVECTION HEATERS

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Wide-angle oscillation
- Tip over safety switch and thermal limit control



Model No.	Volts	Watts	BTU/H	Amps
EA597	120	750/1500	2560/5200	6.25/12.5

CONTRACTOR HEATERS

- Permanently lubricated motor
- Built-in thermostat
- Safety high temperature limit
- Steel spiral fin brazed to metal sheath elements for maximum heat transfer
- 6' heavy-duty cord
- Built-in handle/cord storage
- 12.8" L x 13.39" W x 15.87" H



Model No.	Volts	PH	Watts	BTU/H	Amps	Plug Type
EA477	240/208	1	5600	19 100	23.3/20.24	#6-30P
EA561	240	1	4800	16 380	20	#6-30P

HEAVY-DUTY CEILING MOUNT HEATERS

- Rugged heavy-duty industrial heater
- Multi wattage covering 2500-5000 W (2500 W, 3332 W, 4165 W, 5000 W)
- Built-in ceiling bracket for easy mounting
- Automatic fan delay
- 240 V

Model No. EA532



EXTENSIONS CORDS & PLUGS

OUTDOOR VINYL EXTENSION CORDS

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture, and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking

XC485



aurora tools®  

3-CONDUCTOR SJTW, 300-VOLT GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XC482	25	14/3	15	1875	Orange
XC483	50	14/3	15	1875	Orange
XC484	100	14/3	13	1625	Orange
EXTRA HEAVY-DUTY					
XC485	25	12/3	15	1875	Yellow
XC486	50	12/3	15	1875	Yellow
XC487	100	12/3	15	1875	Yellow

OUTDOOR VINYL EXTENSION CORDS WITH LIGHT INDICATOR

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals, and moisture
- Ultra flexible cord
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- Water resistant and flame retardant

XC494



aurora tools®  

3-CONDUCTOR SJTOW, 300-VOLT GROUNDING, OIL RESISTANT

Model No.	Length'	AWG	Amps	Watts	Colour
EXTRA HEAVY-DUTY					
XC494	25	12/3	15	1875	Yellow
XC495	50	12/3	15	1875	Yellow
XC496	100	12/3	15	1875	Yellow

OUTDOOR VINYL TRIPLE TAP EXTENSION CORDS

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals, and moisture
- Vinyl jacket provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking

XC491



aurora tools®  

3-CONDUCTOR SJTW, 300-VOLT GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XC488	25	14/3	15	1875	Red
XC489	50	14/3	15	1875	Red
XC490	100	14/3	13	1625	Red
EXTRA HEAVY-DUTY					
XC491	25	12/3	15	1875	Red
XC492	50	12/3	15	1625	Red
XC493	100	12/3	15	1625	Red

INDOOR/OUTDOOR STANDARD-DUTY EXTENSION CORDS

- Designed for light industrial, contractor, and home use
- Durable SJTW jacket protects against ultraviolet rays, chemicals and moisture
- Extremely flexible jacket
- Molded-on and bonded plugs and connectors resist breaking

XC630



aurora tools®  

3-CONDUCTOR SJTW, 125-VOLT GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
XC630	10	16/3	13	1625	Orange
XC631	15	16/3	13	1625	Orange
XC632	25	16/3	13	1625	Orange
XC633	50	16/3	13	1625	Orange

ALL WEATHER TPE-RUBBER EXTENSION CORDS WITH LIGHT INDICATOR

- Designed for industrial and contractor use
- All weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking

XC500



aurora tools®  

3-CONDUCTOR SJEOW, 300-VOLT GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XC500	25	14/3	15	1875	Blue/Orange
XC501	50	14/3	15	1875	Blue/Orange
XC502	100	14/3	15	1625	Blue/Orange
EXTRA HEAVY-DUTY					
XC503	25	12/3	15	1875	Blue/Orange
XC504	50	12/3	15	1875	Blue/Orange
XC505	100	12/3	15	1875	Blue/Orange

PLUGS & CONNECTORS

- Commercial specification grade straight blade plugs and connectors
- Moisture, chemical and abuse-resistant
- Ideal for indoor and outdoor use
- Deep-slotted, backed-out terminal screws draw backwire clamps securely over stripped leads for maximum conductivity

XA778



NEMA CONFIGURATION



NEMA 5-15P NEMA 5-15R

LEVITON®

15 A 125-VOLT 2-POLE 3-WIRE GROUNDING


Model No.	Mfg. No.	Description	Cord Diameter"	Wire Gauge stranded	Colour
XA778	515PV	PVC Grounding Plug	0.245-0.655	No.18-3 through 12-3 cords	Yellow
XA779	515CV	PVC Grounding Connector High Visibility Yellow EPTR Body	0.245-0.655	No.18-3 through 12-3 cords	Yellow

EXTENSION CORDS & SPOTLIGHTS

ARCTIC BLUE™ ALL-WEATHER TPE-RUBBER LITE END EXTENSION CORDS

Arctic Blue™ all-weather Prime-Flex2™ TPE-rubber triple tap extension cords are designed for use by contractors and industrial personnel, providing an all-weather cordset made for outstanding performance in extreme climate conditions at temperatures from -58°F to 221°F.

Arctic Blue™ TPE-rubber cordsets offer superior resistance to ozone, oils, chemicals and rough handling. Flame retardant and water resistant. Certified for sale in Canada by an accredited certification body.



SINGLE-OUTLET SJEOW, 300-VOLT GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
HEAVY-DUTY					
XB894	25	14/3	15	1875	Blue/Orange
XB895	50	14/3	15	1875	Blue/Orange
XB896	100	14/3	13	1625	Blue/Orange
EXTRA HEAVY-DUTY					
XB897	25	12/3	15	1875	Blue/Orange
XB898	50	12/3	15	1875	Blue/Orange
XB899	100	12/3	15	1875	Blue/Orange

TRIPLE-TAP SJEOW, 300-VOLT GROUNDING

Model No.	Length'	AWG	Amps	Watts	Colour
EXTRA HEAVY-DUTY					
XB902	25	12/3	15	1875	Blue/Orange
XB903	50	12/3	15	1875	Blue/Orange
XB904	100	12/3	15	1875	Blue/Orange

RECHARGEABLE SPOTLIGHTS

- 19 super bright LED lights
- Lightweight design
- Rugged impact resistant housing
- 2.5 million candle power
- 10-hour run time with full charge
- Comes with 110 V adaptor and 12 V car plug
- Certified for sale in Canada by an accredited certification body



Model No. XC668

MINI LED FLASHLIGHTS

- Nine ultra bright LED lights
- 25 lumens
- High-strength aluminum casing
- On/Off switch
- Lightweight design
- Rugged impact resistant housing
- Includes wrist strap and three AAA alkaline batteries
- Certified for sale in Canada by an accredited certification body



Model No. XD079

BOOSTER CABLES

- Clamp design fits on both top-post and side-post batteries
- Cable remains flexible in temperatures as low as -40°C
- Tangle-free



Model No.	Wire Gauge	Amps	Length'
XE494	8	150	10
XE495	6	400	16
XE496	4	400	20
XE497	2	400	20

WOBBLELIGHT® SELF-RIGHTING WORK LIGHTS

Bright and dependable, the self righting Wobblelight® delivers maximum light output in a highly durable and portable package with no hot surfaces.

- Ideal anywhere temporary high-output lighting is needed, such as indoor and outdoor construction sites, manufacturing, plant maintenance, fire and rescue
- Floating shock system protects bulb from impact
- Counter-weighted self righting design
- 360° lighting output adjustable to 180° with optional reflector
- Optional nylon reflector shield allows you to maintain 100% light source and focus it
- Internal ventilation system keeps light cool to the touch
- No set up – plugs into 120 VAC supply
- XC332 and XC334 include receptacle for connecting units in a series
- Certified for sale in Canada by an accredited certification body

Model No.	Mfg. No.	Description	Light Output Lumens	Lighting Area
XC746*	WL85F	85 W Fluorescent, 27" High	5000	15-25'
XC332	WL175MH	175 W Metal Halide, 36" High	15 000	30-42'
XC334	WL400MH	400 W Metal Halide, 36" High	40 000	78-110'

ACCESSORIES

Model No.	Mfg. No.	Description
XC747*	WL62230	180° Arc Reflector Shield for XC746
XC335	WL52230	180° Arc Reflector Shield for XC332 and XC334
XC749	111810	Replacement Transparent Dome w/Cap for XC746
XC453	111801	Replacement Transparent Dome w/Cap for XC332 and XC334

REPLACEMENT BULBS

XC748*	WL62260	Replacement Bulb for XC746
XB213	M175/U	Replacement Bulb for XC332
XC454	M400/U/ET18	Replacement Bulb for XC334

*Energy efficient

XC746



XC332



Arc Reflector Shield XC335

WORK LIGHTS & FLASHLIGHTS

MAG CHARGER® RECHARGEABLE LED SYSTEM FLASHLIGHTS

- High-tech metallic reflector, combined with a tempered glass lens that delivers superior optical performance
- Durable sleek black finish, hard-anodizing inside and out for improved durability
- O-ring sealed throughout for resistance to weather and harsh environmental conditions
- Precision machined high-strength aluminum alloy case
- Individually serial numbered for identification
- NiMH rechargeable battery offers 434 m powerful projecting LED adjustable beam
- 643 lumens lasting 17 hours at low setting or 4 hours at high setting
- Quick access to your preferred functions: Full power, Power save (25%) Strobe (5/sec), SOS (Int'l Morse code), Momentary On/Off
- Length: 12 1/2"
- Weight: 2 lbs.

XD007 System (V4) Includes:

Mag Charger® flashlight, charging cradle, NiMH rechargeable battery pack, two mounting brackets, 120 V converter, mobile power adapter (12 V)



MAGLITE® LED

Use the XD007 rechargeable system just as it is (see Function Set #1 Standard) or personalize it to meet your own needs by choosing one of the other function sets in the chart shown below.

	Function Set 1 (standard)	Function Set 2	Function Set 3	Function Set 4
1 Click	Full Power	Full Power	Momentary	Momentary
2 Clicks	Power Save	Power Save	Full Power	Full Power
3 Clicks	Strobe	SOS Signal	Power Save	Strobe

Model No.	Mfg. No.	Description	Lumens
XD007	RL1019	Rechargeable LED System	643
XC849	ARXX235	Replacement NiMH Battery Pack	-

FLASHLIGHTS

- Super bright LED bulb
- Polypropylene body resists grease and chemicals
- Shatterproof lens
- Ribbed non-slip barrel
- Hi-Viz yellow colour for easy visibility
- Batteries not included



aurora tools®

Model No.	Description	Lumens
XC977	Flashlight, 2 AA-cells	28
XC978	Flashlight, 2 D-cells	35

HARD CASE PROFESSIONAL™ 2 AA LED FLASHLIGHTS

- 250 lumens
- Water resistant IPX4
- Shatterproof lens
- Impact resistant steel plate bolted sides
- Run time Hrs.: 5 hrs. high, 30 hrs. low
- Includes 2 long lasting AA Energizer® alkaline batteries
- Beam Distance: 105 meters

Model No. XC234
Mfg. No. TUF2AAPE

Energizer

REPLACEMENT BATTERY, AA, 24/Pkg.
Model No. XB872



MINI MAGLITE® LED & PRO™

- Powerful projecting LED beam that focuses simply by rotating the head
- Balanced Optics™ combines a highly refined reflector with a performance enhanced LED yielding high output intensity
- Intelligent energy source management allows the user to choose the power level
- Multi-mode electronic switch: 100% power, 25% power, blink, SOS
- Length: 6.6"
- MagLite® Pro™ offers latest generation LED
- Includes: Two AA size alkaline batteries and belt holster

XC238



MAGLITE® LED

XC240



- Powerful projecting LED beam that focuses spot to flood simply by rotating the head
- Balanced Optics™ combines a highly refined reflector with a performance enhanced LED, for a brilliant adjustable beam
- Intelligent energy source management balances high brightness with extended battery life
- Rugged, machined aluminum construction with knurled design
- Anodized inside and out for improved corrosion resistance
- Water and shock resistant
- Batteries not included

Model No.	Mfg. No.	Description	Lumens	Beam Distance Metres
XC238	SP2201H	Mini Maglite® LED Flashlight, 2 AA Cells	97	145
XC814	SP2P01H	Mini Maglite® LED PRO™ Flashlight, 2 AA Cells	272	163
XC239	ST2D016	Maglite® LED Flashlight, 2 D Cells	168	412
XC240	ST3D016	Maglite® LED Flashlight, 3 D Cells	168	412

BATTERIES

XB872	EN91	Replacement Batteries AA, 24/Pkg.	-	-
XB875	EN95	Replacement Batteries D-Cell, 12/Pkg.	-	-

2 000 000 CANDLEPOWER SPOTLIGHTS

- Quartz halogen beam technology for maximized beam power and distance
- Durable black ABS housing and non-skid rubber bezel
- 12-Volt, 2.8 Amp battery/100-watt quartz halogen bulb
- XC385 features an internal, memory-free rechargeable battery with 15-20 minutes operating time on a full charge and comes with 110-Volt and 12-Volt charging cords, and a 12-Volt cord for continual powered operation
- XC408 operates from any standard 12 V cigarette-lighter receptacle



XA385

LIND EQUIPMENT

Model No.	Mfg. No.	Description
XC385	QR-2002	Cordless Rechargeable Spotlight
XC408	QH-2002	Corded Spotlight w/12 V Plug

ENERGIZER® BATTERIES ALKALINE INDUSTRIAL PACKAGING



Sold per package

Model No.	Mfg. No.	Description	Qty /Pkg
XB873	EN92	AAA/1,5 V	24
XB872	EN91	AA/1,5 V	24
XB874	EN93	C/1,5 V	12
XB875	EN95	D/1,5 V	12
XB876	EN22	9 V	12

CORD REELS & WORK LIGHTS

BEACON 360° WIDE AREA LED LIGHT

- Light temperature: 4500K (bright white light - no blue tint)
- 13 000 lumens equivalent usable light of a 400 W metal halide
- Environmental rating: IP64 (weatherproof)
- Construction: Cast aluminum housing, polycarbonate lenses
- Switch: On/Off rocker switch
- Weight: 10 lbs. (light head only)
- Height: 14" (light head)
- Diameter: 6" (light head)
- 120 W
- Lighting range: 50'
- Approvals: cETLus portable work light

Model No.	Description
XE636	W/Magnet Mount
XE637	W/Clamp
XE638	W/Tripod

LIND E EQUIPMENT



XE636



XE637



XE638

PORTABLE HALOGEN WORK LIGHTS

- 500-watt halogen work light
- Heat resistant tempered glass face
- Adjustable tilting head
- Halogen bulb included
- Certified for sale in Canada by an accredited certification body

Model No. XC949

REPLACEMENT BULB

Model No. XC951

aurora tools®



TWIN HEAD HALOGEN WORK LIGHTS

- Twin 500-watt halogen lights
- Heat resistant tempered glass face
- Adjustable tripod for desired height
- Extendable tripod legs provide greater stability
- Halogen bulbs included
- Certified for sale in Canada by an accredited certification body

Model No. XC950

REPLACEMENT BULB

Model No. XC951

aurora tools®

WORK REELS

Certified for sale in Canada by an accredited certification body.

INCANDESCENT WORK LIGHT REELS

- Incandescent work lights are rated for 75 W bulbs
- Includes switch and circuit breaker protected convenience outlet
- Grounded metal guard with reflector protects the bulb

EXTENSION REELS

- Triple outlet extension reel with reel circuit breaker

13 W FLUORESCENT WORK LIGHT REELS

- Light output of 900 lumens
- Rugged polycarbonate shield is easily removed for tool-free lamp replacement
- **Includes:** Switch, hanging hook, and full-length reflector

LIND E EQUIPMENT

Model No.	Description
INCANDESCENT WORK LIGHT REELS	
XA640	20' 18/3 SVT Cord, 6 A Rating
XA155	30' 16/3 SJT Cord, 9 A Rating
XA921	50' 18/3 SVT Cord, 6 A Rating
EXTENSION REELS	
XA154	30' 16/3 SJT Cord, 10 A Rating
XB281	30' 14/3 SJT Cord, 13 A Rating
FLUORESCENT WORK LIGHT REELS	
XA289	40' 18/2 SJT Cord
XA412	30' 16/3 SJT Cord, 9 A Outlet in Light



XA155



XA154



XA289

HAND-HELD FLOOD LIGHTS WITH MAGNET

- 500 W weatherproof fixture
- 8', 16-gauge heavy-duty cord
- Comfortable foam grip
- Powerful 40-lb. pull strength magnet quickly attaches to metal surfaces
- Lights up to 5000 sq. ft.
- Certified for sale in Canada by an accredited certification body

Model No. XA145

REPLACEMENT BULBS

Model No. XC464

LIND E EQUIPMENT



HEAVY-DUTY FLUORESCENT WORK LIGHTS

- Cool running
- Shatter resistant polycarbonate tube
- Moisture and dust resistant
- 25', 18/2 SJTOW cord
- **Includes:** Enclosed starter switch, rubber end caps, a full-length reflector, and hanging hook
- Certified for sale in Canada by an accredited certification body

Model No. XA146 Twin tube, compact,

13 W, 900 lumens, 10" length

Model No. XA149 Linear tube,

15 W, 920 lumens, 22" length

LIND E EQUIPMENT



RECHARGEABLE LED WORK LIGHTS

- 90 and 160 super bright LED lights
- Lightweight design
- Rugged impact resistant housing
- 3-4 hour run time on full charge
- **Includes:** Hanging hook, powerful magnet, 110 V adaptor and 12 V car plug
- Certified for sale in Canada by an accredited certification body

XC661

XC662



INCANDESCENT WORK LIGHTS

- Rated for a 100 W bulb
- Protected by heavy-gauge metal guard and reflector
- 14/3 SJTW cord
- **Includes:** Circuit breaker protected convenience outlet, rated for a full 15 A capacity
- Certified for sale in Canada by an accredited certification body

Model No. XA175 25' cord

Model No. XA918 50' cord

LIND E EQUIPMENT



RECHARGEABLE LED WORK LIGHTS

- 26 super bright LED lights
- 3-4 hour run time with full charge
- **Includes:** 110 V adaptor and 12 V car plug
- Certified for sale in Canada by an accredited certification body

Model No. XC663



Model No.	No. of LED
XC661	90
XC662	160

MAINTENANCE EQUIPMENT & SUPPLIES

HEAVY-DUTY SHOVELS

- 12-gauge carbon steel blade
- Forward turned step for extra strength
- Ergonomic grip
- Welded fulcrum for added leverage

aurora tools®



TLZ466

Model No.	Description	Handle Type	Blade Size"	O.A. Length"
TLZ466	Round Point	D-Grip, Fibreglass	11 x 9	41
TLZ468	Square Point	D-Grip, Fibreglass	11 x 9	41

STANDARD-DUTY SHOVELS

- 14-gauge tempered steel blade
- Forward turned step for extra strength

aurora tools®



NJ098

Model No.	Description	Handle Type	Blade Size"	O.A. Length"
NJ098	Square Point	Straight, Wood	8 7/8 x 11 1/2	60
NJ099	Round Point	Straight, Wood	8 7/8 x 11 1/2	60

INDUSTRIAL HOT WATER AQUAGUN®

- Heavy-duty, insulated, poly-clad zinc body
- For use with water temperatures up to 160°F (71°C)
- Solid brass stem and spray adjustment knob for long product life
- Stainless steel locking clip
- Threaded front, with protective cover, for accessory attachment



Model No. NE101
Mfg. No. 465C



HOT WATER RUBBER HOSES

- Rubber hose made with EPDM, optimized for hot water
- More kink-resistance and higher temperature ratings than vinyl hoses
- Octagonal brass crushproof couplings
- Max. operating temp. and pressure: 160°F at 100 PSI
- 10-year warranty



Model No.	Mfg. No.	Dimensions
NJ076	9960100	5/8" x 50'
NJ077	9960200	5/8" x 100'

HOSE HANGERS

- Poly hose hanger
- Capacity: 150' hose

Model No. ND038
Mfg. No. 23840



- Ribbed steel hose hanger
- Capacity: 150' hose

Model No. NE111
Mfg. No. 2383520

BIG WHEEL® CARTS

- 7.5-cu. ft., 300-lb. capacity
- Sturdy, structural foam construction won't rust, dent, chip or peel
- All-plastic, seamless pan design resists leaking and cracking
- Designed for heavy-duty, long-lasting use
- 20" pneumatic wheels
- Black HDPE

Model No. JB500
Mfg. No. FG564200-BLA



WEED'N BUG ELIMINATOR® SPRAYERS

- 1.3, 2.0, 3.0-gallon capacity
- Translucent poly tank
- Poly pump with strong T-handle that stores spray wand
- Thumb-operated spray with on/off lock feature
- Thumb-operated poly spray wand with adjustable cone nozzle
- 33" no-kink Dura-Cril™ hose

- 1.3 Gallons
Model No. ND663
Mfg. No. 60151
- 2 Gallons
Model No. NJ086
Mfg. No. 60152
- 3 Gallons
Model No. ND665
Mfg. No. 60153



hudson

BRASS NOZZLE HAND SPRAYERS

- Chemical resistant poly bottle
- Adjustable brass nozzle for fine mist or straight stream
- Equipped with Viton™ seals
- Capacity: 48 oz.

Model No. NJ164



aurora tools®

CONSTRUCTO® POLY SPRAYERS

- 2-gallon capacity
- Stable, six-footed translucent tank with large funnel top
- Metal Roto-Valve™ control valve rotates 360° for ergonomic comfort
- 18" curved brass spray wand
- TeeJet® nozzle tip
- Adjustable brass, flat fan pattern nozzle
- HPP™ high performance pump with easy carry metal D-handle and push rod
- Locking pressure release valve

Model No. NC057
Mfg. No. 90182



hudson

ELECTRIC PRESSURE WASHERS

MEDIUM-DUTY PROFESSIONAL

- 1.5 HP Baldor electric motor
- Increases garden hose power to 1000 PSI
- Integrated detergent feed system with adjustable unloader
- High-pressure hose
- 10" pneumatic wheels for easy manoeuvrability

Model No.	TEB605
Mfg. No.	KC2100EPC
Cleaning Units	2310
Pump Pressure	1000 PSI
Flow Rate	2.1 GPM
Hose Length	30'
Gun/Lance	115 cm
Electric Requirement	120 V, 15 A
Cord Length	23'
Dimensions	23 1/2" x 32 1/2" x 27"
Shipping Weight	95 lbs.



FUNNELS AND LUBRICATING EQUIPMENT

CALL FOR A QUOTATION WHEN FUNNELS ARE TO BE USED IN FOOD INDUSTRY.

STEEL FUNNELS WITH EXTENSION

Galvanized steel funnel comes with a flexible extension. 1/2" diameter hose for 1-pint model, 3/4" diameter for larger sizes.

Model No.	Cap.	Top Dia."	Hose Spout Length"	Spout Dia."
NB027	1 pint	4 3/4	9	3/8
NB028	1 quart	5 7/8	9	1/2
NB025	1/2 gallon	7 5/8	10	1/2
NB026	1 gallon	8 7/8	12	1/2



UTILITY FUNNELS

Lightweight tin and galvanized steel funnels are available in capacities from 1 pint to 1 gallon.


Tin Model	Galv. Model	Cap.	Top Dia."	Body Ht."	Spout Ht."	Spout Dia."
NB077	NB031	1 pint	4 3/4	3 7/16	2 1/16	3/8
NB078	NB032	1 quart	5 3/4	4 5/16	2 3/8	1/2
NB075	NB029	1/2 gallon	7 1/2	5 5/8	2 11/16	5/8
NB076	NB030	1 gallon	8 3/4	6 1/2	3 1/2	3/4



STRAINER FUNNELS

Tin strainer funnels have a built-in screen that prevents the flow of harmful particles into the liquid.

Model No.	Cap.	Top Dia."	Body Height"	Spout Height"	Spout Dia."
NB069	1 pint	4 3/4	3 7/16	2 1/16	3/8
NB070	1 quart	5 3/4	4 5/16	2 3/8	1/2
NB067	1/2 gallon	7 1/2	5 5/8	2 11/16	5/8
NB068	1 gallon	8 3/4	6 1/2	3 1/2	3/4



DIECAST ALUMINUM SCOOPS

Bowl and handle are cast in one piece for extra heavy-duty use. Ideal for powders and granulated products.

Model No.	Capacity	Bowl Length"	O.A. Length"
NG648	3/4 quart	7 3/4	11 1/4
NG649	1 quart	9	13
NG650	1 1/2 quart	10 1/2	15



SCOOPS

Constructed from heavy-duty white polyethylene or clear polycarbonate resin. Smooth surfaces for easy cleaning.

Model No.	Colour	Cap oz.
NA995	Clear	6
NA996	Clear	32
NA997	White	64
NH294	Clear	64



POLYETHYLENE FILTER FUNNELS

- Made of chemical resistant polyethylene
- A screen filter is included

Model No.	Description	Diameter"
YC564	Straight Spout	5
NC991	Straight Spout	9
TYB517	Curved Spout	8
TYB518	Curved Spout	9 1/2



LIQUID MEASURES

- Translucent high density polyethylene construction
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Cap on flexible spout and polypropylene lid renders measure spill proof
- Spout length: 7 1/2"
- Spout diameter: 3/4"

Model No.	Capacity
TYB513	1 quart
TYB514	2 quart
TYB515	3 quart
TYB516	5 quart




LIQUID MEASURES

FLEXIBLE SPOUTS

Spill proof top. Flexible spout makes it easy to reach difficult areas and hard to reach pouring angles. 8" flexible spout length. 1/2" spout diameter.

Tin Model No.	Top Dia."	Galvanized Model No.	Stainless Model No.	Top Dia."	Cap.
NB082	4 1/4	NB035	NB056	4	1 quart
NB079	4 1/4	NB033	NB052	5	1/2 gallon
NB081	6	NB034	NB054	6	1 gallon



GREASE GUNS

LEVERS

- Capacity: 14 oz. (400 g)
- Complete with 6" steel extension and 4-jaw coupler with ball check

aurora tools

STANDARD-DUTY LEVER

- Develops 6000 PSI
- Model No. AC472



HEAVY-DUTY LEVER

- Develops 10000 PSI
- Model No. AC473



HEAVY-DUTY PISTOLS

- Capacity: 14 oz. (400 g) grease cartridge or suction fill
- Develops 5000 PSI
- AC475 comes complete with 4" steel extension and 4-jaw coupler with ball check
- AC476 comes complete with 18" flexible hose and 4-jaw coupler with ball check

Model No. AC475
4" steel extension

Model No. AC476
18" flexible hose

aurora tools



EZEE-LUBE KITS

- Kit comprises of a range of quick-connect lube accessories

Model No. AC492



OIL CANS

- Heavy-gauge tin coated metal
- Premium powder coat finish



aurora tools

Model No.	Capacity oz.	Spout Length	Spout Type	Pump
LEVER TYPE				
AC514	6	6	Flexible	Steel
AC515	10	6	Flexible	Steel
AC516	16	7	Flexible	Steel
AC592	16	9	Flexible	Steel
AC593	16	9	Rigid	Steel
AC590	23	8	Flexible	Steel
AC594	33	9	Flexible	Steel
AC595	33	9	Rigid	Steel
PISTOL TYPE				
AC588	4	5	Flexible	Steel
AC513	6	5	Flexible	Steel
AC596	6	6	Rigid	Steel
AC599	16	6	Flexible	Steel

PARTS CLEANING EQUIPMENT

WASH TANKS

- Cover opens wide for access
- Self-closing mechanism and fusible link which melts at 165°F and snaps the cover shut in case of fire
- Integral parts basket facilitates washing quantities of small parts quickly
- Can and basket are made of sturdy 24-gauge coated steel
- After cleaning, the basket is positioned at the top of the tank to allow solvent to drain
- Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals



SM432



Model No.	Mfg. No.	Description	Outside Dimensions Dia." x H"	Approved Regulation	Wt. lbs./kg
WN971	27711	1-Gallon Steel w/Basket	9 3/8 x 10	FM, UL	7/3.2
WN972	27712	2-Gallon Steel w/Basket	11 3/8 x 11 1/4	FM, UL	9/4.1
WN973	27713	3.5-Gallon Steel w/Basket	13 3/4 x 13	FM, UL	12/5.5
WN974	27723	3.5-Gallon Steel w/HDPE Liner and Basket	13 3/4 x 13	FM	14/6.4
SM432	27716	6-Gallon Steel w/Basket	15 5/8 x 14 1/4	FM, UL	16/7.3

RECIRCULATING PARTS WASHERS

- Safety lever has fusible link which shuts cover in case of fire
- Thermally protected 110 V motor and on/off switch
- Durable pump included
- 3-way filtration traps grime
- Flush hose delivers flow of solvent to rinse parts clean, quickly and easily

5-GALLON

Capacity: 3.5 gallons
Motor: 0.25 A
Voltage: 110 V, 1 phase, 60 Hz
Dimensions: 18 1/4" x 13 1/2" x 9"
Height of stand: N/A
Weight: 20 lbs.

Model No. BV742



20-GALLON

Capacity: 12 gallons
Motor: 0.25 A
Voltage: 110 V, 1 phase, 60 Hz
Dimensions: 30 1/2" x 21 1/4" x 10"
Height of stand: 24 1/2"
Weight: 66 lbs.

Model No. BV743



40-GALLON

Capacity: 30 gallons
Motor: 0.25 A
Voltage: 110 V, 1 phase, 60 Hz
Dimensions: 44 1/2" x 21 1/4" x 10 1/2"
Height of stand: 24 1/2"
Weight: 100 lbs.

Model No. BV744



BENCH CANS

- Cleans small parts easily in solvents
- Plated steel dasher is an effective flame arrester
- Made of sturdy 24-gauge coated steel



Model No.	Mfg. No.	Description	Dasher Dia."	Dimensions O.D." x H"	Approved Regulations	Wt. lbs./kg
WN978	10175	1-Quart Steel Can	4 1/2	4 7/8 x 5 1/2	FM	2/0.9
AB491	10295	2-Quart Steel Can	7 1/2	9 3/8 x 3 1/4	FM	4/1.8
AB492	10375	1-Gallon Steel Can	7 1/2	9 3/8 x 4 1/2	FM	5/2.3
AB493	10575	2-Gallon Steel Can	9 3/4	11 1/2 x 5 3/8	FM	8/3.6
AB494	10775	3-Gallon Steel Can	12 1/8	13 1/2 x 6	FM	9/4.1

RINSE TANKS

- Large parts (up to 16" x 35") can be totally immersed
- Heavy-duty, 18-gauge coated steel construction
- 3/4" drain plug for easy solvent replacement
- Tough powder coat paint finish for superior durability and chemical resistance

FLOOR STANDING RINSE TANKS

- Supported on a sturdy stand, 33" height for convenient access whether standing or seated
- Self-closing cover is foot-treadle operated so it can be opened by a worker with both hands full
- Adjustable-rate pneumatic cylinder prevents cover from slamming shut instantly



BENCH TOP RINSE TANKS

- Sit conveniently on work bench or counter for easy access
- Lift-and-latch style cover has fusible link that melts at 165°F and closes the cover in case of fire

SEDIMENT SCREENS

- 26-gauge premium coated steel
- Rests at bottom of tank to catch grime as it settles and allows for easy cleaning during solvent change

Model No.	Mfg. No.	Description	Dimensions L" x W" x D"	Approved Regulations	Wt. lbs./kg
SM434	27110	11-Gallon Steel	24 x 16 x 8 3/4	FM	60/27
SM433	27220	22-Gallon Steel	35 1/4 x 16 x 12	FM	78/35

FLOOR STANDING RINSE TANK

SM434	27110	11-Gallon Steel	24 x 16 x 8 3/4	FM	60/27
SM433	27220	22-Gallon Steel	35 1/4 x 16 x 12	FM	78/35

BENCH TOP RINSE TANK

SM431	27311	11-Gallon Steel	24 x 16 x 8 3/4	FM	29/13
WN975	27322	22-Gallon Steel	35 1/4 x 16 x 12	FM	48/22

SEDIMENT SCREENS

Model No.	Mfg. No.	Description	Dimensions L" x W" x D"	Wt. lbs./kg
SM437	27004	For SM434 and SM431	23 x 13 3/4 x 3/4	3/1.4
SM436	27006	For SM433 and WN975	35 x 13 3/4 x 3/4	4/1.8

PLUNGER CANS

Dispense flammable liquids and solvents safely onto cloths or swabs without waste or exposure.

- Plunger fills upper pan for soaking
- Surplus liquid drains safely back into can
- Brass pump parts resist corrosion
- Steel and polyethylene cans available
- FM approved



Model No.	Mfg. No.	Description	Capacity	Dimensions Outer Dia." x H"
SA129	10008	Steel Plunger Can	1 Pint	4 7/8 x 6
SA130	10108	Steel Plunger Can	1 Quart	7 1/4 x 6 1/2
SC309	10308	Steel Plunger Can	1 US Gallon	7 1/4 x 11
SC310	14108	Polyethylene Plunger Can	1 Quart	5 1/2 x 9

SAFETY CABINETS

FLAMMABLE STORAGE CABINETS

- Double wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centres
- Adjustable levelling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for Class I, II and III liquids
- FM approved



SAQ325



Model No.	Door Type	Capacity Gallons	Adjustable Shelves	Exterior Dimensions W" x D" x H"	Wt. lbs.
SEE911	Single	12	1	23 x 18 x 35	99
SEE912	Single	16	1	23 x 18 x 44	116
SEE913	Double	22	1	35 x 22 x 35	151
SEE914	Double	24	3	43 x 12 x 44	173
SAQ325	Double	30	1	43 x 18 x 44	174
SAQ326	Double	45	2	43 x 18 x 65	252
SAS521	Double	60	2	34 x 34 x 65	430

EXTRA SHELF

Model No.	For Use With:	Dimensions W" x D"	Wt. lbs.
SEE922	SEE911, SEE912	19 1/2 x 14	5
SEE923	SEE913	31 1/2 x 18	9
SEE924	SEE914	39 1/2 x 8	6
SAQ328	SAQ325, SAQ326	39 3/8 x 14	9
SAS574	SAS521	30 3/8 x 30	12

SURE-GRIP® EX FLAMMABLE STORAGE CABINETS

- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- Doors self-latch for easy and secure closure
- U-LoC™ handle comes with two keys or accepts optional padlock for greater security
- Two flame arrester vents and ground wire connection screw
- 2" deep leakproof sill
- Adjustable leveler legs and galvanised SpillSlope™ shelves
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable yellow powder coat paint finish
- Meet NFPA and OSHA requirements
- FM approved



SAQ023

SAP509

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAP509	893000	2 Doors, Manual	30	1	43 x 18 x 44	231
SAQ021	893020	2 Doors, Self-Closing	30	1	43 x 18 x 44	237
SAP510	894500	2 Doors, Manual	45	2	43 x 18 x 65	310
SAQ023	894520	2 Doors, Self-Closing	45	2	43 x 18 x 65	313
SAQ024	896000	2 Doors, Manual	60	2	34 x 34 x 65	387
SAQ025	896020	2 Doors, Self-Closing	60	2	34 x 34 x 65	392
SAQ026*	899000	2 Doors, Manual	90	2	43 x 34 x 65	480
SAQ027*	899020	2 Doors, Self-Closing	90	2	43 x 34 x 65	480

*Codes state that not more than 60 gallons may be Class I and Class II liquids.

PAINT & INK STORAGE CABINETS

- Double wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flash arresters
- Full-height piano hinges open a full 180° for easy access
- Locking handle with 3-point latch
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable levelling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for Class I, II and III liquids
- FM approved



SAQ327



Model No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAQ327	2 Door, Manual	60	5	43 x 18 x 65	267
Model No.	Description	Dimensions W" x D"			Wt. lbs.
SAQ328	Extra Shelf	39 3/8	x	14	9

SURE-GRIP® EX PAINT & INK STORAGE CABINETS

Offers the same safety and quality features and options that are available in Justrite's safety cabinets for flammables with additional shelves.

- Multiple shelves are ideal for 1-gallon paint cans (Class III liquids)
- Cabinets are available in 20, 40, 60 and 120-gallon capacities
- U-LoC™ handle comes with double key set or accepts optional padlock for greater security
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Durable red powder coat paint finish easily identifies contents and is highly chemical resistant
- Meets NFPA and OSHA regulations
- FM approved

SAQ084



SAQ081

Model No.	Mfg. No.	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim W" x D" x H"	Wt. lbs.
SAQ079	891511	1 Door, Manual, Compac	20	2	23 1/4 x 18 x 44	154
SAQ081	893011	2 Doors, Manual	40	3	43 x 18 x 44	239
SAQ084	894511	2 Doors, Manual	60	5	43 x 18 x 65	345
SAQ087*	896011	2 Doors, Manual	96	5	34 x 34 x 65	424
EXTRA SHELVES						
SAP839	29937	Extra Shelf for 40-Gallon Cabinets				
SAQ028	29944	Extra Shelf for 60-Gallon Cabinets				

*Codes state that not more than 60 gallons may be Class I and Class II liquids.

SAFETY CABINETS

SURE-GRIP® EX SAFETY CABINETS

These cabinets offer U-Loc™ handles and come with a double key set or accept an optional padlock for greater security. They also have Haz-Alert™ reflective warning labels to offer visibility under dark conditions. Yellow powder-coat paint finish. Meet NFPA and OSHA regulations.

WALL MOUNT

- Avoids taking up extra floor space
- Mount easily with furnished brackets
- FM approved

COUNTERTOP & COMPAC

- Increased access to often-used liquids, without compromising safety
- Portable size keeps work areas flexible
- Each has one adjustable shelf
- A great size for the home handyman
- Compac cabinets are FM approved

SLIMLINE

- Three adjustable shelves provide flexible, safe storage
- Small footprint allows placement almost anywhere
- FM approved

STACKABLE "PIGGYBACK"

- Designed to mount on top of Justrite™'s standard 30 and 45-gallon safety cabinets
- Can be used singly or stacked to provide expanded or segregated storage of flammables
- Suitable for wall mounting or countertop use
- FM approved



Piggyback



Compac

Countertop



Slimline



Model No.	Mfg. No.	Type	Door Type	Capacity Gallons	Adjustable Shelves	Ext. Dim. W" x D" x H"	Wt. lbs.
SAQ034	890400	Countertop	1 Door, Manual	4	1	17 x 17 x 22	62
SAQ036	891200	Compac	1 Door, Manual	12	1	23 1/4 x 18 x 35	129
SAQ038	891500	Compac	1 Door, Manual	15	1	23 1/4 x 18 x 44	154
SAQ040	893400	Wall Mount	2 Doors, Manual	20	5	43 x 12 x 44	221
SAQ030*	891300	Piggyback	2 Doors, Manual	12	-	43 x 18 x 18	129
SAQ031*	891700	Piggyback	2 Doors, Manual	17	1	43 x 18 x 24	157
SAQ032	892200	Slimline	1 Door, Manual	22	3	23 x 18 x 65	200

EXTRA SHELVES

Model No.	Mfg. No.	Description	Wt. lbs.
SAQ043	29936	For 12 and 15-Gallon Compac Cabinets	5

*Piggyback cabinets are not to be used with sliding door cabinets.

DRUM STORAGE SURE-GRIP® EX SAFETY CABINETS

Suitable for storage of larger quantities of flammable liquids and have all the same features as Justrite's standard safety cabinets.

- Two manual doors
- Safely store one or two 55-gallon US drums
- Half-depth shelf allows additional storage of Class III flammables
- Accommodates drums equipped with pumps or funnels
- Rollers at bottom of cabinet facilitate drum movement (**sold separately**)
- Ramp for drum cabinets (**sold separately**) aids in loading drums with a hand truck

SAQ046



Model No.	Mfg. No.	Drum US Cap.	Ext. Dim. W" x D" x H"	Listings & Approvals	Wt. lbs.
SAQ046	896260	1-55 Gallons	34 x 34 x 65	FM	425
SAQ048	899160	2-55 Gallons	59 x 34 x 65	-	781

FLAMMABLE STORAGE CABINETS

ULC APPROVED – 2" FIBRE INSULATED

- Double wall welded 18-gauge steel construction, filled with a fire-proof insulation
- Two manual-close doors
- Full length piano-hinged doors with three-point lock
- Two 2" flame arrester vents and ground wire connection screw
- 2" deep leak-proof sill, adjustable galvanised shelves on 1/2" centres
- Zinc-plated leveler legs

SA088



Model No.	Mfg. No.	Cap. Gal.	Adjustable Shelves	Ext. Dimensions W" x D" x H"	Wt. lbs.
SA087	WB30	30	1	44 x 19 x 45	350
SA088	WB45	45	2	44 x 19 x 66	430

GAS CYLINDER CABINETS

- Heavy-duty construction
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof

- English and French warning labels included
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- Easy assemble, knock-down feature saves on shipping costs

Note: Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.

COMPRESSED GAS (9" DIAMETER CYLINDERS)

Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Wt. lbs.
SAF837	44 x 30 x 74	10	210
SAF848*	88 x 30 x 74	20	420

*Consists of two units of the SAF837

LIQUID PROPANE (35-LB CYLINDERS)

Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Wt. lbs.
SEB837*	30 x 17 x 37	2	70
SEB838*	17 x 17 x 69	2	85
SAF836	44 x 30 x 37	6	135
SAF847	44 x 30 x 74	12	270

*All welded, fully assembled



SAF837



SEB837



SEB838



SAF847



SAFETY CONTAINERS & FIRE EXTINGUISHERS

TYPE I SAFETY CANS

- Fully compliant Type I safety cans with stainless steel flame arresters
- Chemical resistant, provides faster liquid flow, and offers exceptional durability and corrosion protection
- Self-venting, self-closing leak tight lid prevents ruptures from pressure build-up and controls vapours and spills
- Warning label includes large ID zone for user labelling
- Optional poly funnel offers targeted pouring
- FM approved, UL/ULC listed
- 10-year limited warranty



Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Capacity	Ext. Dim. Dia." x H"
WITH FUNNEL					
SEA240	7110110	SEA241	7110210	1 US Gal.	9 1/2 x 11
SEA204	7120110	SEA244	7120210	2 US Gal.	9 1/2 x 13 3/4
SEA208	7125110	SEA247	7125210	2.5 US Gal.	11 3/4 x 11 1/2
SEA213	7150110	SEA250	7150210	5 US Gal.	11 3/4 x 16 7/8
WITHOUT FUNNEL					
SAI516	10001	-	-	1 Pint	4 5/8 x 6 3/4
SAI517	10101	-	-	1 Quart	4 5/8 x 8 1/4
SEA199	7110100	SEA200	7110200	1 US Gal.	9 1/2 x 11
SEA203	7120100	SEA205	7120200	2 US Gal.	9 1/2 x 13 3/4
SEA207	7125100	SEA209	7125200	2.5 US Gal.	11 3/4 x 11 1/2
SEA212	7150100	SEA214	7150200	5 US Gal.	11 3/4 x 16 7/8

Other colours available, call us today!

LABORATORY SAFETY CANS IN STEEL & POLYETHYLENE

Convenient dispensing in two styles for use on shelves or in tilt stands.

- Self-closing faucets offer controlled dispensing of hazardous liquids
- Fill spouts have self-closing pressure relief caps with built-in vacuum breakers and double mesh flame arresters
- The lab faucet allows easier dispensing into containers with small openings
- FM approved 5 US gallon cans



Model No.	Mfg. No.	Description	Faucet
SEC080	7150140	Steel Shelf Can	Control Flow Lab, 3/4" Brass
SEC081	7150150	Steel Shelf Can	3/4" NPT Rigid Brass
SEC082	7150146	Steel Tilt Can w/Stand	Control Flow Lab, 3/4" Brass
SEC083	7150156	Steel Tilt Can w/Stand	3/4" NPT Rigid Brass
SEC084	14545	Polyethylene Shelf Can	Control Flow Lab, 3/4" Brass
SEC085	14535	Polyethylene Tilt Can W/Stand	Control Flow Lab, 3/4" Brass

TYPE II ACCUFLOW™ SAFETY CANS

- AccuFlow™ exclusive Safe-Squeeze® trigger mechanism allows for smooth flow and accurate pouring
- Auto-venting pressure relief cap
- Leak proof self-closing gasketed lid controls vapours and spills
- Long lasting stainless steel flame arrester dissipates heat and prevents flashback ignition
- Extra large ID zone reduces misuse and has warning in three languages
- FM approved, UL/ULC listed
- 10-year limited warranty



Red Model No.	Mfg. No.	Yellow Model No.	Mfg. No.	Capacity US Gal.	Ext. Dim. Dia." x H"
5/8" HOSE WIDTH					
SEA217	7210120	SEA218	7210220	1	9 1/2 x 11
SEA221	7220120	SEA222	7220220	2	9 1/2 x 13 1/2
SEA224	7225120	SEA226	7225220	2.5	11 1/2 x 12
SEA232	7250120	SEA234	7250220	5	11 1/2 x 18
1" HOSE WIDTH					
SEA225	7225130	SEA227	7225230	2.5	11 1/2 x 12
SEA233	7250130	SEA235	7250230	5	11 1/2 x 18

Other colour/capacity/hose width combinations available, call us today!

OILY WASTE CANS

- OSHA compliant oily waste cans are essential whenever solvent cloths and wiping rags are used
- Self-closing cover reduces oxygen source to prevent fire from starting
- Round construction and raised bottom encourage air circulation to disperse heat and prevent rust
- Rugged galvanised steel body in a variety of sizes accommodates any work area
- Carrying handle for portability
- 6 - 21 US gallon foot-operated units are FM approved and UL listed
- 2 US gallon hand-operated, countertop model is FM approved

SR357



Yellow Model No.	Mfg. No.	Red Model No.	Mfg. No.	Cap US Gal.	Ext. Dimensions Dia." x H"	Wt. lbs.
SR361	09200Y	SR356	09200	2	9 5/8 x 9 1/8	6
SR362	09101	SR357	09100	6	11 7/8 x 15 7/8	10
SR363	09301	SR358	09300	10	13 15/16 x 18 1/4	12
SR364	09501	SR359	09500	14	16 1/16 x 20 1/4	15
SR365	09701	SR360	09700	21	18 3/8 x 23 7/16	22

STEEL DRY CHEMICAL ABC FIRE EXTINGUISHERS

- Steel cylinder complete with cylinder skirt
- Industrial-strength cylinder has high corrosion and impact-resistant polyester powder paint finish
- Waterproof stainless steel gauge
- Anodised aluminum valve
- Strong polyester powder-coated steel handles
- Completely rechargeable
- Full hand grip for ease of operation
- ULC listed

SC951 Wall Hooks



Model No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Included Bracket	Wt. lbs.
SAQ814	WBDL-ABC110VB	2.5	1A:10BC	8 - 10	12 - 14	150	15 1/2	3 1/8	Vehicle	4 1/4
SA445	WBDL-ABC310LV	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Wall	10 1/2
SC946	WBDL-ABC310VVB	5	3A:10BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SED109*	WBDL-ABC340LV	5	3A:40BC	8 - 10	13 - 14	195	16	4 1/4	Vehicle	10 1/2
SA443	WBDL-ABC10WH	10	6A:80BC	10 - 15	14 - 16	235	21 1/4	5 1/8	Wall	19 1/4
SA444	WBDL-ABC20WH	20	10A:120BC	10 - 15	20 - 22	235	24	7 1/8	Wall	35 1/4
SED110	WBDL-ABC30WH	30	10A:120BC	10 - 15	28	195	30 3/4	7 1/8	Wall	50 1/3

*Meets requirements for forklifts




SPILL KITS ALLOW FOR IMMEDIATE CLEAN-UP OF SPILLS

Choice of oil, universal or hazmat kits. Oil kits can handle oil and fuel spills on land or on water. Universal kits handle more general purpose spills such as acids, caustics (bases), common fluids such as coolants, ethanol, pesticides and solvents. Hazmat kits handle chemical and more toxic fluids.



95-GALLON SPILL KITS

- 50 Sorbent Pads, 15" x 17"
- 5 Sorbent Socks, 3" x 48"
- 5 Sorbent Pillows, 8" x 18"
- 4 Sorbent Booms, 5" x 10"
- 1 Sorbent Roll, 15" x 150'
- 1 Drain Cover, 36" x 36"
- 1 Caution Tape, 3" x 300'
- 2 Pairs Nitrile Gloves, 2XL (11)
- 2 Pairs Safety Goggles, One Size
- 2 Microporous Coveralls, XL
- 10 Disposal Bags, 26" x 36"



Mobile Version



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ262	SEI167	SEJ263
Mobile Spill Kit	SEJ264	SEI494	SEJ265
Replacement Kit*	SEJ824	SEI873	SEJ826

*Replacement kit does not include original package container

55-GALLON SPILL KITS

- 50 Sorbent Pads, 15" x 17"
- 5 Sorbent Socks, 3" x 48"
- 3 Sorbent Socks, 3" x 120"
- 1 Drain Cover, 36" x 36"
- 1 Pair Nitrile Gloves, 2XL (11)
- 2 Microporous Coveralls, XL
- 1 Pair Safety Goggles, One Size
- 3 Disposal Bags, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI196	SEI195	SEJ271
Replacement Kit*	SEI576	SEJ833	SEJ834

*Replacement kit does not include original package container

5-GALLON SPILL KITS

- 5 Sorbent Socks, 3" x 48"
- 1 Pair Nitrile Gloves, 2XL (11)
- 1 Pair Safety Goggles, One Size
- 2 Disposal Bags, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ975	SEI160	SEJ286
Replacement Kit*	SEJ976	SEJ858	SEJ859

*Replacement kit does not include original package container

63-GALLON SPILL KITS

- 100 Sorbent Pads, 15" x 17"
- 4 Sorbent Socks, 3" x 120"
- 4 Sorbent Pillows, 18" x 18"
- 1 Drain Cover, 36" x 36"
- 1 Optisorb®, 25-lb. Bag
- 2 Pairs Nitrile Gloves, 2XL (11)
- 2 Pair Safety Goggles, One Size
- 3 Disposal Bags, 26" x 36"



Mobile Version



Description	Oil Only Model No.	Universal Model No.
Mobile Spill Kit	SEI198	SEI197
Replacement Kit*	SEI943	SEI944

*Replacement kit does not include original package container

30-GALLON SPILL KITS

- 75 Sorbent Pads, 15" x 17"
- 4 Sorbent Socks, 3" x 120"
- 1 Drain Cover, 36" x 36"
- 1 Caution Tape, 3" x 300'
- 2 Pairs Nitrile Gloves, 2XL (11)
- 2 Pairs Safety Goggles, One Size
- 2 Microporous Coveralls, XL
- 5 Disposal Bags, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ275	SEI165	SEJ276
Replacement Kit*	SEJ839	SEI614	SEJ840

*Replacement kit does not include original package container

20-GALLON SPILL KITS

- 50 Sorbent Pads, 15" x 17"
- 4 Sorbent Socks, 3" x 48"
- 2 Sorbent Pillows, 8" x 18"
- 1 Pair Nitrile Gloves, 2XL (11)
- 1 Pair Safety Goggles, One Size
- 1 Disposal Bag, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEJ291	SEI164	SEJ277
Replacement Kit*	SEJ841	SEJ842	SEJ843

*Replacement kit does not include original package container

10-GALLON VEHICLE SPILL KITS

- 20 Sorbent Pads, 15" x 17"
- 2 Sorbent Socks, 3" x 48"
- 2 Sorbent Pillows, 8" x 18"
- 1 Repair Putty, 4 oz.
- 1 Pair Nitrile Gloves, 2XL (11)
- 1 Pair Safety Goggles, One Size
- 2 Disposal Bags, 26" x 36"



Description	Oil Only Model No.	Universal Model No.	Hazmat Model No.
Spill Kit	SEI184	SEI183	SEJ284
Replacement Kit*	SEI888	SEI889	SEJ851

*Replacement kit does not include original package container

SPILL CONTROL

BONDED SORBENT PADS & ROLLS

- 100% bonded polypropylene fibre
- Ideal for applications that require increased tensile strength
- More durable than traditional meltblown sorbents
- Bonded pads offer low linting and permit an easy clean up
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Sold per package



SEJ934



SEH972

OIL ONLY


Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------	------------------	-------------------------	-----------

PADS - OIL ONLY

SEJ934	Heavy	15" x 17"	30	100
SEH968	Heavy	15" x 17"	10	25
SEH969	Medium	15" x 17"	25	100
SEI999	Light	15" x 17"	15	100
SEH970	Light	15" x 17"	30	200

ROLLS - OIL ONLY

SEH972	Heavy	150" x 30"	50	1
SEH971	Heavy	150" x 15"	25	1
SEJ001	Medium	150" x 30"	40	1
SEJ002	Medium	150" x 15"	20	1
SEH973	Light	300" x 30"	55	1



SEH959



SEH964

UNIVERSAL


Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------	------------------	-------------------------	-----------

PADS - UNIVERSAL

SEJ935	Heavy	15" x 17"	30	100
SEH959	Heavy	15" x 17"	10	25
SEJ940	Medium	15" x 17"	25	100
SEH961	Light	15" x 17"	15	100
SEH962	Light	15" x 17"	30	200

ROLLS - UNIVERSAL

SEH966	Heavy	150" x 30"	50	1
SEH965	Heavy	150" x 15"	25	1
SEH964	Medium	150" x 30"	40	1
SEH963	Medium	150" x 15"	20	1



SEI007



SEI008

HAZMAT

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------	------------------	-------------------------	-----------

PADS - HAZMAT

SEI007	Heavy	15" x 17"	30	100
SEJ004	Medium	15" x 17"	25	100
SEJ005	Light	15" x 17"	15	100
SEJ006	Light	15" x 17"	30	200

ROLLS - HAZMAT


SEI009	Heavy	150" x 30"	50	1
SEI008	Heavy	150" x 15"	25	1
SEJ008	Medium	150" x 30"	40	1
SEJ009	Medium	150" x 15"	20	1

SORBENT PILLOWS

- Designed to recover and absorb large volumes of liquid
- Pillows can slide underneath dispensing units and machines to contain constant drips
- Oil only pillows are made from 100% polypropylene, and absorb more than 25x their weight
- Universal pillows are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Sold per package



SEH956



SEI005

Model No.	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------------------	-------------------------	-----------

PILLOWS - OIL ONLY

SEH956	18 x 8	25	10
SEH957	18 x 18	40	10

PILLOWS - UNIVERSAL

SEJ028	18 x 8	30	10
SEJ029	18 x 18	45	10

PILLOWS - HAZMAT

SEI006	18 x 8	30	10
SEI005	18 x 18	45	10

SORBENT SOCKS

- Durable polypropylene shell prevents tearing and offers maximum flexibility
- Perfect for surrounding leaking machinery and drains
- Oil only and hazmat socks are made from 100% polypropylene, and absorb more than 25x their weight
- Universal socks are made from a polypropylene and cellulose blend, and absorb more than 18x their weight
- Sold per package



SEI048

Model No.	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------------------	-------------------------	-----------

SOCKS - OIL ONLY

SEH955	120 x 3	45	10
--------	---------	----	----

SOCKS - UNIVERSAL

SEI048	120 x 3	40	10
--------	---------	----	----

SOCKS - HAZMAT

SEI004	120 x 3	45	10
--------	---------	----	----

RAG RUGS

- Made of 100% recycled cotton and polyester, with a binder on one side
- Excellent non-slip surface for work spaces
- Best suited for busy areas with leaks and drips
- Absorbs more than 12x its weight in oil, water, or chemicals
- Sold per package



SEI055


Model No.	Weight	Dimensions L' x W"	Absorbency/Pkg. Gallons	Qty /Pkg.
-----------	--------	--------------------	-------------------------	-----------

ROLLS - UNIVERSAL

SEI055	Heavy	150 x 36	50	1
--------	-------	----------	----	---

FINE FIBRE SORBENT PADS & ROLLS


- Premium fine fibre
- Bonded tri layered construction offers a smooth lint free finish that does not leave fibre residue behind
- Quickest absorption rate and increased durability
- Offers superior absorbency and strength
- Adheres well to floors to offer a secure footing
- All universal and hazmat pads and rolls are antistatic and made of up to 90% recycled materials
- All sorbent pads and rolls have absorption capacities of more than 25x their weight
- Sold per package




SEH975



SEI959



SEJ936



SEH982



SEH986



SEH988

ZENITH
Safety Products

Model No.	Weight	Dimensions L x W	Absorbency/Pkg. Gallons	Qty /Pkg.
PADS – OIL ONLY				
SEH974	Heavy	15" x 17"	30	100
SEH975	Medium	15" x 17"	25	100
SEI977	Light	15" x 17"	30	200
ROLLS – OIL ONLY				
SEH976	Heavy	150" x 30"	50	1
SEH977	Heavy	150" x 15"	25	1
SEH978	Medium	150" x 30"	40	1
SEH979	Medium	150" x 15"	20	1
PADS – UNIVERSAL				
SEJ936	Heavy	15" x 17"	30	100
SEH981	Medium	15" x 17"	25	100
SEI978	Light	15" x 17"	30	200
ROLLS – UNIVERSAL				
SEH982	Heavy	150" x 30"	50	1
SEH983	Heavy	150" x 15"	25	1
SEH984	Medium	150" x 30"	40	1
SEH985	Medium	150" x 15"	20	1
PADS – HAZMAT				
SEH986	Heavy	15" x 17"	30	100
SEI979	Medium	15" x 17"	25	100
SEH987	Light	15" x 17"	30	200
ROLLS – HAZMAT				
SEH988	Heavy	150" x 30"	50	1
SEI980	Heavy	150" x 15"	25	1
SEI981	Medium	150" x 30"	40	1
SEI982	Medium	150" x 15"	20	1

DRIP DAM™ ROOF LEAK DIVERTERS

- Fast & efficient response to overhead leaks
- Convenient hose connector with cap
- Fits 5/8" and 1/2" standard garden hose, not included
- High chemical resistance
- Lightweight, reusable and easy to store
- Material: PVC
- Attach with four bungee cords or rubber tie downs (not included)



Model No.	Dimensions'		
SEI133	3	x	3
SEI134	3	x	6
SEI136	6	x	10
SEI657	5	x	5
SEI658	6	x	6
SEI659	10	x	12
SEI660	12	x	12



RUBBER TIE DOWNS

- Other sizes available



Model No.	Size"	Max. Safe Stretch"
PE368	15	22 1/2



COLLAPSIBLE SHOVELS

- Aluminum
- Compact storage
- Easy-to-connect lock buttons permit rapid assembly
- Ideal for picking up sorbent material and to include in spill kits
- Durable aluminum handle
- Non-sparking, designed for emergency responses
- Assembled length: 29" L
- Collapsed size: 15" L x 10" W x 3" H
- Weight: 1.5 lbs.

Model No. SEI088
Mfg. No. 0401



NEOPRENE DRAIN COVERS

- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Cleans easily with soap and water between uses

Model No.	Dimensions			
	L"	x	W"	x Thick"
SH104	36	x	36	x 1/16
SAP060	48	x	48	x 1/16



OPTISORB® GRANULAR ABSORBENT

- Made from diatomaceous earth, 100% natural and moisture free mineral
- All purpose absorbent designed for the quick clean up of water, oil and grease
- Very cost effective for every day spills
- Environmentally friendly
- 50% more absorbency per pound than clay alternatives
- 25-lb. bag

Model No. SEI076



SPILL CONTROL

POLY-OVERPACK® 20 & 30 SALVAGE DRUMS

- Versatile units that can contain solids and sludges with security
- Nestable for compact shipment
- 1/2-turn lid for easy opening and closing
- Built-in shoulder for easy handling
- UN rated salvage drums



POLY-OVERPACK® 20 SALVAGE DRUM

- Accepts bottles, cans, and 5-gallon pails
- 20 US gallon sump capacity
- **Exterior dimensions:** 23" top dia. x 18" bottom dia. x 19" H
- **Interior dimensions:** 21 1/2" top dia. x 17" bottom dia. x 17 1/2" H



POLY-OVERPACK® 30 SALVAGE DRUM

- Unit can contain up to 16 US gallon drums
- 30 US gallon sump capacity
- **Exterior dimensions:** 23" top dia. x 18" bottom dia. x 30" H
- **Interior dimensions:** 21 1/2" top dia. x 17" bottom dia. x 28 1/2" H

Model No.	Mfg. No.	Description	Wt. lbs.
SAG189	1220-YE	Poly-Overpack® 20	10
SAH551	1230-YE	Poly-Overpack® 30	13

POLY-OVERPACK® 95 SALVAGE DRUM

LIGHTWEIGHT POLYETHYLENE OVERPACK CAN CONTAIN A BROAD RANGE OF HAZARDOUS CHEMICALS INCLUDING ACIDS AND CORROSIVES!

- Damaged and deformed drums can be overpacked easily
- Twist-on lid with a closed cell polyethylene gasket can be closed securely and easily by using any long object, like a two-by-four
- Accepts all 55 US gallon drums
- Meets performance-oriented packaging requirements of U.S. DOT and UN regulations as well as Group 1 packaging standards and salvage drum regulations
- Molded area allows for easy gripping and pick-up by material handling equipment
- 95 US gallon sump capacity
- **Exterior dimensions:** 31 3/4" top dia. x 26" bottom dia. x 41 1/2" H
- **Interior dimensions:** 27" top dia. x 24 3/4" bottom dia. x 37" H



Model No.	Mfg. No.	Description	Wt. lbs.
S8756	1037-YE	Poly-Overpack® 95	48

POLY-OVERPACK® 65 SALVAGE DRUM

- Appropriate for 30 US gallon drums
- Nests for easy storage
- Gasket in the lid for secure containment
- Can be used as a spill kit container
- Light enough for one person to handle and large enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- Maximum handling capacity: 440 lbs.
- **Exterior dimensions:** 27 3/4" top dia. x 23" bottom dia. x 37 1/2" H
- **Interior dimensions:** 26 3/4" top dia. x 22" bottom dia. x 34 1/4" H



Spill products not included

Model No.	Mfg. No.	Description	Wt. lbs.
SE471	1065-YE	Poly-Overpack® 65	47



WHEELED OVERPACK® 95 SALVAGE DRUM

- First mobile 1-piece Overpack® that can handle 55 US gallon drums
- Salvage drum and dolly all in one, eliminates the need for a separate dolly
- UN rated salvage drums, ideal for spill kits
- Built-in handles and 6" wheels allow for easy maneuverability
- Easy steering through doorways and around obstacles
- Polyolefin wheels recommended for indoor use and pneumatic wheels for outdoor use
- 95 US gallon sump capacity
- **Exterior dimensions:** 31 1/2" top dia. x 25 3/4" bottom dia. x 47 1/2" H
- **Interior dimensions:** 27" top dia. x 25" bottom dia. x 38 1/2" H



Model No.	Mfg. No.	Description	Wt. lbs.
SAH549	1299-YE	Polyolefin Wheels	56
SAH550	1299-YE-A	Pneumatic Wheels	56



SPILL SCOOTER™

- 100% polyethylene construction
- Contains incidental spills and drips
- Spout included for easy draining
- Holds 55 US gallon drums
- Optional metal T-handle available separately, 36 5/8" long
- Dimensions: 34 1/2" Dia. x 9" H
- 500-lbs. load bearing capacity
- 11 US gallon capacity

Drum not included



Model No.	Mfg. No.	Description	Wt. lbs.
S8767	5205-YE	Spill Scooter™	26
SC554	5206-BK	T-Handle	3

LEAK CONTAINMENT DRUM DOLLIES

- Polyethylene dolly will not dent, corrode, or rust
- Handles 45-gallon drums
- Solid bottom construction with a 2" lip contains spills up to 5 L
- Overall diameter: 24 1/4"
- Capacity: 1000 lbs.
- Grey



Model No.	Caster Type	Caster"	O.A. Height"
DC465	Polyurethane	3	6 1/4
DC466	Polyolefin	3	6 1/2
DC467	Polyolefin	4	7 1/4

NESTABLE 2-DRUM POLY-SPILLPALLET™


- 100% polyethylene provides excellent chemical resistance
- Removable grates for easy cleaning
- Forkliftable on two sides
- Holds two 55 US gallon drums
- Load bearing capacity of 2000 lbs.
- Sump capacity of 66 US gallons
- Available with drain hole and plug
- Meets EPA 40 CFR 264.175
- Overall dimensions: 51" L x 26" W x 21" H



Model No.	Mfg. No.	Description	Wt. lbs.
SEI786	5222-YE	2-Drum Poly-Spillpallet™	45
SEI787	5222-YE-D	2-Drum Poly-Spillpallet™ w/Drain	45

LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

- 100% polyethylene
- Holds four 55 US gallon drums
- Low 12" profile
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Sump capacity of 66 US gallons
- Poly-Ramp™ allows for easy loading of pallet



Drums Not Included



Model No.	Mfg. No.	Description	Dimensions			Wt. lbs.
			L" x W" x H"			
SB762	5102-YE	Poly-SpillPallet™	98 x 25 1/4 x 12	84		
SB763	5102-YE-D	Poly-SpillPallet™ w/Drain	98 x 25 1/4 x 12	84		
SAQ186	5039-BK	Poly-Ramp™	68 x 30 3/4 x 12 1/2	65		


POLY-SLIM-LINE™ 6000

- 100% polyethylene with removable grates
- Features a low 12" profile
- Load bearing capacity of 2400 lbs.
- Sump capacity of 66 US gallons

MULTI-PURPOSE RACKER/STACKER™

- Holds up to two 55 US gallon drums
- Unit can be placed on the floor (no sump) or on the Poly-Slim Line™ 6000
- Load bearing capacity of 2400 lbs.
- Use with the Poly-Shelf™ for easy dispensing into 5 or 6-gallon pails
- Forkliftable

SE410 Pallet not included



SR442

Model No.	Mfg. No.	Description	Dimensions			Wt. lbs.
			L" x W" x H"			
SE408	5400-YE	Poly-Slim-Line™	54 x 54 x 12	91		
SE409	5400-YE-D	Poly-Slim-Line™ w/Drain	54 x 54 x 12	91		
SE410	6004-YE	Multi-Purpose Racker/Stacker™	48 1/2 x 41 x 20	87		
SB773	6003-YE	Poly-Shelf™	17 x 22 x 17 1/2	10		
SAQ186	5039-BK	Poly-Ramp™	68 x 30 3/4 x 12 1/2	65		
SR442*	6005-BK	Universal™ Well Liner	12 3/4 x 15 1/2 x 2 1/2	1.5		

*Can also be used with Poly-Dolly®

POLY-DOLLY®

THE MULTI-FUNCTIONAL, TWO-WHEEL DISPENSING STATION!

- Transports 55 US gallon drums with ease
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit
- Integrally molded handles for extra strength
- Double looped strap for easy loading
- Accessible to forklift from the rear
- Raised ribbed dispensing well
- Drain plug for removal of contents from sump
- Available as an all terrain dolly
- Dimensions: 69" L x 32 1/2" W x 26 1/2" H
- 70 US gallon sump capacity
- 600-lbs. load bearing capacity

Drum Not Included



SB769

Model No.	Mfg. No.	Description	Wt. lbs.
SB769	5300-YE	Poly-Dolly®	98
SB770*	5300-YE-A	Poly-Dolly® ATD	104

*All terrain dolly with heavy-duty pneumatic rubber wheels



THE POLY-RACK™ SYSTEM

THE MOST EFFICIENT DISPENSING/STORAGE SYSTEM!

POLY-RACKER™

- One-piece polyethylene rack that holds two 55 US gallon drums
- 100 plus gallon containment sump
- Deep dispensing well easily holds 5-gallon pails
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- Rated to hold up to 3000 lbs.

POLY-STACKER™

- Holds two 55 US gallon drums
- Can be quickly stacked with a forklift
- Any spills from the second and third level falls into the dispensing well for containment and easy cleanup

POLY-SHELF™


- It easily attaches to Poly-Stacker™
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the Poly-Shelf™ drains into the dispensing well in the Poly-Racker™

Model No.	Mfg. No.	Description	Max Capacity lbs.	Dimensions			Wt. lbs.
				L" x W" x H"			
SB771	6000-YE	Poly-Racker™	3000	49 x 52 1/2 x 22 1/2	120		
SB772	6002-YE	Poly-Stacker™	2400	49 x 41 x 13	56		
SR466	6006-YE	Single Poly-Racker™	1600	31 x 53 x 32	95		
SR467	6007-YE	Single Poly-Stacker™	800	31 x 40 1/2 x 20	50		
SB773*	6003-YE	Poly-Shelf™	60	17 x 22 x 17 1/2	10		

*Use only with Poly-Racker™ or Poly-Stacker™



Drums Not Included



SB772

SB773

SB771

SPILL CONTROL

ECOPOLYBLEND™ SPILL CONTROL PALLETS

- Eco-friendly pallets are made of up to 100% recycled polyethylene, dirt hiding black colour is 100% recycled and high visibility yellow is 35% recycled content
- Fully compliant and quality engineered with a robust design, they withstand the toughest environments and are nearly impervious to chemical attack
- Featuring seamless construction, oversized sumps and sturdy removable self-locating grates, these pallets provide optimum, solid protection from leaks and spills
- 2-drum and 4-drum square pallets include wide forklift pockets for easy relocation
- Optional ramp for 4-drum square pallets offers convenience when loading and unloading heavy drums, and square or space saving linear styles in multiple sizes offer storage versatility
- Pallets meet or exceed EPA, SPCC, NFPA 1 and the International Fire Code

Drums not included



SBA855 shown with Ramp SBA859

SBA844

Yellow Model No.	Mfg. No.	Black Model No.	Mfg. No.	Description	Exterior Dimensions W" x D" x H"	Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.
WITHOUT DRAIN								
SBA997	28622	SBA844	28623	2-Drum, In-Line	49 x 25 x 18	66	2500	44
SBA853	28626	SBA846	28627	3-Drum, In-Line	73 x 25 x 11 5/8	75	3750	58
SBA857	28630	SBA850	28631	4-Drum, In-Line	97 x 25 x 9	75	5000	77
SBA855	28634	SBA848	28635	4-Drum, Square	49 x 49 x 10 1/4	73	5000	70
WITH DRAIN								
SBA852	28624	SBA845	28625	2-Drum, In-Line	49 x 25 x 18	66	2500	44
SBA854	28628	SBA847	28629	3-Drum, In-Line	73 x 25 x 11 5/8	75	3750	58
SBA858	28632	SBA851	28633	4-Drum, In-Line	97 x 25 x 9	75	5000	77
SBA856	28636	SBA849	28637	4-Drum, Square	49 x 49 x 10 1/4	73	5000	70
ACCESSORIES								
SBA859	28620	-	-	Ramp for 4-Drum Square	49 x 33 x 10 1/2	-	1000	40
SBA860	28259	-	-	2-Drum Replacement Grate	24 x 48 x 2 1/2	-	-	16

ECOPOLYBLEND™ LOW PROFILE ACCUMULATION CENTRES

- High value secondary containment centres are eco-friendly, made of up to 100% recycled durable polyethylene, dirt hiding black colour is 100% recycled and high visibility yellow is 35% recycled content
- These handy platforms offer leak protection from drums, pails, batteries, or any other container of hazardous or non-hazardous liquids
- Sturdy, removable grates make sump cleaning easy while low profile offers convenience when loading/unloading
- Versatile modular design allows you to customize your workspace around existing structures, linear style or over entire floor
- Optional joining clips and Sump-to-Sump™ drain kit provide a continuous sump for on-site compliance when needed
- Accessory ramp can be located anywhere on any 2-drum or larger centre

Drums not included



Yellow Model No.	Mfg. No.	Black Model No.	Mfg. No.	Description	Exterior Dimensions W" x D" x H"	Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.
SBA866	28652	SBA861	28653	1-Drum Unit	25 x 25 x 5 1/2	12	1250	17
SBA867	28654	SBA862	28655	2-Drum Unit	49 x 25 x 5 1/2	24	2500	32
SBA868	28656	SBA863	28657	4-Drum Unit	49 x 49 x 5 1/2	49	5000	61
SBA869	28658	SBA864	28659	6-Drum Unit	73 x 49 x 5 1/2	73	7500	91
SBA870	28660	SBA865	28661	8-Drum Unit	97 x 49 x 5 1/2	98	10000	122
SBA871	28650	-	-	Ramp	48 x 33 x 6 1/4	-	1000	41

HEAD & FACE PROTECTION

MATTERHORN CSA TYPE 2

- Foam liner for extra protection from lateral impacts
- Rain trough
- Slotted for attachments
- Ratchet or "Quick Fit" suspension
- "Quick Fit" suspension is ultra-lightweight with locking action, simply squeeze buckle and loosen
- **Certified to CSA standard Z94.1-05 type 2 class E**



Model No.	Mfg. No.	Suspension	Colour	Wt. oz.
SH342	A89010000	Quick Fit	White	14.7
SH343	A89020000	Quick Fit	Yellow	14.7
SH344	A89030000	Quick Fit	Orange	14.7
SH345	A89080000	Quick Fit	Navy Blue	14.7
SAI080	A89070000	Quick Fit	Sky Blue	14.7
SH346	A89040000	Quick Fit	Green	14.7
SH347	A89R010000	Ratchet	White	15.6
SH348	A89R020000	Ratchet	Yellow	15.6
SH349	A89R030000	Ratchet	Orange	15.6
SH350	A89R080000	Ratchet	Navy Blue	15.6
SAI081	A89R070000	Ratchet	Sky Blue	15.6
SH351	A89R040000	Ratchet	Green	15.6

ACCESSORIES

SA0538	A8953	4-Point Quick Fit Suspension
SA022	A89RS3	4-Point Ratchet Suspension

V-GARD® PROTECTIVE CAPS

- Comfortable, lightweight protection
- Polyethylene shell and suspension system
- Slotted sides and advanced styling in standard (6 1/2 - 8) size
- **Meets or exceeds ANSI Z89.1-2003 Type I Class E and CSA Z94.1-2005 type 1 class E**



SAF970



Model No.	Mfg. No.	Suspension	Colour
SAF958	463942	Staz-On®	White
SAF959	463943	Staz-On®	Blue
SAF960	463944	Staz-On®	Yellow
SAF961	463945	Staz-On®	Orange
SAF970	475358	Fas-Trac®	White
SAF971	475359	Fas-Trac®	Blue
SAF972	475360	Fas-Trac®	Yellow
SAF973	475361	Fas-Trac®	Orange

THE PEAK A79 CSA TYPE 1

- High-density polyethylene shell
- Side slots for attaching accessories
- Rain trough to shed rain out
- Reinforcing ribs for extra shell strength
- Choice of ratchet or pinlock suspension
- Vertical adjustable headband and foam perforated vinyl sweatband
- Weighs less than 12 oz.
- Pinlock and ratchet suspensions also available separately
- **Certified to CSA standard Z94.1-05 type 1 class E**



SA654

Model No.	Mfg. No.	Suspension	Colour
SA653	A79010000	Pinlock	White
SA654	A79020000	Pinlock	Yellow
SH138	A79030000	Pinlock	Orange
SH139	A79080000	Pinlock	Navy Blue
SH141	A79R010000	Ratchet	White
SH142	A79R020000	Ratchet	Yellow
SH143	A79R030000	Ratchet	Orange
SH144	A79R080000	Ratchet	Navy Blue

Other colours available upon request.

BIONIC™ FACESHIELDS

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Easy-to-set ratcheting headgear locking mechanism assures comfortable, secure fit
- Highly adjustable headgear tilts faceshield nearer or farther from face depending on preference and application
- Easily replaceable faceshield with dual position choices
- Comfortable cell foam on back of headgear
- Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators
- **Compliant with CSA Z94.3 standards**



SAK421



Model No.	Mfg. No.	Description
FACESHIELDS		
SAK421	S8500	Clear Uncoated Faceshield
SAK422	S8510	Clear Anti-Fog Hardcoat Faceshield
REPLACEMENT FACESHIELDS		
SAK423	S8550	Clear Uncoated
SAK424	S8555	Clear Anti-Fog Hardcoat

EYE PROTECTION

Z100

- Traditional design with integral sideshields
- Scratch-resistant polycarbonate lens with UV protection
- Adjustable temples provide a superior comfort and fit
- Molded-in nose bridge
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAN426	Clear



Z700

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra-soft non-slip nosepiece
- Flexible temple provides added durability
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX442	Clear



Z200

- Superior protection at an economical price
- Ideal visitor spectacle
- Molded-in nose bridge
- Polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEF024	Clear



Z900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber head grips
- Ultra-soft non-slip nosepiece
- Distortion-free
- Beige frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAX444	Clear



Z500

- Frameless design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Anti-fog lens on **SEB183** is ideal for high humidity applications
- Non-slip rubber head grips
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAP877	Clear
SEB183	Clear Anti-Fog
SAS362	Grey/Smoke
SAS363	Amber
SAS364	Blue
SEA551	I/O Blue Mirror
SEE955	Orange



Z1300

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Non-slip rubber temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC953	Clear



Z300

- Impact-proof polycarbonate lens with UV protection
- Adjustable elastic headband
- Indirect ventilation on **SEF219** and **SAN430** protects against dust, fumes and chemical splash
- Anti-fog lens on **SAN430** is ideal for high humidity applications
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Description
SEF218	Direct Vent
SEF219	Indirect Vent
SAN430	Indirect Vent Anti-Fog



Z1400

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC954	Clear



Z600

- Frameless design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection
- Flexible temple design for added durability
- Near total seal of the eye provides superior protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SAW920	Clear



Z1500

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- White frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEC955	Clear
SEI524	Grey/Smoke
SEI525	Amber
SEI526	Blue
SEI527	Mirror
SEI528	Antifog



Z1600

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Extendable and ratchet temple provides superior comfort and fit
- Distortion-free
- Black frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEE817	Clear



Z2200

- Modern design with extended wraparound coverage
- Flexible temples provide superior comfort and fit
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Clear frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEK293	Clear



Z1700

- Frameless design with extended wraparound coverage
- Non-slip rubber head grips
- Scratch-resistant polycarbonate lens with UV protection
- Distortion-free
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEG788	Clear



GOGGLES W/SAFETY SHIELD

- Indirect ventilation and a polycarbonate shield for full face protection
- Face shield detaches from the goggles
- Curved face shield conforms to the shape of the users face for added protection
- Can be used over most prescription eyewear
- Compliant with CSA standard Z94.3

Model No. SEL095



Z1900

- Modern design with extended wraparound coverage
- Scratch-resistant polycarbonate lens with UV protection
- Ultra soft non-slip nosepiece
- Distortion-free
- Meets or exceeds CSA Z94.3 standard

Model No.	Lens Tint
SEH632	Clear
SEK286	Grey/Smoke
SEK287	Amber
SEK288	Blue
SEK289	I/O Full Mirror
SEK290	Clear Anti-Fog



NYLON EYEWEAR RETAINER

- Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Model No. SEF182



NEOPRENE EYEWEAR RETAINER

- Lightweight and durable
- Fits a wide range of eyewear
- Colour: Black

Model No. SEF183



Z2000

- Sporty design with extended wraparound coverage
- Non-slip, extremely flexible temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Green frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEK291	Clear



EYEWEAR CASES

- Extends the life of eyewear by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all Zenith® eyewear
- Attached belt clip offers multiple attachment options
- Colour: Black

Model No. SEF180



Z2100

- Modern design with extended wraparound coverage
- Ratchet temples provide superior comfort and fit
- Ultra soft non-slip nosepiece
- Scratch-resistant polycarbonate lens with UV protection
- Clear frame
- Compliant with CSA standard Z94.3

Model No.	Lens Tint
SEK292	Clear



GOGGLES CASES

- Extends the life of goggles by protecting the lens from scratches and abrasions
- Zipper closure
- Accommodates all Zenith® goggles
- Attached belt clip offers multiple attachment options
- Colour: Black

Model No. SEF181



HEARING PROTECTION

QUIET BANDS

Ergonomic design keeps the pods suspended so they do not become contaminated when you set the Quiet bands down.


QB2® HYG supra-aural protection has a NRR 25 dB rating

One free pair of replacement pods included with each Quiet band.



by Honeywell

Model No.	Mfg. No.	Description
SN616	QB2HYG	Supra-Aural, 25 dB
REPLACEMENT PODS		
SN618	QB200HYG	1 pair per pkg.



MAX LITE® LOW PRESSURE FOAM

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear
- Contoured T-shape for easy handling and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 30 dB, CSA A(L)



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SM558	LPF-1	Uncorded, Poly Bag	200 prs.
SM559	LPF-30	Poly Cord, Poly Bag	100 prs.



PLUGSTATION® EAR PLUG DISPENSERS

- Gives workers easy access to hearing protection
- Affordable enough to be placed near every work area
- Clicking mechanism for easier use and dispensing
- Chute delivers plugs right into the palm of your hand
- Eliminates the mess of individual paper/polybag packaging
- Each dispenser is sealed and disposable plus completely recyclable
- Available in 250 or 500 pairs per PlugStation® with SparkPlugs® or Pura-Fit® foam ear plugs
- Camo Plugs® only available in 500 pair dispenser
- Mounting bracket with hardware included with every PlugStation®
- All rated at NRR 33 dB



SAK439



Model No.	Mfg. No.	Description	Qty /Dispenser
SE924	6644	SparkPlugs®	250 prs.
SE925	6645	SparkPlugs®	500 prs.
SE847	6844	Pura-Fit®	250 prs.
SF624	6845	Pura-Fit®	500 prs.
SAK439	6648	Camo Plugs®	500 prs.

LEIGHTNING®

- Maximum protection from an earmuff
- Robust steel headband withstands demanding use
- Padded foam headband and super-soft ear cushions deliver longwearing comfort
- Contemporary design improves wearer compliance
- Telescoping height adjustment
- Hygiene kits available



by Honeywell

Model No.	Mfg. No.	Description	NRR dB
SAK147	1010922	L1, Over-Head Headband	25
SAK149	1010924	L3, Over-Head Headband	30



LASER LITE® MULTI-COLOUR FOAM

- Vibrant colours make protection visible
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 32 dB, CSA A(L)



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SM562	LL-1	Uncorded, Poly Bag	200 prs.
SM563	LL-30	Corded, Poly Bag	100 prs.



MAX® FOAM

- The world's most-used polyurethane foam ear plug
- Bell shape delivers maximum in-ear comfort
- Contoured design easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant skin prevents dirt build-up
- Attenuation tested in accordance with ANSI S3.19-1974
- Rating: NRR 33 dB, CSA A(L)



by Honeywell

Model No.	Mfg. No.	Description	Qty /Box
SD630	MAX-1	Uncorded	200 prs.
SD631	MAX-30	Corded	100 prs.



FIRMFIT™ SINGLE USE EARPLUGS

- Made of TPE foam
- Softer and exerts less expansion pressure on ear canal
- Orange colour makes compliance checks easy
- Rating: NRR 30dB

Model No.	Mfg. No.	Description	Qty /Box
SEK003	FF-1	Earplug Uncorded Poly Bag	200 prs.
SEK004	FF-30	Earplug Corded Poly Bag	100 prs.
SEK067	FF-1-PB	Earplug Uncorded Paper Bag	100 prs.
SEK068	FF-30-PB	Earplug Corded Paper Bag	100 prs.



THUNDER®

- Non-deforming comfort headband fits all head sizes
- Ventilated inner headband and soft pads for maximum comfort
- Quick-Click height adjustments
- Dielectric design safe for electrical environments
- Features patented Air Flow Control™ technology for optimal attenuation across all frequencies
- Snap-in ear cushion makes replacement quick and easy
- Hygiene kits available



by Honeywell


Model No.	Mfg. No.	Description	NRR dB
SAK150	1010928	T1, Over-Head Headband	26
SAK151	1010929	T2, Over-Head Headband	28
SAK152	1010930	T3, Over-Head Headband	30



NUISANCE DUST MASKS

- Provides protection against nuisance dusts such as pollen, animal dander, saw dust, and other non-toxic dusts
- Lightweight construction
- Adjustable nose clip provides a secure fit
- Latex straps • 50 masks per box
- **Sold per box**

Model No. SAS499



PARTICULATE RESPIRATORS

- Provides excellent worker protection
- Lightweight construction for enhanced comfort
- Adjustable nose clip with soft foam nose piece provides a secure fit
- Dual rubber strap design
- Latex-free
- SAS498 comes with exhalation valve for reduced humidity build up
- NIOSH approved N95
- **Sold per box**


Model No.	Qty/Box
SAS497	20
SAS498	12



7700 SERIES HALF MASK RESPIRATORS

- Non-allergenic silicone facepiece material
- Easy to clean, extremely durable and resists distortion
- Contoured sealing flange and improved cradle suspension

Model No.	Mfg. No.	Size
ZC352	770030S	Small
SM802	770030M	Medium
SA788	770030L	Large



Cartridges sold separately



by Honeywell

5400 SERIES LOW MAINTENANCE FULL FACEPIECE RESPIRATORS

- Elastomer material with high chemical resistance
- Oral nasal cup reduces fogging
- Hard-coated polycarbonate lens provides over 200° field vision

Model No.	Mfg. No.	Size
SAH792	54001S	Small
SAH791	54001	Medium/Large



by Honeywell

Cartridges sold separately



N SERIES RESPIRATOR CARTRIDGES

- Sleek, low profile design provides better balance and a wider field of vision
- **Sold two per package**

SE1596



SE1601

Model No.	Mfg. No.	Description
SE1595	75SCL	Defender™ Multi-Gas
SE1596	N75001L	Organic Vapour
SE1597	N75002L	Acid Gas
SE1598	N75003L	Organic Vapour and Acid Gas
SE1601	75SCP100L	Defender™ Multi-Gas w/P100 Filter
SE1602	7581P100L	Organic Vapour w/P100 Filter
SE1603	7582P100L	Acid Gas w/P100 Filter
SE1604	7583P100L	Organic Vapour and Acid Gas w/P100 Filter



by Honeywell

2300 N95 PARTICULATE RESPIRATORS

- Exhale valve reduces hot air build-up
- Dura-Mesh® shell resists collapsing
- Molded nose bridge easily seals without a metal nose band
- Soft foam nose cushion
- NIOSH approved N95
- 10 respirators per box
- **Sold per box**



Model No.	Mfg. No.	Description
SE849	2300N95	Medium/Large
SE850	2301N95	Small
SE851	2307N95	Alternate Shape



2700 N95 PARTICULATE RESPIRATORS

- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Soft foam nose cushion
- Dura-Mesh® shell resists collapsing
- NIOSH approved N95
- 10 respirators per box
- **Sold per box**



Model No.	Mfg. No.	Description
SJ902	2700N95	Medium/Large
SJ903	2701N95	Small



2800 N95 PARTICULATE RESPIRATORS

- Added carbon layer helps filter out nuisance levels of ozone and organic vapours (less than OSHA PEL)
- HandyStrap® with buckle allows the respirator to hang down around neck when not in use
- Cloth strap feels cool and comfortable against the skin
- Ventex® valve lets the hot air out faster
- Dura-Mesh® shell resists collapsing
- Soft foam nose cushion
- Softspun® lining increases comfort and durability
- NIOSH approved N95
- 10 respirators per box
- **Sold per box**



Model No.	Mfg. No.	Description
SJ904	2800N95	Medium/Large
SJ905	2801N95	Small



8511 N95 PARTICULATE RESPIRATORS

- Proprietary filter media helps make breathing easier
- Cool Flow™ exhalation valve reduces heat build up
- Adjustable M-nose clip
- Braided comfort straps
- Lightweight construction
- NIOSH approved N95
- 10 respirators per box
- **Sold per box**

Model No. SE261
Mfg. No. 8511N95



8210 N95 PARTICULATE RESPIRATORS

- Excellent worker protection
- Proprietary filter media helps make breathing easier
- Lightweight construction
- Adjustable nose clip
- Welded strap attachment - no staples
- NIOSH approved N95
- 20 respirators per box
- **Sold per box**

Model No. SE260
Mfg. No. 8210N95



FALL PROTECTION

EZ-STOP SHOCK ABSORBING LANYARDS

- Features the lightest, smallest, and strongest shock absorber in the world; 66% smaller and 40% lighter than previous EZ-stop models
- Lightest and strongest rebar hooks on the market
- Thinnest-ever webbing using HI-10™ Vectran® energy management material for reduced weight and bulk
- Vectran® is a multifilament high tenacity performance yarn spun from liquid crystal polymer that is five times stronger than steel
- Repel™ webbing repels water to reduce the attraction of mold and dirt
- High abrasion resistance
- Excellent chemical and cut resistance
- High impact resistance
- High visibility accents keep you safe in low-light conditions
- Protected labels for durability and longevity
- Rugged and durable soft shock absorber cover is designed to last
- Certified to CSA standard Z259.11-05, Class E4



SEJ423



Model No.	Mfg. No.	Length'	No. of Legs	Harness Connection	Anchorage Connections
SEJ418	1246012C	3	One	Snap Hook	Snap Hook
SEJ420	1246011C	6	One	Snap Hook	Snap Hook
SEJ421	1246102C	6	One	Snap Hook	Rebar Hook
SEJ423	1246024C	6	Two	Snap Hook	Rebar Hooks

REBEL™ WEB SELF-RETRACTING LIFELINES

- Web lifeline
- Self-locking hooks
- Great value with superior features
- Compact and lightweight
- Durable aluminum housing
- Certified to CSA standard Z259.2.2-98, Type 1 SRL



SEB349

SEB350

Model No.	Mfg. No.	Length'	Harness Connection	Anchorage Connection
SEB349	AD110BC	10	Swivel Snap Hook	Swivel Carabiner
SEB350	AD120BC	20	Rebar Hook	Swivel Carabiner

DURABUILT LANYARDS

- Energy absorbing lanyard
- Durable polyester construction
- Variety of constructions and configurations available
- Double locking snap hook harness connection
- Certified to CSA standard Z259.11-05, class E4

Model No.	Mfg. No.	Length'	Number of Legs	Anchorage Connections
CONTINUOUS WEB				
SAK520	FPD26311/4	4	One	Double Locking Snap Hook
SAK521	FPD26311/6	6	One	Double Locking Snap Hook
DECELERATOR				
SAH537	FPD29811/4	4	One	Double Locking Snap Hook
SAH750	FPD29811/6	6	One	Double Locking Snap Hook
SAH761	FPD29819/6	6	One	Double Locking Rebar Hook
SAK524	FPD2981G/4	4	One	Scaffolding Hook
SAK525	FPD2981G/6	6	One	Scaffolding Hook
DOUBLE-LEG DECELERATOR				
SAK528	FPD2991GG/4	4	Two	Scaffolding Hooks
SAK529	FPD2991GG/6	6	Two	Scaffolding Hooks



SAH750



by Honeywell

MILLER® MANYARD® SHOCK-ABSORBING LANYARDS

- Unsurpassed in the market for safety, comfort and mobility
- Heavy-duty tubular outer jacket serves as a back-up web lanyard
- Locking snap hook harness connection
- Certified to CSA standard Z259.11-05, Class E4



SC980

Model No.	Mfg. No.	Length'	Anchorage Connection
SC980	216WLS-Z7/4FTYLC	4	Locking Snap Hook
SC982	216WLS-Z7/6FTYLC	6	Locking Snap Hook
SC984	219WRS-Z7/4FTYLC	4	Locking Rebar Hook
SC986	219WRS-Z7/6FTYLC	6	Locking Rebar Hook



by Honeywell

DELTA™ HARNESSES

- Patented triangular no-tangle design
- Repel™ webbing is water repellent
- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- Spring-loaded stand-up dorsal D-ring
- Certified to CSA standard Z259.10-06, Class A

SEB391



Model No.	Mfg. No.	Leg Connections
SEB391	1110600C	Quick-Connect
SEB406	1102000C	Tongue Buckle
SEB403	1103321C	Pass-Thru

PRO™ HARNESSES

- Harness design provides greater comfort and added safety
- High quality alloy steel dorsal D-ring is adjustable for worker convenience
- Spring-loaded torso buckles provide fast and easy adjustment on the job
- Lightweight hardware reduces fatigue and increases comfort and productivity
- Lanyard keepers provide a place to "park" a lanyard
- Certified to CSA standard Z259.10-06, Class A



SEB369

Model No.	Mfg. No.	Leg Connections	Additional Features
SEB363	1191201C	Pass-Thru	-
SEB366	1191237C	Tongue Buckle	-
SEB369	1191253C	Quick-Connect	Back, Shoulder, & Leg Padding
SEB360*	1191209C	Tongue Buckle	Hip Pad & Belt

* CSA standard Z259.10-06, Class A, P

RITE-ON™ HARNESSES

- Integrated back and shoulder pad
- Fast-action bayonet style connectors
- Sweat wicking pad fabric
- Tangle-free pad design
- Lightweight polyester webbing
- Universal size with full adjustability
- Certified to CSA standard Z259.10-06



SAK490

Model No.	Mfg. No.	D-Rings	CSA Class
SAK490	FP81F/1DBA	Back	A
SAO635	FP81F/4EDLA	Extended-back, Side and Front	A, P, L

MILLER® AIRCORE™ HARNESSES

- Designed with breathable, open-core padding technology that provides optimal air flow, while reducing heat and moisture entrapment, keeping a worker drier and cooler
- Patented Miller DuraFlex™ stretchable webbing provides greater flexibility and increased comfort
- Easy adjustment with cam buckles on shoulder straps
- Contoured ergonomic padding design minimizes contact around a worker's neck, lower back, and inner thighs to reduce chaffing and irritation
- Stand-up back D-ring • Steel hardware
- Quick-connect chest strap buckles for easy donning
- Lightweight materials and components reduce fatigue for all-day endurance and increased productivity
- Durable knitted mesh back shield minimizes moisture absorption and maintains optimal air circulation
- Certified to CSA standard Z259.10-12



SEJ646



Model No.	Mfg. No.	D-Rings	Leg Connections	CSA Class
SEJ642	AC-TB/UGN	Back	Tongue Buckle	A
SEJ643	AC-TB-D/UGN	Back and Side	Tongue Buckle	A, P
SEJ645	AC-QC/UGN	Back	Quick Connect	A
SEJ646	AC-QC-D/UGN	Back and Side	Quick Connect	A, P

LEATHER GLOVES

SUPERIOR QUALITY DOUBLE PALM SPLIT COWHIDE FITTERS GLOVES

- Top split cowhide leather construction
- Double layer of leather for premium protection
- Ultimate abrasion resistance
- Absorbent cotton lined palm
- Rubberized safety cuff provides superior protection
- Full leather tipped fingers and knuckle strap provides increased protection
- **Sold per pair**

SM579



ZENITH[®]
Safety Products

Applications: Heavy-duty material handling, fabrication and metal handling

Model No.	Description	Size	Qty/Case
SM578	Outside Double Palm & Index Finger	Large	120
SM579	Outside Double Palm & Index Finger, 4" Gauntlet Cuff	Large	120
SD604	Outside Double Palm, Index Finger & Finger Tips	Large	60
SE349	Inside Double Palm & Index Finger	Large	120

SMOOTH GRAIN COWHIDE FURNITURE LEATHER GLOVES

- Smooth grain leather finish
- Resists oil and water
- Durable, tough furniture leather construction
- Cotton lined patch palm style
- Safety cuff provides added protection
- Case Qty: 120
- **Sold per pair**

Applications: Material handling, fabrication, metal handling and construction

Model No.	Size
SAN270	Large



ZENITH[®]
Safety Products

THINSULATE™ LINED SPLIT COWHIDE FITTERS GLOVES

- Premium split cowhide leather construction
- Full Thinsulate™ lining provides superior warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Thinner lining than acrylic boa provides better dexterity
- **Sold per pair**

Applications: Extreme cold material handling, fabrication, metal handling and construction

Model No.	Size	Lining Weight g	Qty/Case
SAS500	Ladies	100	72
SAN637	Medium	100	60
SAL544	Large	40	72
SM609	Large	100	72
SAP248	X-Large	100	72
SAP249	2X-Large	100	72



SAN637



SM609

ZENITH[®]
Safety Products

GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium grain cowhide leather construction
- Full acrylic boa lining provides superior warmth
- Superior abrasion resistance
- Resists oil and water absorption better than split leather
- Excellent comfort and durability
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized cuff for ultimate protection
- Case Qty: 72
- **Sold per pair**

Applications: Extreme cold material handling, fabrication, metal handling and construction

Model No.	Description	Size
SAO053	Rubberized Safety Cuff	Large
SEI681	Rubberized Safety Cuff, Patch Palm	Large



SAO053

ZENITH[®]
Safety Products

GRAIN COWHIDE PATCH PALM FITTERS GLOVES

- Smooth grain cowhide leather construction
- Superior abrasion resistance
- Excellent comfort and durability
- Absorbent cotton lined palm
- Resists oil and water absorption better than split leather
- Patch palm design delivers added savings
- Full leather tipped fingers and knuckle strap provides increased protection
- Case Qty: 120
- **Sold per pair**

Applications: Material handling, fabrication, metal handling and construction

Model No.	Description	Size
YC386	Standard Quality, Starched Cuff	Large
SAJ497	Better Quality, Plasticized Cuff	Large
SEC594	Better Quality, 4 3/4" Gauntlet Cuff	Large
SAP230	Better Quality, Rubberized Cuff	X-Large
SAP234	Superior Quality, Rubberized Cuff	X-Large



YC386

ZENITH[®]
Safety Products

SUPERIOR QUALITY HI-VIZ SPLIT COWHIDE FITTERS GLOVES

- Good abrasion resistance
- Absorbent cotton lined palm
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 120
- **Sold per pair**

Model No.	Size	Colour
SED160	Large	Fluorescent Yellow
SEK236	Large	Fluorescent Orange



SED160

ZENITH[®]
Safety Products

SUPERIOR QUALITY HI-VIZ GRAIN COWHIDE FITTERS THINSULATE™ LINED GLOVES

- Premium construction
- 100-g Thinsulate™ liner provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather tipped fingers and knuckle strap
- Fluorescent yellow back and two grey reflective stripes offer maximum visibility
- Rubberized safety cuff
- Case Qty: 72
- **Sold per pair**

Model No.	Size	Colour
SED428	Large	Fluorescent Yellow
SEK237	Large	Fluorescent Orange



SED428

ZENITH[®]
Safety Products

HYD-TUF® GLOVES

- Medium to heavy-duty nitrile coated
- Outperform standard cotton and leather gloves
- Nitrile coating resists snags, punctures, abrasions and cuts
- Excellent dry grip and repelling oil, grease and grime
- Snug and comfortable fit
- Safety cuff
- Accepted for use in Canadian food processing facilities
- **Sold per pair**

HYD-TUF 52-547 GLOVES

- Driver's style, with cloth back and soft jersey lining
- Case Qty: 144

HYD-TUF 52-590 GLOVES

- Medium to heavy-duty A.C.P. impregnated winter gloves
- Case Qty: 72

HYD-TUF 52-547

Model No.	Size
SAW956	9
SAW957	10

HYD-TUF 52-590

Model No.	Size
SEA275	9
SEA276	10



SAW956

Ansell

MECHANICS/KNIT GLOVES

ZM100 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Improved dexterity, grip and durability
- Case Qty: 12
- **Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



Model No.	Size
SEB047	Medium
SEB048	Large
SEB049	X-Large
SEB050	2X-Large

ZM200 MECHANIC GLOVES

- Ergonomic style combined with stylish look
- Hook and loop cuff permits an adjustable fit
- Synthetic leather palm and fingers offer superior tactility and protection
- Stretchable nylon on knuckles improves dexterity and comfort
- Textured patches on palm and thumb permits superior grip and durability
- Case Qty: 12
- **Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



Model No.	Size
SEB051	Medium
SEB052	Large
SEB053	X-Large
SEB054	2X-Large

ZM300 MECHANIC GLOVES

- Ergonomic style and superior comfort
- Grain leather palm and fingers improve tactility and protection
- Hook and loop cuff permits an adjustable fit
- Leather reinforced thumb and fingers offer increased durability
- Improved dexterity and grip
- Case Qty: 12
- **Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



Model No.	Size
SEB228	Medium
SEB229	Large
SEB230	X-Large
SEB231	2X-Large

ZM400 PREMIUM MECHANIC GLOVES

- Ergonomic style combined with stylish look and premium features
- Hook and loop cuff permits an adjustable and secure fit
- Reinforced Kevlar stitching for maximum strength and durability
- PVC dots on palm and fingers for an enhanced grip
- Stretchable nylon on knuckles improves dexterity and comfort
- Ventilation holes between fingers for maximum breathability
- Textured patches on palm, finger tips and thumb crotch increase protection and durability
- Case Qty: 12
- **Sold per pair**

Applications: Automotive, small parts handling, maintenance, manufacturing, most industrial applications



Model No.	Size
SEH739	Medium
SEH740	Large
SEH741	X-Large
SEH742	2X-Large

POLY/COTTON STRING KNIT GLOVES

- Seamless string knit design provides excellent comfort and breathability
- 65% cotton and 35% polyester blend, 7 gauge
- Reversible pattern extends wear life and improves savings
- Knit wrist provides secure fit and prevents debris from entering the glove
- Accepted for use in Canadian food processing facilities
- Case Qty: 300
- **Sold per pair**

SEE932



Model No.	Size
SEE932	X-Small
SEE933	Small
SEE934	Medium
SEE935	Large
SEE936	X-Large
SEE937	2X-Large

NATURAL POLY/COTTON DOTTED GLOVES

- 65% cotton and 35% polyester blend, 7-gauge
- PVC dots provide excellent grip and abrasion resistance
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, single side dotted
- Accepted for use in Canadian food processing facilities
- Case Qty: 240
- **Sold per pair**

Applications: General maintenance, shipping and receiving, assembly and parts handling



Model No.	Size
SEE938	X-Small
SEE939	Small
SEE940	Medium
SEE941	Large
SEE942	X-Large

COTTON CANVAS GLOVES

- Durable cotton fabric construction
- Moderate abrasion resistance
- Excellent comfort, dexterity and breathability
- Knit wrist eliminates dirt and debris from entering the glove
- Heavier weights provide enhanced protection and extended wear
- Case Qty: 300
- **Sold per pair**

SEE847



Model No.	Fabric Weight Oz.	Size
SEE846	7	Large
SEE847	8	Medium
SEE848	8	Large
SEE849	8	X-Large
SEE850	12	Large

BROWN JERSEY GLOVES

- Durable knit jersey fabric offers premium comfort
- 65% polyester and 35% cotton blend
- Good abrasion resistance
- Provides moderate warmth
- **Sold per pair**

Applications: Light-duty material handling, assembly, automotive, and winter glove liner

SEE949



Model No.	Description	Size	Qty/Case
SEE949	Slip-On Style, Red Fleece Lining	Large	144
SEE950	Knit Wrist	Large	300

NATURAL RUBBER LATEX PALM COATED GLOVES

- 10-gauge seamless knitted poly/cotton shell
- Textured coating provides superior wet and dry grip
- Exceptional comfort and fit
- Resists abrasion, cuts and punctures
- Knit wrist prevents debris from entering the glove
- Palm coating provides a cool comfortable fit
- Case Qty: 120
- **Sold per pair**

Model No.	Size
SEB865	7
SAL255	8
SAL256	9
SAL257	10
SAL258	11



ZENITH®
Safety Products

NITRILE PALM COATED GLOVES

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior abrasion, cut and puncture resistance
- Excellent dry grip
- Durable nitrile-coated palm
- Knit wrist
- Case Qty: 120
- **Sold per pair**



Model No.	Size
GREY ON BLACK	
SAP931	7
SAP932	8
SAP933	9
SAP934	10
SAP935	11

Model No.	Size
BLACK ON WHITE	
SAO157	7
SAO158	8
SAO159	9
SAO160	10
SAP355	11

HIGH VISIBILITY NATURAL RUBBER LATEX PALM-COATED ACRYLIC-LINED GLOVES

- 100% acrylic thermal liner offers superior cold protection
- 7-gauge seamless terry knitted and brushed lining
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Natural rubber latex palm coating
- Uncoated back permits breathability and limits perspiration
- Fluorescent yellow shell and blue coating offer maximum visibility
- Crinkle finish coating provides superior wet and dry grip
- Case Qty: 60
- **Sold per pair**

Applications: Fishing industry, cold/outdoor environments, glass/wood handling, masonry and general maintenance.

Model No.	Size
SEC797	7
SEC798	8
SEC799	9
SEC800	10
SEC801	11



ZENITH®
Safety Products

LIGHTWEIGHT POLYURETHANE PALM COATED GLOVES

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue
- Premium comfort and breathability
- Superior dry grip
- Excellent abrasion resistance
- Ultra soft polyurethane palm coated
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120
- **Sold per pair**



White Model No.	Black Model No.	Size
SAO161	SAX694	6
SAO162	SAX695	7
SAO163	SAX696	8
SAO164	SAX697	9
SAO165	SAX698	10
SAO166	SAX699	11

WINTER MONKEY GRIP® 23-193 GLOVES

- PVC-coated foam-insulated
- Tough PVC coating stays soft when cold
- Keep hands warm and dry
- Protect from abrasion
- Curved fingers, wing thumb, and soft jersey lining make them very comfortable
- Fully coated
- Accepted for use in Canadian food processing facilities
- Case Qty: 72
- **Sold per pair**

Applications: Cold storage, winter transportation, yard and field work, unheated warehouses, construction

Model No.	Description
SBA992	Knit Wrist
SBA993	Safety Cuff
SEE953	Raised Finish, Safety Cuff



Ansell

LATEX-COATED KEVLAR® GLOVES

- Natural rubber latex palm coating
- Seamless 10-gauge Kevlar® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- **Sold per pair**



Model No.	Size
SAP927	8
SAP928	9
SAP929	10
SAP930	11

ZENITH®
Safety Products

MEDIUMWEIGHT NITRILE COATED GLOVES

- Interlock cotton lining
- Superior abrasion, cut and puncture resistance
- Excellent comfort and breathability
- Greater dexterity than heavyweight
- Open back coating provides a cool and comfortable fit
- Knit wrist eliminates dirt and debris from entering the glove
- Case Qty: 120
- **Sold per pair**

Model No.	Size
SAO150	7
SAO151	8
SAO152	9
SAO153	10
SAO154	11



ZENITH®
Safety Products

HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- Breathable polyurethane palm coating
- Excellent cut, abrasion, and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 144
- **Sold per pair**



Model No.	Size
SAW908	7
SAW909	8
SAW910	9
SAW911	10
SAW912	11

ZENITH®
Safety Products

CUT RESISTANT GLOVES

HPPE POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- Breathable polyurethane palm coating
- Superior cut, abrasion, and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Meets EN388 Level 4 and 5 for cut resistance
- Case Qty: 144
- **Sold per pair**



SEF166
ZENITH®
Safety Products

Model No.	Size
LEVEL 4 CUT RESISTANCE	
SAW908	7
SAW909	8
SAW910	9
SAW911	10
SAW912	11

Model No.	Size
LEVEL 5 CUT RESISTANCE	
SEF166	7
SEF167	8
SEF168	9
SEF169	10
SEF170	11

NITRILE COATED KEVLAR® GLOVES

- Stretchable seamless 13-gauge Kevlar® liner
- Nitrile palm coating
- Excellent cut, abrasion and tear resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- **Sold per pair**



SAP923
ZENITH®
Safety Products

Model No.	Size
SEC137	7
SAP923	8
SAP924	9

Model No.	Size
SAP925	10
SAP926	11
SEC138	12

LATEX COATED KEVLAR® GLOVES

- Natural rubber latex palm coating
- Seamless 10-gauge Kevlar® liner
- Excellent cut, tear and puncture resistance
- Elastic knit wrist
- Wrinkle finish provides a superior grip
- Meets EN388 Level 4 for cut resistance
- Case Qty: 120
- **Sold per pair**



SAP927
ZENITH®
Safety Products

Model No.	Size
SAP927	8
SAP928	9

Model No.	Size
SAP929	10
SAP930	11

HPPE NITRILE-COATED GLOVES

- Stretchable seamless liner
- Breathable nitrile palm coating
- Excellent abrasion and tear resistance
- Elastic knit wrist
- Meets EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- **Sold per pair**



SEB090
ZENITH®
Safety Products

Model No.	Size
SEB090	7
SEB091	8
SEB092	9

Model No.	Size
SEB093	10
SEB094	11

HYFLEX® 11-501 GLOVES

- Intercept Technology™ yarn liner developed by Ansell and Dupont™
- Lightweight fit and feel with superior cut resistance
- Outstanding dexterity
- Superior oil grip, tactile sensitivity, dexterity and comfort
- Cut prevention improves productivity and profitability
- Teal foam nitrile palm coating
- Accepted for use in Canadian food processing facilities
- Meets ANSI/ISEA 105 Level 4, EN388 Level 4 for cut resistance
- Case Qty: 144
- **Sold per pair**

Applications: Automotive assembly, sheet metal assembly, handling sharp small parts, handling glass

Model No.	Size
SAW951	6
SAW952	7
SAW953	8

Model No.	Size
SAW954	9
SAW955	10



SAW951
Ansell

HY-FLEX® 11-518 GLOVES

- Blue polyurethane palm coating
- New Dyneema® Diamond Technology HPPE yarn offers an unmatched combination of cut protection, comfort and dexterity in an 18-gauge glove
- Soft, sheer Dyneema® Diamond fibre breathes to keep hands cool and dry and moves freely with the motion of the hand for a more comfortable fit
- Polyurethane coating provides a sure grip in light oil and dry applications and excellent resistance to abrasion
- The ultralight fabric and tailored fit of the 11-518 create a barehand-like sensation of contact when performing tasks that demand high tactility
- ANSI level 2 cut protection, EN388 level 3 for cut resistance
- Case Qty: 144
- **Sold per pair**

Applications: Handling/Assembly of small or ultra-fine dry sharp parts, packaging areas with risk of cut, wiring

Model No.	Size
SEI847	Small
SEI848	Medium
SEI849	Large
SEI850	X-Large



SEI847
Ansell

HYFLEX® 11-624 GLOVES

- Advanced cut protection with ergonomic design
- Dyneema®, Spandex® and nylon liner combined for excellent dexterity
- Yarn combination molds naturally to prevent hand fatigue
- Polyurethane coating provides a sure grip in dry and light oil applications
- Meets ANSI/ISEA 105 Level 2, EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- **Sold per pair**

Applications: Assembly areas for use when handling metal components, glass handling and installation, small parts stamping, forming, machining and bending of small parts

Model No.	Size	Model No.	Size
SAW989	6	SAW992	9
SAW990	7	SAW993	10
SAW991	8	SAW994	11



SAW989
Ansell

HYFLEX® 11-627 GLOVES

- Dyneema® innovative yarn liner with polyurethane coating
- Exceptional cut resistance with an optimal level of Dyneema® Lycra® and nylon combined for excellent dexterity
- Polyurethane palm coating for excellent grip
- Meets ANSI/ISEA 105 Level 1/EN388 Level 3 for cut resistance
- Accepted for use in Canadian food processing facilities
- Case Qty: 144
- **Sold per pair**

Applications: Applications, automotive, metal, glass, aeronautics, white goods manufacturing

Model No.	Size	Model No.	Size
SAY080	6	SAY083	9
SAY081	7	SAY084	10
SAY082	8		



SAY080
Ansell

DISPOSABLE/CHEMICAL RESISTANT GLOVES

EXAMINATION GRADE NITRILE GLOVES

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity • Latex-free
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Superior puncture resistance • Ambidextrous design
- 4 mils, AQL 1.5 • 9.5" in length
- Accepted for use in Canadian food processing facilities
- **Not for medical use**
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**



SAP320



Applications: Manufacturing, maintenance, small parts handling, laboratory applications and automotive

Model No.	Size	Model No.	Size
POWDERED			
SEA916	X-Small	SEA918	X-Small
SAP320	Small	SAP324	Small
SAP321	Medium	SAP325	Medium
SAP322	Large	SAP326	Large
SAP323	X-Large	SAP327	X-Large
SEA917	2X-Large	SEA919	2X-Large
POWDER-FREE			

N-DEX® ORIGINAL 8005 INDUSTRIAL GRADE GLOVES

- Intended for occupational safety and health use only, **not for medical use**
- 100% nitrile, non-latex utility grade
- Ambidextrous • Powder-free
- 9.5" long • 8 mils, AQL 4.0
- Made of FDA compliant materials
- Accepted for use in Canadian food processing facilities
- Case Qty: 20 boxes
- **Sold per box of 50 gloves**



SA588



Model No.	Mfg. No.	Size
SAK070	8005PF-S	Small
SAK071	8005PF-M	Medium
SAK072	8005PF-L	Large
SAK073	8005PF-XL	X-Large

VALUE MASTER® NATURAL RUBBER GLOVES

- Provides unequalled value, comfort and flexibility, outstanding tactile sensitivity, strength, dexterity and elasticity
- Form-fitting 100% natural rubber-latex
- Features a self-flushing tractor-tread pattern that provides an excellent grip, wet or dry, and encourages run-off of fluids often trapped by diamond-shaped embossed patterns
- 12" length, 18-mil thick
- Resists a wide range of chemicals, including animal fats, caustics, acids, oils, salts, alcohols and detergents
- Case Qty: 144
- **Sold per pair**



SA626



Model No.	Mfg. No.	Description	Size
SA627	VM-S	Flock Lined, 12"	Small
SA626	VM-M	Flock Lined, 12"	Medium
SA625	VM-L	Flock Lined, 12"	Large
SA628	VM-XL	Flock Lined, 12"	X-Large

PVC WINTER LINED GLOVES

- Bright orange PVC on jersey liner
- Resistant to most oils, acids, greases and solvents
- Foam fleece lining offers added warmth
- Colour: Orange
- **Sold per pair**

Applications: Fisheries, petrochemical industry, mining, outdoor winter conditions



SAN383

Model No.	Description	Qty/Case
SAN383	12" Gauntlet	120
S0104	Knit Wrist	120
SAP922	Safety Cuff	60

BLACK NITRILE GLOVES

- Textured fingertips provide superior wet and dry grip
- 8-mil glove has fully textured diamond pattern
- Beaded cuff for added strength
- Superior puncture and tear resistance
- Excellent tactile sensitivity and dexterity
- Latex-free • Ambidextrous design
- AQL 1.5 • Powder-free
- Accepted for use in Canadian food processing facilities
- Case Qty: 10 boxes



SEB086

SEK261



Applications: Manufacturing, maintenance, small parts handling, laboratory and automotive, law enforcement

4 MILS - Sold per box of 100 gloves

Model No.	Size
SEB085	Small
SEB086	Medium
SEB087	Large
SEB088	X-Large
SEB981	2X-Large

8 MILS - Sold per box of 50 gloves

Model No.	Size
SEK261	Small
SEK262	Medium
SEK263	Large
SEK264	X-Large
SEK265	2X-Large

EXAMINATION GRADE VINYL GLOVES

- Pure 100% premium vinyl
- Exceptional fingertip sensitivity
- Soft and stretchable for comfortable wear
- USP grade corn starch for powdered gloves
- Beaded cuff for added strength
- Ambidextrous design
- 4 mils, AQL 1.5 • 9.5" length
- Accepted for use in Canadian food processing facilities
- **Not for medical use**
- Case Qty: 10 boxes
- **Sold per box of 100 gloves**



SAP328

Applications: Light manufacturing, maintenance, food processing, laboratory applications, painting and janitorial

Model No.	Size	Model No.	Size
POWDERED			
SAP328	X-Small	SAP333	X-Small
SAP329	Small	SAP334	Small
SAP330	Medium	SAP335	Medium
SAP331	Large	SAP336	Large
SAP332	X-Large	SAP337	X-Large
POWDER-FREE			



FLOCK-LINED GREEN NITRILE GLOVES

- Cotton flock lined
- Raised diamond pattern provides superior grip
- Resistant to cuts, puncture and abrasion
- Accepted for use in Canadian food processing facilities
- 13" length, 13-mil thick
- Case Qty: 120
- **Sold per pair**

Applications: Food processing, plant maintenance, chemical processing, automotive and printing

Model No.	Size
SEF083	7
SEF084	8
SEF085	9
SEF086	10
SEF087	11



SEE085



PVC SMOOTH FINISH GLOVES

- Bright red PVC on cotton interlock lining
- Resistant to most oils, acids, greases and solvents
- Ideal for general chemical handling
- Colour: Red
- Case Qty: 120
- **Sold per pair**

Applications: Fisheries, general maintenance, petrochemical industry

Model No.	Description
SEE804	12" Gauntlet
SEE805	14" Gauntlet
SEE806	Knit Wrist



SEE804



PROTECTIVE CLOTHING

RZ300 RAIN SUITS

- 0.20 mm material thickness
- Unsupported yellow PVC material with an embossed finish
- Jacket features storm flap and dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically welded seams

Model No.	Size
SEH092	Small
SEH093	Medium
SEH094	Large
SEH095	X-Large
SEH096	2X-Large
SEH097	3X-Large
SEH098	4X-Large



RZ100 RAIN SUITS

- 0.35-mm material thickness
- Yellow triple layer PVC/polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Adjustable waist snaps
- Ultrasonically-welded seams

Model No.	Size
SEH078	Small
SEH079	Medium
SEH080	Large
SEH081	X-Large
SEH082	2X-Large
SEH083	3X-Large
SEH084	4X-Large



RZ900 PREMIUM TRAFFIC RAIN SUITS

- 0.35-mm thick high-visibility yellow triple layer laminated PVC/polyester/PVC
- 3M™ Scotchlite™ reflective material for maximum visibility
- 2" reflective stripes
- Jacket features storm flap, dome fasteners, two patch pockets, corduroy collar and detachable hood
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Non-conductive fasteners
- Ultrasonically-welded seams
- Meets CSA standard Z96-02 standard, Class 3, Level 2 requirements

Model No.	Size
SEH113	Small
SEH114	Medium
SEH115	Large
SEH116	X-Large
SEH117	2X-Large
SEH118	3X-Large
SEH119	4X-Large



RZ500 FLAME RESISTANT RAIN SUITS

- 0.30-mm material thickness
- Yellow tear-resistant PVC/nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Pants feature adjustable suspenders and waist straps
- Ankle and cuff take-up snaps
- Non-conductive fasteners
- Ultrasonically-welded seams
- Compliant with CSA testing under CAN/CGSB standard 155.20 for flame resistance

Model No.	Size
SEH099	Small
SEH100	Medium
SEH101	Large
SEH102	X-Large
SEH103	2X-Large
SEH104	3X-Large
SEH105	4X-Large



POLYETHYLENE APRONS & SLEEVES

- Disposable • 0.02 mm polyethylene
- Colour: White
- Sold per package

APRONS

- Waist ties
- Dimensions: 46" L x 35" W

SLEEVES

- Elastic at both ends
- Length: 16"



Model No.	Description	Qty /Pkg.
SEK351	Apron	100
SEK350	Sleeve	100



APRONS

- Bib-style aprons
- Cotton straps for adjustability
- Vinyl aprons feature seamless edges to prevent residue and bacteria accumulation
- Denim aprons feature one chest pocket and three waist pockets



SEE888

Model No.	Fabric	Dimensions L" x W"	Colour
SEE888	0.20 mm Lightweight Vinyl	45 x 36	Blue
SEE852	10 oz. 100% Cotton Canvas	36 x 29	White
SEE851	10 oz. Denim	38 x 28	Blue



BOUFFANT CAPS

- Non-woven polypropylene
- Elasticized band for an optimum fit
- 100% latex-free
- Sold per package



SEC376



Model No.	Size	Colour	Qty /Pkg.
SEC375	Medium 18"	White	100
SEC376	Large 21"	White	100
SEC377	X-Large 24"	White	100
SEC378	Large 21"	Blue	100

NON-CONDUCTIVE SHOE COVERS

- 100% spun-bonded polypropylene
- Elasticized band for an optimum fit
- Flexible material permits easy movement
- Sewn seams offer maximum tear strength
- Skid-free model has a textured sole for improved traction
- Colour: Blue
- Sold per package

SEC391



SEC389



Model No.	Description	Size	Qty /Pkg.
SEC389	Regular Sole	Large	100
SEC390	Regular Sole	X-Large	100
SEC391	Skid-Free Sole	X-Large	100

PROTECTIVE CLOTHING

SMS HOODED COVERALLS

- Three layer polypropylene SMS (spun-bonded, melt-blown, spun-bonded)
- Offers protection against toxic particles and water-based liquids
- Double outer layer offers greater protection against tearing and abrasion
- Lightweight and flexible fabric permits superior comfort and breathability
- Zipper front with storm flap, attached hood, elastic wrists and ankles
- Available in white or navy blue
- Fabric weight: 1.80 oz/yd² (60 grams)
- Case Qty: 25

Applications: Food processing, laboratories/pharmaceutical, light oil and grease, maintenance, manufacturing/assembly, refineries/chemical producers.



White Model No.	Navy Model No.	Size
SEC841	SEC847	Medium
SEC842	SEC848	Large
SEC843	SEC849	X-Large
SEC844	SEC850	2X-Large
SEC845	SEC851	3X-Large
SEC846	SEC852	4X-Large

POLYPROPYLENE HOODED COVERALLS

- Polypropylene permits breathability and comfort
- Offers protection against non-hazardous and non-toxic, liquid, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrists, ankles and hood
- Case Qty: 50

Applications: Food processing, laboratories/pharmaceutical, warehouses, maintenance, manufacturing/assembly, dusty environments.



STANDARD

- Front zipper for optimum fit
- 1.6 oz/m² fabric

Model No.	Size
STANDARD COVERALLS	
SEK356	Medium
SEK357	Large
SEK358	X-Large
SEK359	2X-Large
SEK360	3X-Large
SEK361	4X-Large
SEK362	5X-Large

PREMIUM

- Heavy-duty front zipper for optimum fit
- Heavy-duty front zipper flap
- Features front left breast pocket
- 1.85 oz/m² fabric

Model No.	Size
PREMIUM COVERALLS	
SEK370	Medium
SEK371	Large
SEK372	X-Large
SEK373	2X-Large
SEK374	3X-Large
SEK375	4X-Large
SEK376	5X-Large

MICROPOROUS COVERALLS

- Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust and light chemical splashes
- High quality microporous fabric provides comfortable fit and breathability
- Can be used in dry and wet work environments
- Passed penetration tests with Diazinon, motor oil, bleach, isocyanate based paint, sodium hydroxide, sodium hypochlorite and blood
- Fabric weight: 1.85 oz/yd² (63 grams)
- Case Qty: 25

Applications: Asbestos and lead abatement, clean rooms, radioactive dirt and dust, printing, refineries/chemical producers, maintenance, crime scenes, painting



Model No.	Description	Size
COVERALLS		
SEC807		Small
SEC808	Zipper front	Medium
SEC809	w/storm flap,	Large
SEC810	elastic wrists	X-Large
SEC811	and ankles	2X-Large
SEC812		3X-Large
SEC813		4X-Large

Model No.	Description	Size
HOODED COVERALLS		
SEC814		Small
SEC815	Zipper front	Medium
SEC816	w/storm flap,	Large
SEC817	attached hood,	X-Large
SEC818	elastic wrists	2X-Large
SEC819	and ankles	3X-Large
SEC820		4X-Large

TYVEK® COVERALLS

- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops sub-micron particles better than reusable garments
- Case Qty: 25

Applications: General maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica.



Model No.	Mfg. No.	Size
COVERALLS		
SAS035	TY125S-M	Medium
SAS036	TY125S-L	Large
SAS037	TY125S-XL	X-Large
SAS038	TY125S-2XL	2X-Large
SAS039	TY125S-3XL	3X-Large
SAS040	TY125S-4XL	4X-Large

Model No.	Mfg. No.	Size
HOODED COVERALLS		
SAS042	TY127S-M	Medium
SAS043	TY127S-L	Large
SAS044	TY127S-XL	X-Large
SAS045	TY127S-2XL	2X-Large
SAS046	TY127S-3XL	3X-Large
SAS047	TY127S-4XL	4X-Large

EMERGENCY EYEWASH STATIONS

CEDERROTH® EYEWASH

- Easy-to-use bottle with an ergonomic eye cup and a generous flow of fluid
- Opens using one easy twisting motion
- Integral dust cover keeps the eye cup clean and acts as an opening device
- Buffered eye wash solution has a neutralising effect on splashes from acids or alkalis
- Does not meet ANSI standard Z358.1-2009 15-minute flushing requirement

SAY472
& SAY473



SAY474

Model No.	Mfg. No.	Description
SAY472	04100	235 ml Bottle
SAY473	04101	Holster for SAY472
SAY474	04102	500 ml Bottle
SAY475	04103	Wall Bracket for SAY474
SAY476	04104	Strap for Wall Bracket
SEB188	04106	Portable Wall Case, Five 500 ml Bottles
SEB189	04107	Wall Bracket for SEB188

PURE FLOW 1000™ EYEWASH STATIONS

- Sure-grip handle provides instant activation
- Activation straps display expiration date
- Integral drain valve and fluid reservoir
- Automatically displays "Warning Service Immediately" once activated
- Requires two 3.8 gallon Eyesaline® fluid cartridges (sold separately)
- Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI standard Z358.1-2009



Honeywell

Model No.	Mfg. No.	Description
SD552	32-001000-0000	Eyewash Station (English Instructions)
SAJ678	32-001000-0022	Eyewash Station (French Instructions)
SD553	32-001050-0000	Fluid Cartridges (2/pkg)

ON-SITE® GRAVITY-FED EYEWASH STATIONS

- Ideal for locations where a plumbed water source is not available
- High-visibility yellow, molded pedestal and tank
- Transparent tank allows solution level to be checked easily
- Hinged eyewash tray activates in one quick motion
- Stainless steel clamps secure the tank
- Vandal-resistant unit: foreign objects cannot be introduced into tank
- SEI certified to ANSI standard Z358.1-2009
- Includes wall bracket (can also deck mount)

SAK609



SAK611

ON-SITE® WASTE CARTS

- Captures used fluid, 56-gallon capacity
- Tapered sump, easy to drain


Bradley

Model No.	Mfg. No.	Description
SAK609	S19-921	Gravity-Fed Eyewash
SAK611	S19-399	Waste Cart

FAUCET-MOUNT EYEWASH STATIONS

- Cost effective solution for applications with an existing faucet
- Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- One-step activation
- Faucet can be used for normal operation
- Includes a safety sign and inspection tag
- Weight: 1 lb.
- SEI certified to ANSI standard Z358.1-2009

Faucet not included



Model No. SAK621
Mfg. No. S19-200B

Bradley

PORTA STREAM® II & III EYEWASH STATIONS

- Versatile portability without costly plumbing
- Simple installation and operation
- Features a nozzle strap that is easily removed to activate flushing
- Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline® - a preserved, buffered, saline solution superior to tap water for emergency eye care, and Fend-all water additive
- Large 16-gallon (60.5 L) capacity
- SEI certified to meet ANSI standard Z358.1-2009



SA427

Honeywell

Model No.	Mfg. No.	Description
SEK529	32-000200-0000	Eyewash (Trilingual instructions)
SA411	32-000513-0020	Eyesaline® Concentrate, 180 oz.
SAJ677	32-001100-0022	Water Preservative, 8 oz. Bottles, 4/Case
SA426	32-000102-0000	Replacement Pull-Strap

9-GALLON PORTABLE EYEWASH STATIONS

- 9-gallon high density green polyethylene tank made from FDA approved materials
- Gravity fed
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap
- Light design and mounting bracket (included)
- Certified by CSA to meet ANSI standard Z358.1-2009



Haws

Model No.	Mfg. No.	Description
SAR314	7501	Portable Gravity Eyewash Fountain
SAR315	9082	Bacteriostatic Water Preservative, 5 oz., 4/Case

WALL-MOUNT AXION MSR™ EYE/FACE WASH STATIONS

- Provides a zero vertical velocity stream for enhanced comfort, stability, and effectiveness
- Wall mounts with an aluminum bracket
- 11" diameter bowl
- Mesh strainer collects debris
- Certified by CSA to meet ANSI standard Z358.1-2009



SEB239


Haws
AXION
msr™

Model No.	Mfg. No.	Description
EYE/FACE WASH		
SEB239	7260B-7270B	ABS Plastic Bowl
SEB240	7360B-7460B	Stainless Steel Bowl
ACCESSORIES		
SEB264	9102	Dust Cover

EMERGENCY SHOWERS & FIRST AID

COMBINATION EMERGENCY SHOWER & EYE/FACE WASH STATION

- Hydrodynamic shower design
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- 11" diameter green ABS plastic bowl
- Galvanized stanchion for long life
- Mesh strainer collects debris
- Durable stainless steel ball valve
- Certified by CSA to meet ANSI standard Z358.1-2009



Model No.	Mfg. No.	Description
SEB257	8320-8325	Combination Shower
SEB264	9102	Dust cover

HALO™ COMBINATION SHOWER & EYEWASH STATIONS

- Combine Halo™ eyewash technology with SpinTec™ shower features for high performance safety installations
- SpinTec™ showers yield superior fluid distribution
- Durable ABS plastic showerhead and bowl
- Compact profile means less in-plant damage
- Features antimicrobial protection, integral strainers, and rugged safety-yellow powder coat paint
- Aquaduct™ self-draining design eliminates bacteria growth from standing fluid
- Eye/face wash models provides industry leading 85% facial coverage
- Optional see-through plastic dust cover (shown) makes inspection simple
- ULC certified to ANSI standard Z358.1-2009



SEB807



Model No.	Mfg. No.	Dust Cover Included
EYEWASH		
SEB801	S193140A1AAA00	No
SEB803	S193140A1AABA00	Yes
EYE/FACE WASH		
SEB806	S193140A1ABA00	No
SEB807	S193140A1AABA00	Yes

OCCUPATIONAL HEALTH & SAFETY REGULATION FIRST AID KITS

Occupational first aid kits meet regulations required by federal, provincial and territorial jurisdictions.

For more information regarding federal and provincial first aid regulations, please visit the websites listed in the chart.

Regulations change on a continuing basis. Requirements vary from jurisdiction to jurisdiction and are dependent on a number of factors including (but not limited to):

- Maximum number of employees at the work site (or per shift)
- Location of the place of employment/industry
- Type of industry and potential hazards
- Proximity or travel time to a medical facility



Model No.	Refill No.	Container Type	Kit Type
FEDERAL - http://laws.justice.gc.ca/eng/SOR-86-304			
SAY106	SAY108	10-unit plastic	Type A, 2-5 workers
SAY109	SAY111	24-unit plastic	Type B, 6-19 workers
SAY113	SAY114	# 2 metal	Type C, 20-199 workers
BRITISH COLUMBIA - www.worksafefbc.com			
SAY117	SAY119	36-unit plastic	Basic
SAY121	SAY123	# 2 plastic	Level 1
SAY125	SAY127	# 2 plastic	Level 2
ALBERTA - www.gov.ab.ca			
SAY132	SAY134	16-unit plastic with gasket	No. 1
SAY135	SAY137	36-unit plastic with gasket	No. 2
SASKATCHEWAN - www.labour.gov.sk.ca			
SAY141	SAY143	24-unit plastic	1-9 workers
SAY144	SAY146	36-unit plastic	10-40 workers
MANITOBA - www.gov.mb.ca/labour			
SAY150	SAY152	24-unit plastic	25 workers

Model No.	Refill No.	Container Type	Kit Type
ONTARIO - www.labour.gov.on.ca/english/hs			
SAY153	SAY155	10-unit plastic	Sec. 8, 1-5 workers
SAY156	SAY158	36-unit plastic	Sec. 9, 6-15 workers
SAY159	SAY161	# 2 plastic	Sec. 10, 16-199 workers
SAY240	-	10-unit plastic	Truck Kit, 1-5 employees
SAY242	-	16-unit plastic with gasket	Contractor's Kit, 1-5 employees
QUEBEC - www.csst.qc.ca			
SAY174	SAY176	36-unit plastic	Sec. 4 (Standard)
SAY171	SAY173	10-unit plastic	Sec. 5 (Vehicle)
SEE531	-	10-unit plastic	Truck Kit
SEE534	-	#6 metal	Workplace standard kit
NEW BRUNSWICK - www.worksafenb.ca			
SAY177	-	10-unit plastic	Personal
SAY179	SAY181	36-unit plastic	Standard


Model No.	Refill No.	Container Type	Kit Type
NOVA SCOTIA - www.gov.ns.ca			
SAY185	SAY187	16-unit plastic	No. 2, 2-19 workers
SAY188	SAY190	24-unit plastic	No. 3, 20-49 workers
PRINCE EDWARD ISLAND - www.wcb.pe.ca			
SAY197	SAY199	16-unit plastic	No. 2, 2-19 workers
SAY200	SAY202	24-unit plastic	No. 3, 20+ workers
NEWFOUNDLAND & LABRADOR - www.gov.nf.ca			
SAY207	SAY209	16-unit plastic	No. 2, 2-14 workers
SAY210	SAY212	24-unit plastic	No. 3, 15-199 workers
NORTHWEST TERRITORIES & NUNAVUT - www.gov.nt.ca			
SAY213	SAY215	24-unit plastic	No. 1
YUKON - www.wcb.yk.ca			
SAY224	SAY226	16-unit plastic	No. 1

COMPANIES WITH OVER 100 EMPLOYEES REQUIRE A FIRST AID ROOM

LOCKS & LOCKOUT DEVICES

RESETTABLE BRASS COMBINATION PADLOCKS

- Easy "Set-your-Own" 4-digit combination with up to 10 000 combinations available
- Strong, solid brass case construction resists corrosion - ideal for harsh environments
- Heavy hardened steel shackles provide high resistance to cutting and prying
- SEJ513 features a key override proving immediate access to supervisors in the field
- SEJ514 control key sold separately



SAS366




SEJ513

Master Lock

Model No.	Mfg. No.	Body Width"	Shackle Clearance			Shipping Weight lbs.
			A"	B"	C"	
SAS366	T175	2	5/16	1	1	0.60
SAG162	175LH	2	5/16	2 1/4	1	0.70
SEJ513	176	2	5/16	1	1	0.60
SEJ514	K176	Control Key				0.02

ECONOMY V-LINE BRASS PADLOCKS (NON-REKEYABLE)

- Solid brass body and cylinder construction resists corrosion - ideal for harsh environments
- Case hardened shackle resists sawing and filing
- Pin tumbler cylinder provides greater pick resistance
- Locks come with two keys
- For keyed alike options, please call us



SAS395

Master Lock

Model No.	Mfg. No.	Key Type	Body Width"	Shackle Clearance			Shipping Weight lbs.
				A"	B"	C"	
SAS395	4120	Different	3/4	5/32	5/8	9/16	0.10
SAS396	4120KA	Alike	3/4	5/32	5/8	9/16	0.10
SAS397	4130	Different	1 1/8	3/16	9/16	9/16	0.20
SAS398	4130KA	Alike	1 1/8	3/16	9/16	9/16	0.20
SAS015	4140	Different	1 1/2	1/4	13/16	13/16	0.30
SAS400	4140KA	Alike	1 1/2	1/4	13/16	13/16	0.30
SAS401	4150	Different	1 7/8	9/32	15/16	1	0.40
SAS402	4150KA	Alike	1 7/8	9/32	15/16	1	0.40

PRO SERIES® WEATHER TOUGH™ SECURITY PADLOCKS (REKEYABLE)


- Constructed of hardened, chrome rustproofed steel laminated bodies that resist cutting, sawing and corrosion
- Durable thermal plastic covers protect the body of the lock from dirt, dust and other contaminants
- Hardened boron alloy steel shackles offers superior cut resistances while dual ball bearing locking mechanism resists pulling and prying attacks
- 5-pin Pro Series® cylinders provide tens of thousands of key changes
- Special spool pin tumblers are virtually impossible to pick
- Rekeyable - replaceable cylinder and shackle
- Locks come with two keys
- For keyed alike options and master keying, please call us



SA903



SAL433



Model No.	Mfg. No.	Key Type	Body Width"	Shackle Clearance			Shipping Weight lbs.
				A"	B"	C"	
SAL433	6121	Different	2 1/8	5/16	1 1/8	7/8	1.00
SAL434	6121LJ	Different	2 1/8	5/16	2 1/2	7/8	1.05
SA902	6125	Different	2 3/8	3/8	1 3/8	7/8	1.20
SA903	6125KA	Alike	2 3/8	3/8	1 3/8	7/8	1.20

ZENEX™ THERMOPLASTIC SAFETY PADLOCKS

- Designed exclusively for lockout/tagout
- Durable, lightweight, non-conductive body
- Offers superior performance against chemicals, moisture, temperature and UV
- Reserved-for-safety cylinder provides over 40,000 unique key changes available
- Key retaining - ensures that padlocks are not left unlocked
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish
- Locks comes with one key: Compliance with OSHA "one employee, one lock, one key" directive
- For extra keys, keyed alike options or master keying, please call us

Master Lock



Model No.	Mfg. No.	Colour	Body Width"	Shackle Clearance		Weight lbs.
				Width"	Height"	
SAL134	410BLK	Black	1 1/2	25/32	1 1/2	0.23
SAL135	410BLU	Blue	1 1/2	25/32	1 1/2	0.23
SAL136	410GRN	Green	1 1/2	25/32	1 1/2	0.23
SAL137	410ORJ	Orange	1 1/2	25/32	1 1/2	0.23
SAL138	410RED	Red	1 1/2	25/32	1 1/2	0.23
SAL139	410YLW	Yellow	1 1/2	25/32	1 1/2	0.23

ALUMINUM SAFETY LOCKOUT PADLOCKS

- Ideal for corrosive and tough environments
- Hardened shackles for superior resistance to cutting
- Steel shackle 1 9/16" wide solid body, 1/4" diameter x 1 1/16" long shackle
- 5-spool pin tumbler cylinder for added pick resistance
- Removable cylinder can be replaced or repinned
- Tens of thousands of key changes available
- Baked-on powder-coated finish stays bright
- Available in six colours, keyed different
- Laser engraving service available for an additional charge



Master Lock

Model No.	Mfg. No.	Colour	Model No.	Mfg. No.	Colour
SN709	6835RED	Red	SN712	6835YLW	Yellow
SN710	6835BLU	Blue	SN713	6835ORJ	Orange
SN711	6835GRN	Green	SN714	6835BLK	Black


LAMINATED PADLOCKS

- Each keyed different lock has a unique key for higher security
- Padlocks are made from rustproofed laminated steel
- SA886 and SA888 are economic protection best suited for tamper resistant applications
- SA890 and SA892 provide medium general security, use on tool boxes, man hole covers
- SA894 to SA900 are high security locks that provide a higher tamper resistant lock body and shackle.
- Use on tool cribs, storage cabinets and gates
- All models include two keys

Master Lock



SA890




Model No.	Mfg. No.	Security Level	Locking Mechanism	Body Width"	Shackle Dimensions			Wt lbs.
					A"	B"	C"	
SA886	22	Medium	Warded	1 1/2	1/4	5/8	9/16	0.3
SA888	500	Medium	Warded	1 3/4	9/32	13/16	13/16	0.5
SA890	7	Medium	4-Pin Tumbler	1 1/8	3/16	9/16	1/2	0.2
SA892	7LJ	Medium	4-Pin Tumbler	1 1/8	3/16	2 1/2	1/2	0.2
SA894	3	High	4-Pin Tumbler	1 9/16	9/32	3/4	5/8	0.5
SA896	3LH	High	4-Pin Tumbler	1 9/16	9/32	2	5/8	0.5
SA898	1	High	4-Pin Tumbler	1 3/4	5/16	15/16	3/4	0.6
SA900	1LJ	High	4-Pin Tumbler	1 3/4	5/16	2 1/2	3/4	0.6

COMBINATION LOCKS

- World's best-selling combination lock
- Hardened steel shackle for extra cut resistance
- Combination security for keyless convenience
- 1 7/8" wide double-armored stainless steel body
- 3-digit dialing and 1500 combinations for maximum security
- Different combinations

Master Lock



Model No.	Mfg. No.	Shackle Dimensions		
		A"	B"	C"
SR914	1500	9/32	3/4	13/16
SAL506	1500LH	9/32	2	13/16

LATCH TIGHT™ PORTABLE LOCK BOXES

- With new Latch Tight™ locking mechanism
- English, Spanish, French message on box
- Accepts 12 padlocks or lockout hasps



**Master
Lock.**

Model No.	Mfg. No.	Colour
SAL519	498A	Red

LABELED SNAP-ON HASPS

- Combines multiple-person lockout and tagout identification
- Features an easy-to-apply "snap-on" advantage with its spring-loaded locking arm
- Fits more lockout points than alternative rivet-hinge labeled lockout hasps
- Anodised aluminum and stainless steel construction for combined corrosion resistance and strength
- Up to five workers can apply their personal safety locks
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job

**Master
Lock.**



Model No.	Mfg. No.	Colour
SAL541	427	Red
SAP994	427BLK	Black
SAP995	427BLU	Blue
SAP997	427CLR	Silver
SAP998	427GRN	Green
SAQ002	427YLW	Yellow
SAQ003	427AST	Assorted 6/Pkg.

ROTATING GATE VALVE LOCKOUTS

- Unique, patent-pending outward rotation allows for easier installation in confined space applications
- Each size rotates into itself
- Each size nests within the next larger size
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job

SAL531



SAL528



**Master
Lock.**

Model No.	Mfg. No.	Description
SAL526	480	Fits 1" to 3" Diameter Valve Handle
SAL527	481	Fits 2" to 5" Diameter Valve Handle
SAL528	482	Fits 4" to 6 1/2" Diameter Valve Handle
SAL529	483	Fits 6" to 10" Diameter Valve Handle
SAL530	484	Fits 8" to 13" Diameter Valve Handle
SAL531	485	1 Set Consists of 1 x SAL526, SAL527, SAL528, SAL529 & SAL530

ADJUSTABLE CABLE LOCKOUTS

- Infinitely adjustable for a secure fit every time
- Integrated, single-piece safety hasp and cable for ease-of-use
- Ideal for both multiple circuit breaker panel and side-by-side gate valve lockouts
- Tough, lightweight, Zenex™ thermoplastic body withstands chemicals; performs effectively in extreme conditions
- Up to four workers can apply their personal safety locks
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person and then erased for the next job
- Custom cable lengths available



**Master
Lock.**

Model No.	Mfg. No.	Description
SED596	S806CBL3	Cable Lockout w/3' Cable
SED597	S806	Cable Lockout w/6' Cable
SED598	S806BL15	Cable Lockout w/12' Cable

LOCKOUT STATIONS

**VIRTUALLY INDESTRUCTIBLE,
THE STRONGEST STATIONS AVAILABLE!**

- Integrated, 1-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover protects contents and prevents loss of valuable safety lockout padlocks
- Zenex™ locks available with up to 100 000 key changes available to fit even the largest lockout systems
- Lockout stations are bilingual with English/French labels and lockout tags
- Compliant with OSHA "One employee, One lock, One key" directive

**Master
Lock.**

4-LOCK STATION INCLUDES:

- Four Master Lock® Safety Series™ Padlocks
- Two Safety Series™ hasps for lockouts by up to six workers
- 12 Safety Series™ heavy-duty bilingual Do Not Operate lockout I.D. tags with brass grommets
- Dimensions: 12 1/4" x 16" x 1 3/4"



Model No.	Mfg. No.	Description
SAO598	1482BFRFC	Base only
SAO601	1482BP3FRFC	Station with Laminated Padlocks
SAO602	1482BP410FRFC	Station with Zenex™ Padlocks
SAO603	1482BP1106FRFC	Station with American Lock® Aluminum Padlocks

SAO601

SAFETY LOCKOUT HASPS

- Keeps equipment inoperative while repairs or adjustments are made
- Attach device to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed
- Up to six workers at each lockout point
- Heavy gauge steel jaws resist prying against unauthorised access
- Lockout hasp has vinyl coated handles and is plated to resist rust
- Compatible with nos. 3, 410, 411, 6835 and 6836 safety lockout padlocks with shackle diameters as large as 3/8"



SA875

SAN508

**Master
Lock.**

RED W/O LOCKING TABS

Model No.	Mfg. No.	Diameter"
SA875	420	1
SA876	421	1 1/2

YELLOW (ECONOMY) W/LOCKING TABS

Model No.	Mfg. No.	Diameter"
SAN507	422	1
SAN508	424	1 1/2

ROTATING ELECTRICAL PLUG LOCKOUTS

- Outward/inward rotation allows for easier installation and storage
- Surrounds the electrical plug; protects against accidental reconnection
- Each size rotates into itself to fit effectively into safety tool boxes
- Tough, lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions (temperature range -50°F (-46°C) to 350°F (177°C))
- Red lockout colour identifies the safety lockout application
- Complete with high-visibility permanent safety labels (English, French and Spanish)
- SAL521 labels can be written on to identify the responsible person and then erased for the next job

**Master
Lock.**



SAL520

Padlock not included



SAL521

Model No.	Mfg. No.	For Electrical Plugs Up To
SAL520	487	2 1/4" Dia. x 3 1/4" w/Cord Dia. up to 3/4" (Most 110- and Many 220-Volt Plugs)
SAL521	488	3" Dia. x 6" w/Cord Dia. up to 3/4" (Most 220- and 550-Volt Plugs)

MIRRORS

DOMESTIC MIRRORS

- Prevent accidents and increase surveillance due to blind corners
- Constructed of acrylic for added durability
- All mirrors have a black protective edge and hanging clips
- Full dome mirrors come with hanging chains and hooks



IDEAL LOCATIONS:

- 360° 4-way intersections
- 180° T-intersections
- 90° Corner intersections



Full Dome 360°

Use furniture polish to clean mirrors. Glass cleaner will damage surface.



Half Dome 180°

FULL DOME
Comes with hanging hardware


HALF DOME

Model No.	Mirror Dia. " **	Wt. lbs.
SEJ875	20	1.5
SEJ876	24	2
SEJ877	31	3
SEJ878	47	6.5

Model No.	Mirror Dia. " **	Wt. lbs.
SEJ879	20	0.75
SEJ880	24	1
SEJ881	31	1.5
SEJ882	47	3.25

QUARTER DOME

Model No.	Mirror Dia. " **	Wt. lbs.
SEJ883	20	0.35
SEJ884	24	0.5




* The dimensions listed are that of a full dome

CONVEX MIRRORS

Prevent accidents and increase surveillance with a lightweight acrylic convex mirror. Adjustable mounting hardware included with each mirror. 100° viewing angle and mounted ball and swivel. Telescoping arm adjusts from 15" to 21". For indoor or outdoor use.



INDOOR			OUTDOOR	
Mirror Dia. "	Model No.	Wt. lbs.	Model No.	Wt. lbs.
12	SA725	2	SA720	4
18	SA726	3	SA721	5
26	SA727	6	SA722	9
30	SA728	7	SA723	11
36	SA729	9	SA724	15



ROUNDTAGULAR CONVEX MIRRORS

- The top and bottom of these convex mirrors have been trimmed or "cropped" to fit into smaller spaces
- Provides the same larger view as the full sized convex
- Exterior models are enclosed



Dimensions"	INDOOR		OUTDOOR	
	Model No.	Wt. lbs.	Model No.	Wt. lbs.
12 x 18	SAQ971	3.5	SAQ975	4.7
18 x 26	SAQ972	4.75	SAQ976	8
20 x 30	SAQ973	6.7	SAQ977	12.5
24 x 36	SAQ974	9.3	SAQ978	18.25

FLAT MIRRORS

Ideal for locations where accurate depth perception is essential. Mirrors are made of acrylic with galvanized steel backs. Framed mirrors have an aluminum edge. Telescoping arm adjusts from 15" to 21". Ball and swivel, telescoping arm and bracket are included with each mirror.



Dimensions"	Model No.	
	Unframed	Framed
12 x 12	SA744	SA749
12 x 18	SA745	SA750
18 x 24	SA746	SA751
24 x 30	SA747	SA752
30 x 36	SA748	SA753

SECURITY INSPECTION MIRRORS

- 8" convex mirror for wider viewing area
- 40" handle with adjustable angle
- Lightweight

Model No. SAQ807
Mfg. No. 2100ML5086



REAR VIEW MIRRORS

- Designed for use on forklifts, delivery trucks or other transit vehicles
- Helps eliminate dangerous blind spots
- 2 3/4" x 7" rectangular convex mirror
- Complete with mounting bracket
- Adjustable swivel mount

Model No. SED112
Mfg. No. 2100RV2X3



DROP-IN CEILING PANEL DOMES

- Attractive 24" dome mirror for 360° viewing
- One-piece drop-in dome includes a mirrored ceiling panel to fit a standard 2' x 2' drop-ceiling tile
- Can also fit a standard 2' x 4' drop-ceiling tile (simply cut the ceiling tile in half)

Model No. SAR052
Mfg. No. 2000FDC024



Use furniture polish to clean mirrors. Glass cleaner will damage surface.

AISLE MARKING & HAZARD WARNING TAPE

Colour-coded for instant recognition of specific areas. Tapes give continuous lines that are both eye catching and long lasting and can be applied quickly by hand or with a tape applicator. 6-mil general purpose pressure sensitive vinyl tape is easy to apply and has excellent adhesion for a fast, firm hold. Excellent for marking floors, equipment, pipes and many other uses. Available in 2" and 3" by 108' rolls. Reflective engineer grade available in 2" by 30' rolls.



RECOMMENDED GUIDELINES

Dark Blue: General Information
Orange: Warning/Hazardous Biohazard
Green: Safety and First Aid Equipment

Red: Fire Protection/Danger/Stop
White: Traffic and Housekeeping
Yellow: Caution
Black: Boundaries
Stripes: Hazard/Warning

AISLE MARKING TAPE

Model No.	Width"	Colour	Wt. lbs. Roll
SOLID			
SAL689	2	Blue	0.8
SAL688	2	Orange	0.8
SAL684	2	Green	0.8
SAL685	2	Red	0.8
SAL686	2	White	0.8
SAL683	2	Yellow	0.8
SAL687	2	Black	0.8
SAL696	3	Blue	1.2
SAL695	3	Orange	1.2
SAL691	3	Green	1.2
SAL692	3	Red	1.2
SAL693	3	White	1.2
SAL690	3	Yellow	1.2
SAL694	3	Black	1.2

HAZARD WARNING TAPE

Model No.	Width"	Colour	Wt. lbs. Roll
STRIPES (NON-LAMINATED)			
SAL701	2	Black/White	0.8
SAL697	2	Black/Yellow	0.8
SAL699	2	Red/White	0.8
SAL702	3	Black/White	1.2
SAL698	3	Black/Yellow	1.2
SAL700	3	Red/White	1.2
REFLECTIVE ENGINEER GRADE STRIPES			
SN611	2	Black/Yellow	0.8
SN612	2	Red/White	0.8

Model No.	Max. Roll Diameter	Overall Height"
SED019	4	39

ANTI-SKID TAPE

Provides a sure footing on stairs, ladders, fork trucks and any area where slipping can occur. Tough and durable adhesive-backed tape can easily be installed in seconds to any clean, dry, oil-free surface including metal, wood and concrete. Used indoors or outdoors, rolls are 60' in length. Recommended for hospitals, schools, labs, etc.



Model No.	Width"	Model No.	Width"
BLACK		CLEAR	
NC910	1	NC912	1
NC383	2	NC913	2
NC385	4	NC914	4
NC386	6	NC915	6
NC381	12		



BARRICADE TAPE

- Warn against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor usage
- Made of polyethylene
- Roll size: 3" x 1000'

Model No.	Message	Colour
STANDARD-DUTY - 1.5 MILS		
SEK397	Caution	Black on Yellow
SEK398	Attention	Black on Yellow
SEK399	Danger	Black on Red
HEAVY-DUTY - 2.0 MILS		
SEK400	Caution	Black on Yellow
SEK401	Attention	Black on Yellow
SEK402	Danger	Black on Red
EXTRA HEAVY-DUTY - 2.5 MILS		
SEK403	Caution	Black on Yellow
SEK404	Attention	Black on Yellow
SEK405	Danger	Black on Red



MARKING WANDS

- Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking
- Apply a uniform 1" to 1 1/2" wide stripe of paint



NC309



NC310

Model No.	Description
NC309	Spotter Hand Held Wand 12"
NC310	Hand Held Wand 34"

LINE-UP® STRIPING MACHINES & PAINTS

- Engineered and designed for easy operation and durability
- 18-gauge all-steel construction
- 12-can storage
- Stripes widths of 2" to 4"



PAVEMENT STRIPING MACHINES

- 7" wheels provide a smooth ride on hard surfaces, such as concrete, blacktop and metal
- Excellent for use in parking lots, warehouses, plants, factories, etc.



NE340

Model No. NE340

ATHLETIC FIELD STRIPING MACHINES

- 10" wheels elevate the carriage to provide an even ride over rough or uneven surfaces
- Ideal for grass, dirt, gravel or any uneven surface

Model No. NE341

Model No.	Description	Colour
WATER BASED - ATHLETIC FIELD		
NE333	White	
NE334	Yellow	
NI795	Turf Green	
SOLVENT BASED - PAVEMENT		
NE335	Highway White	
NE336	Highway Yellow	
NE337	Handicap Blue	
NE338	Firelane Red	
NE339	Cover-up Black	



Actual paint colours may vary

QUICK-MARK™ MARKING PAINTS



Inverted marking paints are VOC-compliant, lead-free and highly pigmented. Available in water and solvent based, 20-oz. cans (17 oz. net weight). Can be used with hand held wands.



Model No.	Solvent Base	Colour	Model No.	Water Base	Colour
NC320	Fl. Red/Orange		NC331	White	
NC321	Fl. Orange		NC332	Utility Yellow	
NC322	Fl. Safety Red		NC333	Fl. Orange	
NC323	Fl. Green		NC334	Fl. Red	
NC324	White		NC335	Fl. Safety Pink	
NC325	High Vis. Yellow		NC336	Fl. Blue	
NC326	Caution Blue		NC337	Fl. Safety Green	
NC327	Warning Orange		NC338	Fl. Red/Orange	
NC328	Safety Red				
NC329	Safety Green				

Actual paint colours may vary

CROWD & TRAFFIC CONTROL

TRAFFIC CONES

- 100% PVC construction offers excellent flexibility and durability
- Temperature resistance in hot and cold environments
- Fluorescent orange color provides high visibility
- Available with 6" and 4" reflective collars
- High-density interlocking base offers maximum stability
- Meets Minister of Transport regulations for Québec, Ontario and Alberta



Model No.	Height"	Collar	Wt. lbs.
SEF026	18	6" (QC, ON, AB)	3.15
SEF027	28	4" (ON, AB)	6.75
SEF028	28	6" and 4" (QC, ON, AB)	6.75

PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Available with 6" and 4" 3M™ high intensity collars
- High density interlocking base offers maximum stability
- Meets Ministry of Transport regulations for Quebec, Ontario and Alberta



Model No.	Description	Wt. lbs.
TRAFFIC CONES		
SEB768	12"	2
SEB769	18"	3.3
SEB771	28"	7
TRAFFIC CONES W/COLLAR		
SEB770	18" w/6" Collar (QC, ON, AB)	3.3
SEB772	28" w/6" and 4" Collars (QC, ON, AB)	7
SEB826	28" w/4" Collar (ON, AB)	7



PREMIUM DELINEATOR POSTS

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" 3M™ high intensity reflective tape collars
- High density interlocking 16" x 16" base offers maximum stability and durability



Model No.	Description	Wt. lbs.
SEB773	Delineator Post Only	1.5
SEB774	Rubber Base	12
SEC153	Post and Base Kit	14

PORTABLE INTERLOCKING BARRIERS

- Ideal for directing people in areas where crowd control is required
- Rugged welded steel construction
- Feet are removable so railing will lay flat for shipping and storage
- Includes connectors to attach multiple units together
- Overall dimensions: 102" L x 40" H
- Distance between vertical bars: 7"
- Rail diameter: 1 5/8"
- Weight: 56 lbs.



Model No.	Description
SEE395	Galvanized Finish
SEE396	Safety Yellow Finish

SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil, weather variations and UV light
- Perfect for speed reduction in parking lots, school zones and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spike for permanent or temporary installation
- 11" W x 2 1/4" H

Model No.	Description	Length	Spikes Required	Weight lbs.
SEH142	Speed Bump	4'	5	35
SEH143	Speed Bump	6'	4	55
SEH144	Rebar Spike	14"	-	-



FREE-STANDING CROWD CONTROL BARRIERS

- 4-way connection permits all posts to receive up to three tapes from any direction
- Slow retracting tape cassette insures tape will retract safely
- Specially designed locking mechanism prevents accidental release
- Receiver post without tape cassette for use at the end of a line of posts
- Height: 35" • Tape length: 7' • Recommended post spacing: 6'6"



Locking Mechanism prevents accidental release!



STANDARD FREE-STANDING BARRIERS



Model No.	Description	Tape Colour	Tape Length'
SAS226	Stainless Steel Post with Cassette	Red	7
SAS227	Black Post with Cassette	Black	7
SAS230	Stainless Steel Receiver Post	-	-
SAS231	Black Receiver Post	-	-

SAFETY FREE-STANDING BARRIERS



Model No.	Description	Tape Colour	Tape Length'
SAS228	Yellow Post with Cassette	Yellow	7
SAS229	Yellow Post with Cassette	Yellow (Caution Do Not Enter)	7
SEE818	Yellow Post with Cassette	Yellow (Attention Ne Pas Entrer)	7
SAS232	Yellow Receiver Post	-	-

TRAFFIC VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release



Model No.	Size
SEF093	Medium
SEF094	Large
SEF095	X-Large
SEF096	2X-Large

TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange or fluorescent lime-yellow sports mesh knit fabric provides daytime visibility
- 2" silver reflective stripes offer maximum nighttime visibility
- Front velcro enclosure permits optimal fit
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.		Size
Orange	Lime-Yellow	
SEB698	SEB702	Medium
SEB699	SEB703	Large
SEB700	SEB704	X-Large
SEB701	SEB705	2X-Large

PREMIUM POLYESTER T-SHIRTS

- Moisture wicking, lightweight, soft and breathable fabric
- Fluorescent lime-green 100% polyester "bird's eye" mesh material
- 3" fluorescent orange/silver dual reflective stripes
- Upper left breast pocket with velcro closure
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements




Model No.		Size
Orange	Lime-Yellow	
SEF109	SEL243	Medium
SEF110	SEL244	Large
SEF111	SEL245	X-Large
SEF112	SEL246	2X-Large



TRAFFIC HARNESSSES

- 1 1/2" lime-yellow/silver reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability



Model No.	Size
SEF117	Medium
SEF118	Large
SEF119	X-Large
SEF120	2X-Large
SEF121	3X-Large



5-POINT TEAR-AWAY TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.	Size
SEF097	Medium
SEF098	Large
SEF099	X-Large
SEF100	2X-Large

SURVEYOR TRAFFIC SAFETY VESTS

- Lightweight and comfortable fluorescent orange sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Two top Velcro sealed pockets and two bottom open pockets
- Two radio loops
- Machine washable
- Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.		Size
Orange	Lime-Yellow	
SEF101	SEK232	Medium
SEF102	SEK233	Large
SEF103	SEK234	X-Large
SEF104	SEK235	2X-Large

ARM & LEG BANDS

- 2" lime-yellow/silver reflective bands
- Velcro closure permits optimal fit
- Available in various lengths



Model No.	Length"
SEF122	10
SEF123	12
SEF124	13 1/2
SEF125	15
SEF126	17
SEF127	19



ERGONOMIC MATTING

ERGODECK® ERGONOMIC FLOORING SYSTEMS NO. 560 & NO. 562

- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- Patented LockSafe™ system securely connects tiles
- Covers up imperfections and safety hazards
- ErgoDeck™ tiles can be unlocked and repositioned to create a different configuration when work flow changes
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so ErgoDeck™ can be attached to the floor
- 7/8" thick
- Designed specifically for heavy cart traffic with load capacity of 64 PSI
- Available in open grid and solid tile designs

ERGODECK® HEAVY-DUTY OPEN GRID NO. 560

- For use in wet (non-greasy) or dry areas where small debris or fluids are present

ERGODECK® HEAVY-DUTY SOLID NO. 562


- For use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority



Model No.	Description	Dim. W" x L" x D"	Qty /Case
SAL215	Open Grid No. 560, Single Tile	18 x 18 -	10
SAL224	Solid No. 562, Single Tile	18 x 18 -	10
RAMP & CORNER ACCESSORIES			
SAL219	Ramp - Yellow, Single	6 x 18 -	10
SAL217	Outside Corner - Yellow, Single	6 x 15 x 15	4

ERGODECK® GENERAL PURPOSE NO. 564 & NO. 566


- General purpose version of the original ErgoDeck™ specifically designed to increase worker productivity
- Professional grade 18" x 18" super-sized ergonomic tiles quickly assemble to cover large and custom-sized areas
- Patented LockSafe™ system securely connects the tiles for a neat installation to withstand heavy use and cart traffic
- Tiles can be unlocked and repositioned to create different configurations
- Optional 6" wide safety ramps and corners
- 7/8" thick
- Colour: Charcoal



Model No.	Description	Dim. W" x L" x D"	Qty /Case
SAQ312	Open Grid No. 564, Case	18 x 18	10
SAQ313	Solid No. 566, Case	18 x 18	10
RAMP & CORNER ACCESSORIES			
SAL219	Ramp - Yellow, Case	6 x 18	10
SAL217	Outside Corner - Yellow, Case	15 x 15	4

ANTI-FATIGUE LINK MATS

- Designed to help prevent injuries and increase worker comfort
- Modular interlocking designing on all four sides permits coverage of large floor spaces
- Recommended for wet and dry environments
- Lightweight and easy to clean
- Thickness: 1/2"
- Dimensions: 3'x3'
- Optional black and yellow border ramps to prevent ripping



With ramp SDL870



SDL865



MATS

Model No.	Description	Material
SDL865	General Purpose	Natural rubber
SDL866	Grease Proof	50% nitrile rubber/50% natural rubber

BORDER RAMPS

Model No.	Connection	Colour
SDL867	Male	Black
SDL868	Female	Black
SDL869	Male	Yellow
SDL870	Female	Yellow

ERGODECK® WITH INTEGRATED NO-SLIP CLEATS NO. 552 & NO. 553

- This non-slip flooring is engineered to deliver exceptional traction in even the most extreme environments
- The patented LockSafe™ positive interlocking system delivers secure connections but can be unlocked as needed for replacement or repositioning
- The optional 6" side safety ramps and corners have countersunk holes for semi-permanent installation
- Unmatched slip prevention
- Customize in 3" increments to fit any area or configuration
- Can withstand power-washing and aggressive maintenance
- 100% silicone-free PVC tiles provide maximum durability
- 18" x 18" tiles
- Open grid:** Recommend usage in wet or dry areas where small debris or fluids are present
- Solid:** Recommend usage in dry areas

3-YEAR WARRANTY



SEI922



SEI924


Model No.	Description	Dim. W" x L" x D"	Qty /Case
SEI922	Open Grid No. 553, Single Tile	18 x 18	-
SEI923	Open Grid No. 553, Case	18 x 18	10
SEI924	Solid No. 552, Single Tile	18 x 18	-
SEI925	Solid No. 552, Case	18 x 18	10

DIAMOND-PLATE NO. 414 & 415

- These mats have a Nitricell® sponge base, a unique and resilient nitrile rubber composite that provides unparalleled comfort, resilience and long-term performance
- The PVC diamond-plate surface resists abrasion and most chemical spills
- Safety bevelled edges

UltraSoft Diamond-Plate No. 414: Ultimate Performance has a double-thick Nitricell® sponge base for a little extra comfort

Diamond-Plate SpongeCote No. 415: Best Performance is a standard 9/16" thick and has been a best seller for over 20 years!



4-YEAR WARRANTY

NO. 414

Model No.	W'	Dim. x L'	Wt. lbs.
15/16" BLACK/YELLOW			
SAJ810	2	x 3	9
NG924	3	x 5	21
15/16" BLACK			
SAJ809	2	x 3	9
NG917	3	x 5	21

CUTS UP TO 75' IN LENGTH

Model No.	W'	Dim. x L'	Wt. lbs.
15/16" BLACK/YELLOW			
NG928	2	x lin. ft.	3/lin.ft.
NG929	3	x lin. ft.	4.5/lin.ft.
NG930	4	x lin. ft.	6/lin.ft..
15/16" BLACK			
NG921	2	x lin. ft.	3/lin.ft.
NG922	3	x lin. ft.	4.5/lin.ft.
NG923	4	x lin. ft.	6/lin.ft.

NO. 415

Model No.	W'	Dim. x L'	Wt. lbs.
9/16" BLACK/YELLOW			
NB416	2	x 3	8
NB430	3	x 5	18
9/16" BLACK			
NB420	2	x 3	8
NB431	3	x 5	18

CUTS UP TO 75' IN LENGTH

Model No.	W'	Dim. x L'	Wt. lbs.
9/16" BLACK/YELLOW			
NG410	2	x lin. ft.	2.6/lin.ft.
NG411	3	x lin. ft.	3.9/lin.ft.
9/16" BLACK			
NG412	2	x lin. ft.	2.6/lin.ft.
NG413	3	x lin. ft.	3.9/lin.ft.


SMART DIAMOND-PLATE NO. 497

- An economical and green solution for preventing worker fatigue
- Diamond-plate surface with a 100% recycled urethane composite sponge base
- Green rating > 80% recycled
- Comfortable and functional in dry industrial applications
- Black and black with yellow borders



1-YEAR WARRANTY

An economical and **GREEN** solution for preventing worker fatigue.



Model No.	Dim. W' x L'	Model No.	Dim. W' x L'
1" BLACK		5/8" BLACK	
SBA878	2 x 3	SBA894	2 x 3
SBA879	3 x 5	SBA895	3 x 5
SBA883	2 x lin.ft.*	SBA899	2 x lin.ft.*
SBA884	3 x lin.ft.*	SBA900	3 x lin.ft.*
SBA885	4 x lin.ft.*	SBA901	4 x lin.ft.*
1" BLACK W/YELLOW		5/8" BLACK W/YELLOW	
SBA886	2 x 3	SBA902	2 x 3
SBA887	3 x 5	SBA903	3 x 5
SBA891	2 x lin.ft.*	SBA907	2 x lin.ft.*
SBA892	3 x lin.ft.*	SBA908	3 x lin.ft.*
SBA893	4 x lin.ft.*	SBA909	4 x lin.ft.*

* Cuts up to 75' in length available

DIAMOND-PLATE WITH GRITWORKS!® NO. 416

- Ideal for primarily dry areas with slight overspray or where grease and oil get tracked onto the mat
- Carbide grit that increases traction by over 50% while also increasing the chemical resistance and durability of the surface
- Super resilient, Nitricell® sponge base which is PVC loaded with nitrile rubber
- Exceptional comfort, rebound and long life
- All mats come with safety-beveled edges
- Colour: Black

3-YEAR WARRANTY



NO. 416

Model No.	W'	Dim. x L'
STANDARD 9/16"		
SAL632	2	x 3
SAL634	3	x 5
SAL638	3	x 75


Cuts up to 75' in length available

Model No.	W'	Dim. x L'
ULTRASOFT 15/16"		
SAL633	2	x 3
SAL635	3	x 5
SAL639	3	x 75


Carbide grit increases traction by over 50%



STANDARD



ULTRASOFT



ERGONOMIC MATTING

DIAMOND-PLATE SELECT NO. 495

- Uniquely comfortable, resulting in productive, focused employees
- An excellent anti-fatigue mat designed to increase comfort and relieve stress; it's popular in dry industrial, lab and commercial applications
- The specially formulated, PVC Flex-Link™ sponge base is compounded for enhanced functionality
- Green rating > 50% post consumer material
- Colours: Black with yellow borders
- Available in two thicknesses:

Standard:

Overall thickness: 9/16"
Sponge thickness: 3/8"

Ultra thick:

Overall thickness: 15/16"
Sponge thickness: 3/4"
(designed for extra softness)

SAL349



1-YEAR WARRANTY

Model No.	Dim.			Wt lbs.
	W'	x	L'	
9/16"				
SAL349	2	x	3	8
SAL358	3	x	5	18
SAL361	3	x	75	244
15/16"				
SAL201	2	x	3	9
SAL207	3	x	5	21
SAL209	3	x	75	338

Available in cuts up to 75' in length

SMART TILE-TOP NO. 496

- A SMART solution to standing worker fatigue, this mat is economically priced and "green"
- Priced like a sponge mat, yet wears five times longer
- The resilient sponge base - Rebound - is a 100% recycled urethane composite
- Comfortable and functional in dry industrial, lab or commercial applications
- Available in two thicknesses:
 - Standard - 1/2" thick
 - UltraSoft - 7/8" thick designed for even greater comfort
- Green rating > 80% recycled

A smart solution to standing worker fatigue, this mat is economically priced and GREEN.



1-YEAR WARRANTY

Black	Model No.			W'	Dim.	
	Grey	Blue	Charcoal		x	L'
1/2" THICK						
SBA910	SBA926	SBA942	SBA958	2	x	3
SBA911	SBA927	SBA943	SBA959	3	x	5
7/8" THICK						
SBA918	SBA934	SBA950	SBA966	2	x	3
SBA919	SBA935	SBA951	SBA967	3	x	5

Cuts up to 60' in length available

ANTI-FATIGUE DOME MATS

- Designed to help prevent injuries and increase worker comfort
- Raised dome design increases circulation in the users legs through subtle posture changes resulting in less stress
- Beveled edging to help prevent tripping
- Recommended for dry work environments
- All mats are 1/2" thick, natural rubber
- Colour: Black

SDL858



SINGLE MATS

Model No.	Dim.			Border colour
	W'	x	L'	
SDL857	2	x	3	Black
SDL858	3	x	3	Yellow
SDL859	3	x	4	Black
SDL862	3	x	4	Yellow

MODULAR MATS

Model No.	Dim.			Description	Border colour
	W'	x	L'		
SDL860	3	x	4	Center	Black
SDL861	3	x	4	End	Black
SDL863	3	x	4	Center	Yellow
SDL864	3	x	4	End	Yellow

REJUVENATOR® CONNECT NO. 502


100% URETHANE ANTI-FATIGUE MATS PROVIDE LONG TERM VALUE!

- A great combination of comfort, performance and exceptional resilience, this mat is literally crush resistant
- The dense, 1/8" thick urethane skin protects the closed cell urethane sponge interior
- Tear and abrasion resistant, these mats are exceptional in dry, heavy use areas
- 3' x 3' mats connect on all sides with optional 2" wide bevels to increase safety, 5/8" thick



SAR340

Designed to energize workers!




Model No.	Description	Dim.		
		W	x	L
SAR340	Mat	3'	x	3'
SAR341	Edge, Female, Black	2"	x	39"
SAR342	Edge, Male, Black	2"	x	39"

ERGONOMIC MATTING

RUNNER MATS

- Fine ribbed rubber runner mats
- Durable rubber mat resists harsh weather conditions
- Easy to clean
- Adds traction to any entrance
- Thickness 1/8"
- Colour: Black



Model No.	Dim.		
	W'	x	L'
SDL875	2	x	75
SDL876	3	x	75
SDL877	4	x	75
SDL878	2	x	lin.ft.
SDL879	3	x	lin.ft.
SDL880	4	x	lin.ft.

ENDURABLE NO. 459

Longer-wearing two-in-one construction



- This PVC sponge has a remarkably durable and abrasion resistant surface
- Created during the manufacturing process, its heat bonded to a comfortable sponge base
- As a dual density anti-fatigue mat, lasts much longer than similar products, but is very economical
- All edges are safety bevelled
- 1/2" thick
- Colour: Black

Longer wearing, two-in-one construction!

NG593

1-YEAR WARRANTY

Model No.	Dim.			Wt. lbs.
	W'	x	L'	
NG593	2	x	3	4.5
NG596	2	x	60	90
NG594	3	x	5	11.25
NG595	3	x	12	27
NG597	3	x	60	135
NG598	4	x	60	217

CUTS UP TO 60' IN LENGTH

NG599	2	x	lin.ft.	0.75/lin.ft.
NG600	3	x	lin.ft.	0.75/lin.ft.
NG601	4	x	lin.ft.	0.75/lin.ft.

Other lengths available, call for a quote

ULTRA-TRED ARMORCOTE NO. 440

NB533

A urethane-coated, PVC sponge anti-fatigue mat

- Urethane coating gives this anti-fatigue mat extra durability
- PVC sponge with a urethane wear-layer for longer performance
- The double-thick urethane coating offers more abrasion and chemical resistance than comparable sponge products
- Ideal for use in mostly dry applications such as labs and other medium traffic areas
- 3/8" thick
- Colour: Black with yellow safety borders

Urethane coating increases durability, resistance to chemicals & clean-up ease!



WEARWELL

1-YEAR WARRANTY

Model No.	Dim.			Wt. lbs.
	W'	x	L'	
NB533	2	x	3	5
NB537	3	x	5	11
NB534	3	x	12	27
SAJ811	2	x	60	83
NB538	3	x	60	135
NB540	4	x	60	160

CUTS UP TO 60' IN LENGTH

JA080	2	x	lin.ft.	1.5/lin.ft.
JA081	3	x	lin.ft.	2.25/lin.ft.
JA082	4	x	lin.ft.	3/lin.ft.

TUF SPONGE NO. 451 & DELUXE TUF SPONGE NO. 442

NB550

TOP QUALITY PVC SPONGE MATTING!

- For use in all dry work areas
- Blown-PVC sponge designed to reduce floor hardness up to 50%
- Available in workstation mats and rolls, they can easily be "custom" cut to fit your work areas
- Available in two thicknesses:

Tuf Sponge is 3/8" thick

Deluxe Tuf Sponge is a softer formulation and a full 5/8" thick

- Both are available in widths up to 6' with all edges safety rounded on full rolls and stock sizes

Comfort & practicality all rolled into one mat!

COLOURS:

Tuf Sponge: Black and grey

Deluxe Tuf Sponge: Black

1-YEAR WARRANTY



TUF SPONGE NO. 451

Model No.		Dim.			Wt. lbs.
Black	Grey	W'	x	L'	
NB550	NB551	2	x	3	5
NB565	NB566	3	x	5	12
NB568	NB569	3	x	60	126

CUTS UP TO 60' IN LENGTH

JA083	JA084	2	x	lin.ft.	2.8/lin.ft.
NG415	NG418	3	x	lin.ft.	4.3/lin.ft.
NG416	JA087	4	x	lin.ft.	5.7/lin.ft.
JA085	-	6	x	lin.ft.	8.5/lin.ft.

DELUXE TUF SPONGE NO. 442

Model No.	Dim.			Wt. lbs.
	W'	x	L'	
SAL174	2	x	3	6
SAL180	3	x	5	17

CUTS UP TO 60' IN LENGTH

SAL172	2	x	lin.ft.	1.5/lin.ft.
SAL178	3	x	lin.ft.	2.25/lin.ft.
SAL184	4	x	lin.ft.	3/lin.ft.

ERGONOMIC MATTING

WORKRITE II NO. 468

1/2" THICK GENERAL PURPOSE ANTI-FATIGUE DRAINAGE MATS

- Made of grease-resistant natural rubber for use around water and non-caustic agents
- Hygienic open design accommodates small parts and debris
- Versatile, lightweight and economical
- Features molded-in beveled edges



SDM621


1-YEAR WARRANTY



Model No.	Dim.		
	W'	x	L'
SDM621	3	x	5
SDM618	3	x	10
SDM619	3	x	20

WELSAFE® NO. 447


- Dramatically reduces fatigue while withstanding the challenges of welding environments
- Specially formulated to repel sparks and hot metal shards, the thick rubber surface has a melt point of over 500°F
- The super resilient Nitricell® sponge base is a nitrile rubber composite that offers unparalleled comfort
- All edges are safety beveled
- 1/2" thick
- Green rating > 33% post industrial material
- Colour: Black



Anti-fatigue mat specifically designed for welding!

NG181

3-YEAR WARRANTY



Model No.	Dim.			Wt. lbs.
	W'	x	L'	
NG181	2	x	3	9
NG182	3	x	5	23

CUTS UP TO 75' IN LENGTH

SAL188	2	x	lin.ft	3/lin.ft.
NG184	3	x	lin.ft	4.5/lin.ft.
SAL189	4	x	lin.ft	6/lin.ft.

Available in other lengths, call for a quote




WORKSAFE® LIGHT NO. 478 CFR



A NEW compound resistant to mineral oil based cutting fluids.

2-YEAR WARRANTY



NB632



- This best-selling, lightweight, high performance drainage mat is now resistant to mineral oil based cutting fluids
- The new CFR (Cutting Fluid Resistant) formulation is perfect for wet industrial areas
- Its lightweight design eases the strain of clean-up, yet keeps employees quite comfortable
- WorkSafe® Light is 1/2" thick with molded beveled edges for easy access
- A well-engineered drainage system that keeps debris from becoming trapped

Model No.	Description	Dim.		
		W'	x	L'
NB632	-	3	x	5
NB630	-	3	x	10
NB631	-	3	x	20
SAL221	Connector	-	-	-

MODULAR WORKSAFE® LIGHT NO. 472

LIGHTWEIGHT, MODULAR ANTI-FATIGUE MATTING



NC823

1-YEAR WARRANTY



Exceptionally comfortable modular design allows you to dimension the mat to your exact requirements!

- 3' x 3' single workstation sections securely interlock to cover large spaces
- Hidden interlock system requires no additional bevels or attachment devices
- Perfect for high maintenance areas, it's lightweight and easy to clean
- Overall thickness of 1/2" with safety rounded edges and excellent drainage
- Available in two compounds:
 - General-Purpose** - natural rubber
 - Grease Proof** - 50% nitrile rubber (for use around greases, chemicals and caustic agents)
- Colour: Black

Model No.	Description	Dim.		
		W'	x	L'
NC823	General-Purpose	3	x	3
NC824	Grease-Proof	3	x	3

ELECTRICALLY CONDUCTIVE ANTI-FATIGUE NO. 786DP/786SM

- Ideal for use in areas at risk for damage from static electricity from workers before it can be passed on to sensitive equipment with microprocessors or to flammable liquids
- Surface prevents the accumulation of static electricity
- Nitricell® sponge base provides superior comfort and productivity
- Will drain electrical charge of 20 000 V in less than 1 second
- This mat must be grounded; for maximum effectiveness, ground every 8' to 10'
- 9/16" thick
- Colour: Black

NB692



Protects workers from fatigue & electronic equipment from damage!

3-YEAR WARRANTY



WEARWELL

Model No.	Dim.			Description	Wt. lbs.
	W'	x	L'		
SAL243	2	x	3	Smooth Surface	8.1
NB692	3	x	5	Diamond Plate Surface	23
SAR335	3	x	5	Smooth Surface	16.1
CUTS UP TO 75' IN LENGTH					
NB693	3	x	lin.ft.	Diamond Plate Surface	5
ACCESSORIES					
SAJ574	15' L Ground Wire (Sold Separately)				
SAL252	Heel Grounder No 793HG				

CLEAN ROOM MATS NO. 095

- Traps impurities in areas that require dirt and dust control
- Perfect for outside controlled manufacturing areas, clean rooms, or labs, also keeps dirt from tracking into office areas
- The tacky surface efficiently pulls dirt and dust off shoe soles before it can contaminate a clean or sterile room
- Effective and easy to use, each mat has 30 or 60 layers of tough film once the top layer is contaminated, simply pull it off and discard
- Use on tile, low-profile carpet or concrete surfaces
- Colours: Blue or white
- **Sold per case of 4**




WEARWELL

30 Layers		60 Layers		Dim. W" x L"
White	Blue	White	White	
SEB153	SEB152	SEB162	SEB163	18 x 36
SEB155	SEB154	SEB163	SEB164	18 x 45
SEB157	SEB156	SEB164		24 x 45

FOOT SANITIZING MATS

- Foot sanitizing mats are designed to decontaminate shoes and boots from spreading germs and bacteria
- Ideal for food processing facilities
- Rubber scrappers at the base of the mat dislodge contaminants from shoes or boots while the soles are soaking in solution
- Chemically resistant to common disinfectant solutions
- Capacity: 5.5 gallons
- Dimensions: 32" W x 39" L
- Colour: Black

SDL873



SDL874

ZENITH
Safety Products

Model No.	Border Colour
SDL873	Black
SDL874	Yellow

NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702

CAN INSULATE UP TO 30 000 V!

- High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- Maximum rating: 30 000 V
- Recommended usage: up to 17 000 V
- The corrugated surface is abrasion resistant and easily cleaned
- 1/4" thick
- Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- Passes MSHA IC-246 fire resistance test (mining safety)
- Colour: Black

SAL242



WEARWELL

1-YEAR WARRANTY

NO. 702

Model No.	Dim.		
	W'	x	L'
CORRUGATED			
SAL242	2	x	75
NB657	3	x	75
CUTS UP TO 75' IN LENGTH			
SAL241	2	x	lin.ft.
NB658	3	x	lin.ft.
NB660	4	x	lin.ft.

RUNNER & ENTRANCE MATTING

STANDARD CORRUGATED VINYL NO. 381

THE MOST POPULAR RUNNER MAT!

- Protects floors from foot traffic or special events
- Adds traction where needed
- Reduces cleaning costs
- Flexible, yet durable vinyl compound easily rolls up after use
- Will not curl or shrink during use and is resistant to many chemicals and cleaning fluids
- 1/8" thick
- Colour: Black

The all-purpose runner that makes floors safer to walk on!



NB374

1-YEAR WARRANTY



Model No.	Dim.			Wt. lbs.
	W"	x	L'	
NB374	3	x	105	230
NB376	4	x	105	300
NB375	3	x	lin.ft.	2/lin.ft.
NB377	4	x	lin.ft.	3/lin.ft.

HEAVY DUTY MULTI-GUARD NO. 220

- Thousands of scraping fingers powerfully remove dirt from sight
- Mat holds pounds of dirt between cleanings
- Bevelled edges add no-trip safety
- 2500 rubber scrapers per square foot
- Shake or hose to clean
- 1/2" overall thickness
- Colour: Black

Uses: Heavily trafficked outdoor entrances

1-YEAR WARRANTY

Exceptional dirt trapping qualities solve the problem of damaging grime & moisture tracking!



NB206



Model No.	Dim.			Wt. lbs.
	W"	x	L"	
NB206	24	x	32	8
NB207	28	x	46	15
NB208	32	x	39	15
NG588	36	x	60	31
NB209	36	x	72	35

SCRAPER MATS

- Scrapes shoes and boots clean to avoid tracking dirt, slush, and snow
- Durable rubber mat resists harsh weather conditions
- Low profile design, 5/16" thick
- Easy to clean
- Available with slots to facilitate drainage
- Colour: Black



SDL872



SDL871



Model No.	Description	Dim.		
		W'	x	L'
SDL871	Solid	3	x	5
SDL872	Slotted	3	x	5

MUD CHUCKER NO. 229

15/16" THICK MOBILE SHOE SCRAPER MAT



SAL652

- Use where shoes or boots are exposed to dirt, grass clippings, snow, salt, or sand
- Pliable fingers scrape the bottom and sides of shoes or boots
- Bolt down in permanent applications, or use as a mobile entrance mat for workers who toil in muddy areas and then travel to the next location
- To clean, simply shake or spray off with a hose
- 1" thick at front edge, 2 3/8" on the sides
- Colour: Black

1-YEAR WARRANTY



Model No.	Dim.			Wt. lbs.
	W"	x	L"	
SAL652	12 3/8	x	15 1/4	4.5

INDEX

- Absorbents B201
Adhesives, Spray B149
Aisle Marking Tape B223
Aisle Signs B37
Angled Brooms B177
Antibacterial Soap B179
Appliance Trucks B95-B96
Aprons B216
Archive, Shelving B161
Arm/Leg Bands, Traffic Control B225
Ashtrays B184-B185
Automatic Brake Winches B140
Bag Sealing Tape B152
Bags, Garbage B168
Bags, Poly B153
Balancers, Tool B67
Bands, Hearing B208
Bankers® Boxes B161
Bar Racks B42
Barricade Tape B223
Barricades, Traffic Control B224
Bars, Cargo B117
Batteries B191
Beam Clamps B139
Beam Trolleys B137
Bench Cans B195
Bench Scales B144, B146
Benches B59-B69
Bin Carts B3-B4
Bin Racks B4, B8, B16, B67
Bin Shelves B2-B3, B7-B9
Bin Support Panels B4
Bins
Mobile B2
Nesting B7, B11, B14
Revolving B15
Shelf B6-B7
Small Parts B8, B16
Stacking B1-B3, B6-B7, B9, B11, B14, B24
Steel B24-B25
Blades, Packaging Knife B152
Blankets, Moving B92
Blowers, Portable B183
Bollards B48-B49
Bonding & Grounding Wires B129
Booms, Jib B140
Booster Cables B190
Boot Sanitizer B231
Box Sealing Tape B148
Box Sealing Tape Dispensers B148
Box Trucks B111, B172-B173
Boxes
Corrugated Paper B147
Filing B161
Brooms B177
Buckets B174-B175
Buckles B151
Bumpers, Dock B117
Bung Wrenches B123
Cabinet Drawers B23
Cabinet Tables B69
Cabinets
Computer B158-B159
Drum B197
Filing B160
Flammables B196-B197
Gas Cylinder B197
Key B162
Paint and Ink B196
Small Parts B15, B17-B21, B23
Storage B5, B51-B57
Tool Storage B72-B73
Cable Lockouts B221
Cable Protectors, Dock B116
Cables, Booster B190
Cans
Bench B195
Garbage B164, B166-B168
Oil B194
Oily Waste B198
Plunger B195
Safety B198
Cantilever Racks B42
Cargo Bars B117
Carton Rack B147
Carton Staplers B147
Cartridges, Respirator B209
Carts
Bin B3-B4
Drywall B106
Janitorial B175
Ladder B82
Lumber B106
Order Picking B109
Parts Storage B20
Shelf B28, B107-B110
Shop B3-B4, B20, B28, B107-B111
Stock Picking B107
Tool B67, B69, B72-B73
Trades B110
Utility B28, B110-B111
Cases, Small Parts B22
Casters B93, B106, B112-B113, B154-B155
Ceiling Fans B186
Ceiling Mounted Heaters B188
Chain, Lifting B139
Chairs B154-B157
Changing Tables B178
Checks, Tool Storage B72-B74
Chests B114-B115
Clamps
Beam B139
Drum Lifting B132
Lifting B139
Paper B160
Cleaners B176, B179
Cleats B223
Clevis Grab Hooks B140
Clocks B162
Closures, Drum B121
Clothing B216-B217, B225
Collapsible Containers B25
Column Protectors B48
Computer Cabinets B158-B159
Cones, Traffic Control B224
Connectors, Straight Blade B189
Containers
Collapsible B25
Distribution B10-B13
Mobile Bins B2
Nesting Bins B7, B11, B14
Outdoor B169
Poly B121
Recycling B164-B165
Revolving Bins B15
Salt & Sand B169
Shelf Bins B6-B7
Small Parts Bins B8, B16
Stacking Bins B1-B3, B6-B7, B9, B14, B24
Steel Bins B24-B25
Tanks B14
Transfer Boxes B11
Convex Mirrors B222
Coolers, Containers B163
Cord Reels B192
Cord Retainers, Eyewear B207
Cords, Extension B189-B190
Corkboards B161
Corn Brooms B177
Corner Protectors B48, B151
Corrugated Boxes B147
Counting Scales B144
Coveralls B217
Covers, Drum B122, B136
Crane Scales B145
Cranes B141-B142
Crowd Control B224
Curtains, Strip B46-B47
Cut Resistant Gloves B213-B214
Degreasers B176
Deheaders, Drum B123
Delineators, Traffic Control B224
Desk Lamps B162
Desks, Shop B70
Dial Scales B145-B146
Diaphragm Pumps B125
Disinfectants B176
Dispensers
Aisle Marking Tape B223
Box Sealing Tape B148
Ear Plug B208
Filament Tape B148
Hand Sanitizer B179
Hand Soap B179
Reel B89
Strapping B150
Stretch Wrap B147
Two-Way Tape B148
Displays, Literature B159
Disposable Dust Masks B209
Disposable Gloves B215
Disposable Respirators B209
Distribution Containers B10-B13
Drum Equipment
Bumpers B117
Cable & Hose Protectors B116
Dock Risers B118
Dockboards B118
Dockplates B119
Fenders B117
Lights B120
Pallet Pullers B117
Rail Chocks B114
Walkramps B119
Wheel Chocks B114-B115
Dock Lights B120
Dollies
Aluminum B90
Cabinet B57
Drum B131, B135, B164, B166, B202-B203
Pail B131
Polyethylene B93
Pry B90
Stacking B10
Steel Deck B57, B93
Wood B93
Dome Mirrors B222
Doors, Curtain B46-B47
Double Stepladders B78-B81
Drafting Stools B155, B157
Drain Seals B201
Drawers, Cabinet B23
Drip Pans B124
Drum Equipment
Bonding & Grounding Wires B129
Cabinets B197
Closures B121
Covers B122, B136
Deheaders B123
Dollies B131, B135, B164, B166, B202-B203
Faucets, Drum B124
Funnels B136
Gauges B124
Heaters B128
Lifters B132-B134
Liners B122
Pail Heaters B128
Pail Inserts B122
Pail Tipppers B123
Pails B14
Pallet Servers B134
Pumps B125-B127
Racks B135, B203
Rockers B131
Rotators B131
Spill Pallets B203-B204
Spotters B130
Strainers B122
Tilters B126, B131, B135
Trays B136
Trucks B130-B131
Upenders B123
Valves B124
Vents B124
Drum Fans B186-B187
Drum Tools, Pail Openers B123
Drum Tools, Wrenches B123
Drums B121
Drywall Carts B106
Duct Tape B149
Dump Trucks B170-B171
Dust Masks, Disposable B209
Dustpans B177
Ear Muffs B208
Ear Plugs B208
Eco-Guard Paint B185
Edge Protectors B48, B151
Electrical Plug Lockouts B221
Emergency Showers B219
Entrance Matting B229, B232
Envelopes, Packing List B147
Exhaust Fans B186
Expandable Gates B174
Extension Cords B189-B190
Extension Ladders B79-B82
Extension Poles B177
Extensions, Forklift B89
Extinguishers, Fire B198
Eyewash Stations B218
Eyewear B206-B207
Faceshields B205
Fall Protection B76, B210
Fan Forced Heaters B188
Fans B186-B187
Faucets, Drum B124
Fenders, Dock B117
Filament Tape B148
Filament Tape Dispensers B148
Filing Boxes B161
Filing Cabinets B160
Filters, Water B163
Fire Extinguishers B198
First Aid B218-B219
Flashlights B190-B191
Flat Mirrors B222
Flat-Free Casters B113
Floodlights B192
Floor Cleaners B176
Floor Cranes B141
Floor Fans B187
Floor Scales B146
Floor Signs B175
Fluorescent Lamps/Light Bulbs B190
Folding Chairs B157
Folding Gates B48
Folding Tables B161
Footwear, Covers B216
Forklift Attachments
Drum Lifters B133-B134
Extensions B89
Maintenance Platforms B76
Fountains, Water B163
Full Face Respirators B209
Funnels B136, B194
Furniture Pads B92
Gantry Cranes B142
Garbage Bags B168
Garbage Cans B164, B166-B168
Garden Hose Hangers B193
Garden Hoses B193
Gas Cylinder, Cabinets B197
Gas Cylinder, Lockouts B58
Gate Valve Lockouts B221
Gate Valves B124
Gates, Expandable B174
Gauges, Folding B48
Gauges, Drum B124
Glasses B206-B207
Gloves B211-B215
Glow in the Dark Tape B223
Goggles, Safety B206-B207
Grease Guns B194
Guard Rails B49
Guards, Perimeter B41, B44, B49
Guns, Garden Hose B193
Guns, Grease B194
H.I.D. Lamps/Light Bulbs B190
Hair Nets B216
Half Mask Respirators B209
Halogen Lamps/Light Bulbs B192
Hammer Tackers B147
Hand Cleaners B176, B179
Hand Lamps B192
Hand Pumps B125-B127
Hand Sanitizer Dispensers B179
Hand Sanitizers B179
Hand Towels B178
Hand Trucks B94-B97, B99
Hand Winches B140
Hangers, Garden Hose B193
Hanging Scales B145
Hard Hats B205
Harnesses, General B76, B210
Harnesses, Traffic Control B225
Hasp Lockouts B221
Hazardous Materials Cabinets B196-B197
Hearing Bands B208
Heaters B128, B188
High Visibility Clothing B225
Hoists, Manual B137
Hoists, Tool Storage B71
Hook & Loop Fasteners B159
Hooks
Clevis Grab B140
Drum Lifting B132
Lifting B140
Slip B140
Hoppers, Self-Dumping B170
Horizontal Sheet Rack B42
Hose Protectors, Dock B116
Hose Reels B143
Hoses, Garden B193
HVAC B183, B186-B188
Incandescent Lamps/Light Bulbs B162
Industrial Cleaners B176
Inserts, Pail B122
Inspection Mirrors B222
Instruments, Scales B144-B146
Jacks, Scissor B105
Jacks, Trailer B117
Jersey Gloves B212
Jib Booms B140
Jiggers B86-B88, B94, B105
Jobsite Boxes B22, B74-B75
Keel Klamp® Pipe Fittings B50
Keel Klamp® Piping B50
Key Cabinets & Key Tags B162
Knit Gloves B212
Knives B152
Label Holders B3, B37
Label, Recycling Container B165
Ladder Trucks B82
Ladders B77-B85
Lamps
Desk B162
Fluorescent B190
H.I.D. B190
Halogen B120, B192
Incandescent B162
LED B120
Lanyards
Eyewear B207
Self-Retracting B210
Shock Absorbing B76, B210
Leak Diverters B201
Leather Gloves B211
LED Lamps/Light Bulbs B120
Leg/Arm Bands, Traffic Control B225
Lever Pumps B127
Lids
B164-B167
Drum B122, B136
Lift Tables B104-B105
Lifters, Drum B132-B134
Lifters, Shop B89, B203
Lifting Equipment
Beam Clamps B139
Beam Trolleys B137
Chain B139
Clevis Grab Hooks B140
Cranes B141-B142
Hoists B137
Hooks B140
Jacks B105, B117
Jibs B140
Lift Tables B104-B105
Lifting Clamps B139
Pallet Lifters B105, B142
Pallet Trucks B86-B88, B94, B105
Skid Lifts B104
Slings B138-B139
Slip Hooks B140
Stackers B89-B90, B203
Vacuum Cups B139
Light Bulbs B120, B162, B190, B192
Lighting
Desk Lamps B162
Dock Lights B120
Flashlights B190-B191
Floodlights B192
Hand Lamps B192
Lamps/Light Bulbs B120, B162, B190, B192
Spot Lights B191
Task Lights B190
Telescopic Lights B192
Limited Use Clothing B216, B217
Liners, Drum B122
Liquid Measures B194
Liquid Tip Markers B153
Literature Displays B159
Locker Room Benches B59
Lockers B57-B59
Lockouts B58, B221
Locks, Padlocks B55, B220
Logistic Straps B92
Lubricating Equipment B194
Lumber Carts B106
Machine Stands B64
Machinery Rollers B91
Magnetic Tags B37
Mail Sorters B160
Maintenance Platforms B76
Markers B153
Marking Paint B223
Marking Wands B223
Masking Tape B148
Masks, Dust B209
Matting B194, B226-B232
Measuring Cups B194
Mesh Partitions B41, B44-B45, B49
Mirrors B222
Mobile Bins B2
Mops B175
Moving Supplies B92, B95
Muffs B208
Multi-Purpose Ladders B81
Nesting Bins B7, B11, B14
Nozzles, Garden Hose B193
Nylon Casters B112
Oil Cans B194
Oily Waste Cans B198
Open Wire Workstations B65

- Openers, Pail.....B123
 Order Picking Carts.....B109
 Overpack.....B202
 Packing List Envelopes.....B147
 Padlocks.....B95, B220
 Pads, Furniture.....B92
 Pads, Spill Control.....B200-B201
 Pail Dollies.....B131
 Pail Funnels.....B136
 Pail Heaters.....B128
 Pail Inserts.....B122
 Pail Openers.....B123
 Pail Tipplers.....B123
 Pails.....B14
 Paint Markers.....B153
 Paint Sticks.....B153
 Paint.....B185, B223
 Pallet Lifters.....B105, B142
 Pallet Pullers.....B117
 Pallet Racks.....B40-B41
 Pallet Servers.....B134
 Pallet Trucks.....B86-B88, B94, B105
 Pallets.....B43, B203-B204
 Panel Trucks.....B106
 Pans, Drip.....B124
 Paper Clamps, Hanging.....B160
 Paper, Toilet.....B178
 Partitions.....B41, B44-B49, B174
 Parts Cleaning.....B195
 Parts Storage Carts.....B20
 Parts Washers.....B195
 Pedestal Fans.....B187
 Perimeter Guards.....B41, B44, B49
 Permanent Markers.....B153
 Pillows, Spill Control.....B200
 Pins, Push.....B161
 Pipe Fittings, Kee Klamp®.....B50
 Piping, Kee Klamp®.....B50
 Piping, Pneumatic.....B50
 Platform Ladders.....B78-B81, B85
 Platform Scales.....B145-B146
 Platform Trucks.....B100-B107
 Platforms, Maintenance.....B76
 Platforms, Work.....B82, B85
 Plunger Cans.....B195
 Pneumatic Piping.....B50
 Poly Bags.....B153
 Poly Tubing.....B149
 Portable Blowers.....B183
 Portable Buildings,
 Smoking Shelters.....B185
 Portable Scales.....B144-B145
 Positioners, Work.....B90
 Posts, Crowd Control.....B224
 Pressure Washers.....B193
 Primers, Alkyd Enamel.....B185
 Pry Dollies.....B90
 Pullers, Pallet.....B117
 Pumps.....B125-B127
 Push Brooms.....B177
 Push Pins.....B161
 Rack, Carton.....B147
Racks
 Bar.....B42
 Bin.....B4, B8, B16, B67
 Cantilever.....B42
 Drum.....B135, B203
 Pallet.....B40-B41
 Sheet.....B42
 Stacking.....B24-B25, B42
 Threaded Rod.....B42
 Radiant Heaters.....B188
 Rag Rugs, Spill Control.....B200
 Rags.....B175
 Rail Chocks.....B114
 Rainwear, Suits.....B216
 Ramps, Walk.....B119
 Ratchet Straps.....B92
 Receiving Scales.....B145
 Recycling Containers.....B164-B165
 Reel Dispensers.....B89
 Reels, Cord.....B192
 Reels, Hose.....B143
 Respirators.....B209
 Revolving Bins.....B15
 Rinse Tanks.....B195
 Risers, Dock.....B118
 Rockers, Drum.....B131
 Rollers, Machinery.....B91
 Rolling Ladders.....B83-B85
 Rolls, Spill Control.....B200-B201
 Rotary Pumps.....B125
 Rotators, Drum.....B131
 Round Point Shovels.....B193
 Runner Matting, Vinyl.....B229, B232
 Rust Paint.....B185
 Salt & Sand Containers.....B169
 Salvage Drums.....B202
 Sawhorses.....B82
 Scaffolding.....B76, B82
 Scales.....B144-B146
 Scissor Jacks.....B105
 Scoops.....B169, B194
 Scrapers, Rubber.....B232
 Seals, Steel.....B150-B151
 Seating.....B59, B154-B157
 Security, Locking Systems.....
 B55, B162, B220
 Security, Lockouts.....B58, B221
 Semi-Live Skids.....B103
 Service Benches.....B68-B69
 Service Writers.....B70
 Shelf Bins.....B6-B7
 Shelf Carts.....B28, B107-B110
Shelving Units
 Bin.....B2-B3, B7-B9
 Chrome.....B1, B26-B27, B39
 Stainless Steel.....B38, B55
 Steel.....B8, B29-B35, B38-B39
 Steel Wire.....B27
 Widespan.....B161
 Shields, Face.....B205
 Shock Absorbing Lanyards.....
 B76, B210
 Shoe Covers.....B216
 Shop Carts.....B3-B4, B20,
 B28, B107-B111
 Shop Cranes.....B141
 Shop Desks.....B70
 Shop Lifters.....B89, B203
 Shop Sweepers.....B182
 Shovels.....B193, B201
 Showers, Emergency.....B219
Signs
 Aisle.....B37
 Floor.....B175
 Traffic.....B114
 Single Ladders.....B79-B81
 Sit/Stand Stools.....B154-B155
 Skid Lifts.....B104
 Sleeves, Vinyl.....B216
 Slings.....B132, B138-B139
 Slip Hooks.....B140
 Small Parts Bins.....B8, B16
 Small Parts Cabinets.....B15-B23
 Small Parts Cases.....B22
 Smoking Shelters.....B185
 Soap Dispensers.....B179
 Soap.....B176, B179
 Socks, Spill Control.....B200
 Sorbents.....B177, B200-B201
 Sorters, Mail.....B160
 Speed Bumps.....B224
Spill Control
 Drain Seals.....B201
 Drip Pans.....B124
 Drum Dollies.....B131, B164,
 B166, B202-B203
 Drum Racks.....B203
 Drum Trays.....B136
 Funnels.....B136
 Kits.....B199
 Leak Diverters.....B201
 Overpack.....B202
 Pallets.....B203-B204
 Salvage Drums.....B202
 Shovels.....B201
 Sorbents.....B177, B200-B201
 Spot Lights.....B191
 Spotters, Drum.....B130
 Spray Adhesives.....B149
 Sprayers, Lawn & Garden.....B193
 Sprayers, Trigger.....B176
 Square Point Shovels.....B193
 Stackers.....B89-B90, B203
 Stacking Bins.....B1-B3, B6-B7,
 B9, B14, B24
 Stacking Dollies.....B10
 Stacking Racks.....B24-B25, B42
 Staplers.....B147
 Starcarts™.....B173
 Stationary Stools.....B154
 Steno Chairs.....B156
 Stepladders.....B77, B80, B82, B84
 Stepstands.....B84-B85
 Stepstools.....B82, B85
 Stock Picking Carts.....B107
 Stools.....B154-B155, B157
 Stop & Go Lights.....B120
 Straight Blade Connectors.....B189
 Straight Ladders.....B79-B81
 Strainers, Drum & Pail.....B122
 Strapping.....B150-B151
 Straps, Moving.....B92, B95
 Stretch Wrap Dispensers.....B147
 Stretch Wrap.....B147
 Strip Curtain Doors.....B46-B47
 Striping Machines.....B223
 Striping Paint.....B223
 Suits, Rain.....B216
 Sweepers.....B182
 Sweeping Compounds.....B177
 Swivel Stools.....B154-B155, B157
Tables
 Cabinet.....B69
 Changing.....B178
 Folding.....B161
 Lift.....B104-B105
 Work.....B64
 Tags, Key.....B162
 Tags, Magnetic.....B37
 Tanks, Rinse.....B195
 Tanks, Storage.....B14
 Tanks, Wash.....B195
 Tape Dispensers.....B148, B223
Tape
 Aisle Marking.....B223
 Bag Sealing.....B152
 Barricade.....B223
 Box Sealing.....B148
 Duct.....B149
 Electrical.....B149
 Filament.....B148
 Glow in the Dark.....B223
 Masking.....B148
 Tarpaulins.....B92
 Task Lights.....B190
 Telescopic Lights.....B192
 Tensabarriers.....B224
 Test Weights.....B146
 Threaded Rod Racks.....B42
 Thumb Tacks.....B161
 Tie-Downs.....B92
 Tilt Trucks.....B170-B171
 Tilters, Drum.....B126, B131, B135
 Time Clocks.....B162
 Tippers, Pail.....B123
 Toilet Paper.....B178
 Tool Balancers.....B67
 Tool Storage.....B22, B67-B75
 Tops, Drum.....B122, B136
 Towels, Hand.....B178
 Trades Carts.....B110
 Traffic Control.....B223-B225
 Traffic Safety Clothing.....B225
 Traffic Signs.....B114
 Trailer Jacks.....B117
 Transfer Boxes.....B11
 Transfer Pumps.....B125
 Trash Cans.....B164, B166-B168
 Trays, Drum.....B136
 Trestle Stepladders.....B78-B81
 Trigger Sprayers.....B176
 Trolleys, Beam.....B137
Trucks
 Appliance.....B95-B96
 Box.....B111, B172-B173
 Drum.....B130-B131
 Hand.....B94-B97, B99
 Ladder.....B82
 Pallet.....B86-B88, B94, B105
 Panel.....B106
 Platform.....B100-B103, B106-B107
 Tilt.....B170-B171
 Turntables, Pallet.....B90
 Two-Way Tape Dispensers.....B148
 Upenders, Drum.....B123
 Upright Protectors.....B49
 Utility Carts.....B28, B110-B111
 Utility Knives.....B152
 Utility Scales.....B144-B145
 Vacuum Cups.....B139
 Vacuums.....B180-B183
 Valves.....B124
 Vents, Drum.....B124
 Vests, Traffic Control.....B225
 Visors.....B205
 Wagons.....B102
 Walkramps.....B119
 Wall Clocks.....B162
 Wall Mounted Fans.....B187
 Wands, Marking.....B223
 Wash Tanks.....B195
 Washroom Cleaners.....B176
 Wastebaskets.....B167
 Water Filters.....B163
 Water Fountains.....B163
 Water Preservatives.....B218
 Weighing Scales.....B144-B145
 Weights, Test.....B146
 Welding Supplies, Matting.....B230
 Wet Mops.....B175
 Wheel Chocks.....B114-B115
 Wheel Risers.....B118
 Wheelbarrows.....B193
 Wheels.....B113
 Whiteboards.....B161
 Winches, Hand.....B140
 Winter Lined Gloves.....B211, B213
 Wipes.....B175, B178
 Wires, Bonding & Grounding.....B129
 Work Clothing.....B216
 Work Lights.....B192
 Work Platforms.....B82, B85
 Work Positioners.....B90
 Work Tables.....B64
 Workbenches.....B60-B68
 Workstations.....B65-B66
 Worm Gear Winches.....B140
 Wrap, Stretch.....B147
 Wrenches, Bung & Drum.....B123
 Wringers.....B174-B175
 Yoke Style Casters.....B93, B106,
 B112-B113, B154-B155

KANSTOR INC.

100% Newfoundland owned & operated!

Toll free: 877-364-4994

Business: (709) 364-4999 • Fax: (709) 364-5116

P.O. Box 307, Mount Pearl, NL A1N 2C3

1151 Topsail Rd., Mount Pearl, NL A1N 5G2

E-mail: info@kanstor.com • www.kanstor.com



Index

Containers.....B1-B25
Warehouse EquipmentB26-B85
Material Handling EquipmentB86-B143
Scales & Packaging.....B144-B153

Office Products.....B154-B163
Facility Maintenance.....B164-B195
SafetyB196-B232