





















# STRUCTURAL PIPE FITTINGS

There are many variations of fittings to suit a wide range of applications, providing the versatility to achieve any structural configuration. Pipe fittings are galvanized malleable iron castings designed to suit eight sizes of tube. A standard hex key and tube cutters are the only tools required to create strong, rigid structures. Recessed set screws, tightened by the hex key, firmly lock the tube into the fitting. The setscrew is manufactured in case hardened steel and is coated to protect against corrosion.

- Simple method of constructing tubular structures
- Cost effective alternative to welding
- Galvanized to resist corrosion



<b>Pipe size O.D."</b> 1.05 1.315 1.66 1.90 2.375	<b>SHORT TEES</b> RK597 RK598 RK599 RK600 RK601 	<b>LONG TEES</b> RK602 RK603 RK604 RK605 RK606 	<b>SIDE OUTLET TEES</b> RK607 RK608 RK609 RK610 RK611 	<b>TWO SOCKET CROSSES</b> RK612 RK613 RK614 RK615 RK616 
1.05 1.315 1.66 1.90 2.375	<b>90° ELBOWS</b> RK617 RK618 RK619 RK620 RK621 	<b>3 WAY 90° ELBOWS</b> RK628 RK629 RK630 RK631 N/A 	<b>BASE FLANGES</b> RK638 RK639 RK640 RK641 RK642 	<b>RAILING BASE FLANGES</b> RK643 RK644 RK645 RK646 RK647 
1.05 1.315 1.66 1.90 2.375	<b>PLASTIC END PLUGS</b> RA179 RA180 RA181 RA182 RA183 	<b>CLAMP-ON TEES</b> RK651 RK652 RK653 RK654 N/A 	<b>HANDRAIL BRACKETS</b> RK663 RK664 RK665 RK666 N/A 	<b>SIDE PALM FIXINGS</b> N/A RK671 RK672 RK673 N/A 
1.05 1.315 1.66 1.90 2.375	<b>SHORT SWIVEL TEES</b> RK677 RK678 RK679 RK680 N/A (sold in pairs only) 	<b>SLEEVE JOINTS</b> RK681 RK682 RK683 RK684 RK685 	<b>INTERNAL JOINTS</b> N/A RK686 RK687 RK688 N/A 	<b>90° CROSSOVERS</b> RK697 RK698 RK699 RK700 RK701 
1.05 1.315 1.66 1.90 2.375	<b>OUTLET TEES</b> RK752 RK753 RK754 RK755 RK756 	<b>GROUND SOCKETS</b> N/A RK648 RK649 RK650 N/A 	<b>GATE EYES</b> N/A RK655 RK656 RK657 RK658 N/A 	<b>GATE HINGES</b> RK659 RK660 RK661 RK662 N/A 

## PIPES

Build an unlimited array of strong rigid structures combining standard black iron (unthreaded) pipe or galvanized (threaded on one side) pipe (schedule 40), with any combination of corresponding sized fittings. Pipe sizes are available from 3/4" to 2" (inside diameter). Standard pipe length is 21 ft., with cut lengths available upon request. A cutting charge will be added per cut length of piping.

Black Iron Model No.	Galvanized Iron Model No.	Pipe O.D."	Pipe I.D."
RA109	RA110	1.05	3/4
RA111	RA112	1.315	1
RA113	RA114	1.66	1 1/4
RA115	RA116	1.9	1 1/2
RA117	RA118	2.375	2

## TOOLS



Model No.	Description
TX413	T-Handle hex key for 1.05", 1.315" and 1.66" pipes
TX414	T-Handle hex key for 1.90" and 2.375" pipes

**LISTA**  
making workspace work®



## DRAWER CABINETS

### LOCKABLE CABINETS

Safety, security, reduced shrinkage  
All cabinets come with individual lock and two keys. Lock cores can be exchanged in the field for both keyed alike and master key systems

### ERGONOMIC HANDLES

Improved safety, appearance and ergonomics  
When drawers are closed, handles are flush with housing so nothing protrudes. Drawer handles are full width, and are located at top of drawer

### HINGED LABEL HOLDERS

Easy labelling of drawer contents  
Drawer handles are covered with clear hinged covers for display of drawer labels

### 100% FULL EXTENSION DRAWERS

**Benefit:** Easy access and full use of the furthest corners of storage  
Continuous smooth extension even with a full load with a 400-lb. capacity

### INSTALLED DRAWER DIVIDERS

Fast, accurate identification of compartment contents and easier inventory control. Angled tops allow easy identification of contents and can accommodate most bar code labels

### PREVENTIP® INTERLOCK SYSTEM

Added safety and security  
Unique, patented drawer locking system ensures that when one drawer is extended, all other drawers are locked closed to prevent accidental tip-over

### FORK TRUCK BASE WITH FRONT AND REAR COVERS


Transport your cabinet easily from one location to another

### EXCLUSIVE SUSPENSION SYSTEM

Durable, smooth, quiet operation

Lista's suspension system has been tested against the globally respected RAL-RG 614 standard. The drawers exceeded the required number of cycles at full load without diminished performance

Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H  
Number of drawers: 5  
Number of compartments: 61  
**Model No. FI125** Bright Blue  
**Model No. FI126** Light Grey




### DRAWER CONFIG.

Drawers 1-3: A  
Drawer 4: B  
Drawer 5: C



Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H  
Number of drawers: 7  
Number of compartments: 114  
**Model No. FI127** Bright Blue  
**Model No. FI128** Light Grey




### DRAWER CONFIG.

Drawers 1-4: A  
Drawer 5: B  
Drawers 6-7: C




Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H  
Number of drawers: 9  
Number of compartments: 154  
**Model No. FI129** Bright Blue  
**Model No. FI130** Light Grey



### DRAWER CONFIG.

Drawers 1-2: A  
Drawers 3-4: B  
Drawers 5-7: C  
Drawers 8-9: D

Overall dimensions: 28 1/4" W x 28 1/2" D x 41 3/4" H  
Number of drawers: 10  
Number of compartments: 210  
**Model No. FI131** Bright Blue  
**Model No. FI132** Light Grey



### DRAWER CONFIG.

Drawers 1-2: A  
Drawers 3-4: B  
Drawers 5-6: C  
Drawers 7-8: D  
Drawers 9-10: E



Other colours available upon request

# DRAWER CABINETS



## DRAWER CABINETS



Overall dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H  
 Number of drawers: 5  
 Number of compartments: 57  
**Model No. FI133** Bright Blue  
**Model No. FI134** Light Grey

### DRAWER CONFIG.



Drawers 1-2: A  
 Drawer 3: B  
 Drawer 4: C  
 Drawer 5: D



Overall dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H  
 Number of drawers: 7  
 Number of compartments: 96  
**Model No. FI135** Bright Blue  
**Model No. FI136** Light Grey

### DRAWER CONFIG.



Drawers 1-2: A  
 Drawers 3-4: B  
 Drawers 5-6: C  
 Drawer 7: D



Overall dimensions: 40 1/4" W x 22 1/2" D x 41 3/4" H  
 Number of drawers: 9  
 Number of compartments: 117  
**Model No. FI137** Bright Blue  
**Model No. FI138** Light Grey

### DRAWER CONFIG.



Drawers 1-2: A  
 Drawers 3-5: B  
 Drawers 6-7: C  
 Drawers 8-9: D



Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H  
 Number of drawers: 8  
 Number of compartments: 88  
**Model No. FI139** Bright Blue  
**Model No. FI140** Light Grey

### DRAWER CONFIG.



Drawers 1-6: A  
 Drawers 7-8: B



Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H  
 Number of drawers: 9  
 Number of compartments: 124  
**Model No. FI141** Bright Blue  
**Model No. FI142** Light Grey

### DRAWER CONFIG.



Drawers 1-4: A  
 Drawers 5-9: B



Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H  
 Number of drawers: 11  
 Number of compartments: 172  
**Model No. FI143** Bright Blue  
**Model No. FI144** Light Grey

### DRAWER CONFIG.

Drawers 1-4: A  
 Drawers 5-8: B  
 Drawers 9-10: C  
 Drawer 11: D




**Call today for all your cabinet needs!**

# DRAWER CABINETS




## DRAWER CABINETS

Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H  
 Number of drawers: 12  
 Number of compartments: 210  
**Model No. FI145** Bright Blue  
**Model No. FI146** Light Grey




**DRAWER CONFIG.**  
 Drawers 1-2, 5-6: A  
 Drawers 3-4, 7: B  
 Drawers 8-10: C  
 Drawers 11-12: D




Overall dimensions: 28 1/4" W x 28 1/2" D x 59 1/2" H  
 Number of drawers: 15  
 Number of compartments: 300  
**Model No. FI147** Bright Blue  
**Model No. FI148** Light Grey




**DRAWER CONFIG.**  
 Drawers 1-15: A




Overall dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H  
 Number of drawers: 7  
 Number of compartments: 66  
**Model No. FI149** Bright Blue  
**Model No. FI150** Light Grey




**DRAWER CONFIG.**  
 Drawers 1-4: A  
 Drawers 5-7: B




Overall dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H  
 Number of drawers: 9  
 Number of compartments: 105  
**Model No. FI151** Bright Blue  
**Model No. FI152** Light Grey




**DRAWER CONFIG.**  
 Drawers 1-3: A  
 Drawers 4-7: B  
 Drawers 8-9: C



Overall dimensions: 40 1/4" W x 22 1/2" D x 59 1/2" H  
 Number of drawers: 10  
 Number of compartments: 159  
**Model No. FI153** Bright Blue  
**Model No. FI154** Light Grey




**DRAWER CONFIG.**  
 Drawers 1-2: A  
 Drawers 3-5: B  
 Drawers 6-8: C  
 Drawer 9: D  
 Drawer 10: E



## SHELF CABINETS

Overall dimensions: 56 1/2" W x 28 1/2" D x 33 1/2" H  
 One fixed and one adjustable shelf  
**Model No. FI157** Bright Blue  
**Model No. FI158** Light Grey



## SHELF CABINETS

Overall dimensions: 40 1/4" W x 22 1/2" D x 33 1/2" H  
 One fixed and one adjustable shelf  
**Model No. FI159** Bright Blue  
**Model No. FI160** Light Grey



## BUTCHER BLOCK TOPS



Fits on 28 1/4" W x 28 1/2" D cabinets  
**Model No. FI155**



Fits on 40 1/4" W x 22 1/2" D cabinets  
**Model No. FI156**

# CABINETS

## SHOP FURNITURE THAT'S BUILT LIKE A TANK!

There are times and environments that demand more than run-of-the-mill shop furniture. This is the time and place for Strong Hold. A line of shop furniture so durable and robust that it is accepted and demanded by industrial heavyweights. Major auto manufacturers use hundreds of these units!



A. FG816



B. FI331



C. FG830



D. FG836



E. FG838

### A. ROUGH & TOUGH STORAGE CABINETS

These heavy-duty 12 gauge steel models provide protection for valuable tools and machine parts. Built for "rough and tough" industrial use. Shelves are adjustable and more can be added for versatility.

Model No.	Width"	Depth"	Height"	O.A. Height"	No. of Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG815	36	20	72	78	4	418	FG820	1600
FG816	36	24	72	78	4	459	FG821	1900
FG817	48	24	72	78	4	557	FG822	1200
FG818	60	24	72	78	4	685	FG823	1650
FG819	72	24	72	78	4	733	FG824	1525

### B. HEAVY-DUTY VENTILATED STORAGE CABINETS

The 12-gauge steel doors are perforated with a diamond shape for easy visibility and ventilation. Ideal for industry, health clubs or any facility where personal belongings need to be securely locked and ventilated.

Model No.	Width"	Depth"	Height"	O.A. Height"	No. of Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FI329	36	24	72	78	4	470	FG821	1900
FI330	48	24	72	78	4	548	FG822	1200
FI331	60	24	72	78	4	666	FG823	1650

### C. DOUBLE SHIFT STORAGE CABINETS

These space saving cabinets provide two separate storage compartments. Companies with a second shift can secure the first shift's valuables while the second shift is on duty. Also you can use one side for personal belongings and the other to store tools.

Model No.	Width"	Depth"	Height"	O.A. Shelf Height"	Adj. Shelf Per Each Side	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG829	48	24	72	78	4	624	FG832	1275
FG830	60	24	72	78	4	722	FG833	1600
FG831	72	24	72	78	4	813	FG834	1950

### D. BROOM CLOSET STORAGE CABINETS

Organize your housekeeping needs with our broom closet cabinets. As heavy-duty as the rest of the Strong Hold line, double doors permit full access to all shelves. Closet side stores long handled floor care items. Use side shelves to store paper products, cleaners and brushes. Shelves can be adjusted or removed to accommodate large pails.

Model No.	Width"	Depth"	Height"	O.A. Height"	Closet Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG835	36	24	72	78	4	477	FG845	1025
FG836	48	24	72	78	4	567	FG846	1375
FG837	60	24	72	78	4	669	FG847	1750

### E. WARDROBE/STORAGE CABINETS

This cabinet fits into the heavy-duty line up as the answer to clothing storage with tools and supplies. 3-point latching mechanism adds extra protection.


Model No.	Width"	Depth"	Height"	O.A. Height"	Closet Shelves	Cabinet Wt. lbs.	Extra Shelf Model No.	Shelf Capacity lbs.
FG838	36	24	72	78	4	477	FG845	1100
FG839	48	24	72	78	4	567	FG846	1500
FG840	60	24	72	78	4	669	FG847	1900

## DEEP DOOR STORAGE CABINETS

- Padlock hasp (cannot be accessed by bolt cutters) helps secure the contents of this deep door high-density storage cabinet
- Four reinforced adjustable main shelves are complemented by six adjustable mini shelves in each 4" deep hinged door for a capacity unmatched by any other cabinet
- Padlock sold separately
- Capacity per shelf: 500 lbs.



Special padlock hasp conceals padlocks from bolt cutters.



Model No.	Description	Dimensions			Wt. lbs.
		W"	D"	H"	
FB024	Cabinet	38	24	72	315
FB025	Extra Shelf for Cabinet	38	21 1/4	-	18
FB026	Extra Shelf for Door	18	6	-	2
SA898	Padlock Keyed Different				
SR892	Padlock Keyed Alike				

## DEEP DOOR 96-BIN COMBINATION CABINETS

- All-welded heavy-duty 16-gauge combination bin/shelf cabinet
- 4" deep hinged doors
- Two reinforced 16-gauge main adjustable shelves with 500-lb. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Unique padlock hasp helps prevent access with bolt cutters
- Padlock sold separately
- Powder-coated Kleton grey finish
- **Bins included:**  
84 each of 4 1/8" W x 5 3/8" D x 3" H  
12 each of 5 1/2" W x 10 7/8" D x 5" H

CF373



Model No.	Description	Wt. lbs.
CF371	Cabinet w/Blue Plastic Bins	359
CF372	Cabinet w/Red Plastic Bins	359
CF373	Cabinet w/Yellow Plastic Bins	359
CF374	Cabinet w/Green Plastic Bins	359
CF375	Cabinet w/Stone Plastic Bins	359

## VISIBLE STORAGE WIRE MESH CABINETS

- All-welded mesh storage cabinet provides a secure yet visible area to place your tools and equipment
- Reinforced K-brace welded to the door frame delivers additional strength
- Diamond-shaped 13-gauge steel mesh
- Adjustable shelves bolt into holes
- Door has 3-point latching system with cam-lock and chrome-plated handle
- Dimensions: 24" W x 21" D x 72" H
- Weight: 146 lbs.

Model No. FB015

**LYON**



## HEAVY GAUGE STORAGE CABINETS

- All-welded 14-gauge cabinets and shelves which can be adjusted every 3"
- Doors feature secure 3-point locking system
- 7-gauge bolt-on legs adding 4" to overall height of cabinet and provide fork lift access to move cabinet
- Capacity per shelf: 1450 lbs.



**LYON**

Model No.	Dimensions			No. of Shelves	Wt. lbs.
	W"	D"	H"		
FB013	36	21	78	4	370
FB012	36	21	60	3	300
FB011	36	21	42	2	230

## CLEARVIEW CABINETS

- Clear polycarbonate windows so all your tools and supplies are visible at a glance
- 12-gauge 1-piece body design
- 6" sweep space
- Adjustable 14-gauge shelves
- 3-point locking device
- Hinges are 10-gauge



**Strong Hold**

Model No.	Dimensions			O.A. Height"	No. of Shelves	Shelf Cap. lbs.	Wt. lbs.
	W"	D"	H"				
FG851	48	24	60	66	3	1200	446
FG852	48	24	72	78	4	1200	536

## EXTRA HEAVY-DUTY STAINLESS STEEL CABINETS

- The strongest storage product available in the market today
- Made of 12-gauge, #304 stainless steel, with a #3 finish
- Corrosion-resistant, acid-resistant, will not rust and will take the everyday abuse in an industrial environment
- Shelves adjust on 2" centers
- 3-point locking system
- 7-gauge welded legs

**Strong Hold**



These units can also be found in medical, pharmaceutical, automotive, electronics, textile, breweries, marine facilities, restaurants, etc.

Model No.	Dimensions			O.A. Height"	No. of Shelves	Shelf Cap. lbs.	Wt. lbs.	Extra Shelf Model No.
	W"	D"	H"					
FI340	36	24	60	66	3	1900	406	FI349
FI341	36	20	72	78	4	1600	435	FI350
FI342	36	24	72	78	4	1900	475	FI349
FI343	48	24	60	66	3	1200	489	FI351
FI344	48	24	72	78	4	1200	573	FI351
FI345	60	24	60	66	3	1650	595	FI352
FI346	60	24	72	78	4	1650	699	FI352
FI347	72	24	60	66	3	1525	726	FI353
FI348	72	24	72	78	4	1525	856	FI353

# CABINETS

## COMPACT CABINETS

### COUNTER HIGH CABINETS

- Serves as counter and cabinet combo
- Double doors with 3-point door locking device swing to full 180°
- Quiet operating cabinet
- Two shelves, adjustable every 2"
- Cabinet dimensions: 36" W x 42" H with 18" or 21" D
- Capacity per shelf: 180 lbs.
- Shipped knocked down



**LYON**

Model No.	Description	Depth"	Wt. lbs.
FF985	Cabinet	18	88
FF986	Cabinet	21	96
FF987	Extra Shelf for FF985	18	7
FF988	Extra Shelf for FF986	21	9

### ECONOMICAL COMPACT CABINETS

- Ideal anywhere a full sized cabinet is too large
- Includes adjustable shelves
- Locking doors
- Shipped knocked down



**edsal**

Model No.	Dimensions W" x D" x H"	No. of Shelves	Wt. lbs.
FH482	21 x 15 x 35	2	33
FH483	30 x 15 x 66	4	50

### VISUAL CABINETS

- Keep a close eye on valuable inventory
- Plexiglass door panels resist breakage and will not shatter
- 22-gauge shelves, adjustable on 2" centres
- 20-gauge steel doors
- 3-point locking mechanism with die-cast locking handle (includes two keys)
- Capacity per shelf: 150 lbs.
- Shipped knocked down



**edsal**

Model No. Tan	Model No. Grey	Dimensions W" x D" x H"	No. of Shelves
MI629*	FH645*	30 x 12 x 26	2
MI630	FH646	36 x 18 x 42	2
MI631	FH647	36 x 24 x 78	4

\*Wall unit

## 48" EXTRA-WIDE ALL-WELDED CABINETS

- Offers plenty of storage space for large and small supplies
- All-welded 20-gauge steel construction
- Overall dimensions: 48" W x 24" D x 72" H
- Capacity per shelf: 175 lbs. evenly distributed
- **Includes:** Four adjustable shelves and locking handle
- Fully assembled



**RLB**  
PLUS

Model No.	Colour	Wt. lbs.
FJ860	Charcoal	230
FJ869	Beige	230

## ECONOMICAL QUICK ASSEMBLY STORAGE CABINETS

- Designed for an easy assembly with fewer fasteners
- Shelves are easily adjustable on 2" centres
- 1-piece base serves as an additional shelf increasing storage capacity
- 3-point locking system, with locking chrome handle and two keys, adds security
- Capacity per shelf: 100 lbs.
- Tough grey or tan powder coat finish for durability
- Shipped knocked down



**edsal**

Model No. Grey	Model No. Tan	Dimensions W" x D" x H"	Wt. lbs.
FH643	FH648	30 x 15 x 66	88
FH649	FH650	36 x 24 x 78	130
FH651	FH652	48 x 24 x 78	158

## ALL-WELDED DEEP HI-BOY STORAGE CABINET

- Suitable for office, plant, school or institutional storage needs
- Four fully adjustable shelves
- Includes recessed handle and cylinder lock
- Shelf Capacity: 150 lbs. evenly distributed



FJ884

**ACM**

Model No. Black	Model No. Beige	Model No. Charcoal	Dimensions W" x D" x H"
FJ882	FJ883	FJ884	36 x 24 x 72

## WELDED STORAGE CABINETS

- Suitable for office, plant, school or institutional storage needs
- Fully adjustable shelves, recessed handle, cylinder lock, and coat rods (wardrobe and combination types)
- Choose from Hi-Boy, Lo-Boy, wardrobe, and combination cabinets
- Lo-Boy comes with two shelves
- Capacity: 150 lbs. evenly distributed



Lo-Boy Type



Hi-Boy Type



Wardrobe Type



Combination Type



Model No.			Description	Dimensions			Wt. lbs.		
Charcoal	Beige	Black		W" x D" x H"	x	x			
FJ856	FJ864	FJ859	Hi-Boy	36	x	18	x	72	140
FJ867	FJ871	FJ865	Wardrobe	36	x	24	x	72	182
FJ861	FJ858	FJ862	Combination	36	x	18	x	72	121
FJ863	FJ870	FJ868	Lo-Boy	36	x	18	x	72	144
FJ873	FJ875	FJ876	Additional Shelf	36	x	18	x	40	90
FJ881	FJ880	FJ879	Additional Deep Shelf	36	x	16	x	1	6.5

## HEAVY-DUTY WELDED STORAGE CABINETS

- All-welded 20-gauge steel cabinet features four adjustable 18-gauge shelves, locking handle
- Shelves adjust on 2" centres
- Capacity per shelf: 300 lbs. evenly distributed
- Light grey



FJ857



Model No.	Description	Dimensions W" x D" x H"	Wt. lbs.
FJ857	Cabinet	36 x 18 x 72	185
FJ874	Additional Shelf	36 x 18 x 1	8

## WELDED WALL HUNG CABINETS

- Suitable for areas where floor space is limited
- Dimensions: 36" W x 12" D x 30" H
- **Includes:** Fully adjustable shelf, recessed handle and cylinder lock



FJ866

Model No.	Colour	Wt. lbs.
FJ866	Charcoal	55
FJ872	Beige	55



## HEAVY-DUTY CABINET DOLLIES

- Makes cabinets fully mobile
- Allows for easy access during cleaning
- Two rigid and two swivel with brake, 4" blue elastic casters
- Capacity: 800 lbs. evenly distributed



Model No.	Dimensions W" x D"	Wt. lbs.
FI292	36 x 18	32
FI293	36 x 24	33
FI294	48 x 18	34
FI295	48 x 24	36

## STANDARD WELDED GEAR LOCKERS

- Gear lockers are ideal for athletic team rooms, fire fighter's equipment or any other application where easy access to uniforms and/or equipment is required
- Open face and perforated sides make these lockers fully accessible and ventilated
- Lockable safety box and foot locker allows for safely storing of valuable goods
- Lower shelf functions as a bench which eliminates the need for locker room benches
- **Base model includes:** Safety box, upper shelf and coat bar



FJ897




Model No.			Dimensions W" x D" x H"	Wt. lbs.
Light Grey	Beige	Red		
<b>BASE MODELS</b>				
FJ895	FJ894	FJ896	24 x 24 x 72	240
FJ901	FJ900	FJ902	30 x 24 x 72	251
FJ907	FJ906	FJ908	36 x 24 x 72	278
<b>W/FOOT LOCKER &amp; LOWER SHELF</b>				
FJ898	FJ897	FJ899	24 x 24 x 72	280
FJ904	FJ903	FJ905	30 x 24 x 72	296
FJ910	FJ909	FJ911	36 x 24 x 72	328

## DELUXE WELDED GEAR LOCKERS

- Deluxe gear lockers provide security with optimum ventilation for valuable equipment and uniforms
- Wardrobe design interior provides the flexibility to store all different kinds of materials and clothing
- Lower lateral drawer allows you to stow heavier bulky items such as boots or gear bags
- **Base model includes:** Three half shelves, one full width shelf, coat bar and lockable doors



FJ913



Model No.			Dimensions W" x D" x H"	Wt. lbs.
Light Grey	Beige	Red		
<b>BASE MODELS</b>				
FJ913	FJ912	FJ914	36 x 24 x 72	407
<b>W/LATERAL DRAWER</b>				
FJ916	FJ915	FJ917	36 x 24 x 72	527



# LOCKERS

## CLEAN LINE™ ECONOMY LOCKERS


- Fully assembled, prime grade cold rolled steel locker
- All-welded frame with panels and doors assembled with pop rivets
- 20-gauge double pan construction doors, 16-gauge frames, 24-gauge bodies and shelves
- Dimensions: 12" W x 18" D x 72" H
- Single tier locker includes:**  
One hat shelf, three coat hooks and aluminum recessed padlock handle
- Double and Triple lockers include:**  
Two coat hooks per opening and aluminum recessed padlock handle
- High quality baked on enamel standard pearl grey paint (beige also available)

Ventilation holes on frame cross piece

20-gauge steel doors

16-gauge steel frame

Aluminum recessed padlock handle



Bank of 1

Bank of 2

Bank of 3

Bank of 4



### SLOPE TOP

Slope top prevents the collection of debris and is easier to maintain against the accumulation of dust



### RECESSED BASE

Raises locker 4" off the floor



### SINGLE TIER LOCKERS

Model No.	Bank of	Wt. lbs.
<b>BASIC STYLE</b>		
FJ151	1	45
FJ152	2	90
FJ153	3	135
FJ154	4	180
<b>W/SLOPE TOP</b>		
FJ176	1	47
FJ177	2	92
FJ178	3	137
FJ179	4	182
<b>W/RECESSED BASE</b>		
FJ224	1	47
FJ225	2	92
FJ226	3	137
FJ227	4	182
<b>W/RECESSED BASE &amp; SLOPE</b>		
FJ200	1	49
FJ201	2	94
FJ202	3	139
FJ203	4	184
<b>W/PERFORATED DOORS</b>		
FJ478	1	45
FJ479	2	90
FJ480	3	135
FJ481	4	180

### DOUBLE TIER LOCKERS

Model No.	Bank of	Wt. lbs.
<b>BASIC STYLE</b>		
FJ155	1	48
FJ156	2	94
FJ157	3	138
FJ158	4	183
<b>W/SLOPE TOP</b>		
FJ180	1	50
FJ181	2	96
FJ182	3	139
FJ183	4	184
<b>W/RECESSED BASE</b>		
FJ228	1	50
FJ229	2	96
FJ230	3	139
FJ231	4	184
<b>W/RECESSED BASE &amp; SLOPE</b>		
FJ204	1	52
FJ205	2	98
FJ206	3	141
FJ207	4	186
<b>W/PERFORATED DOORS</b>		
FJ482	1	48
FJ483	2	94
FJ484	3	138
FJ485	4	183

### TRIPLE TIER LOCKERS

Model No.	Bank of	Wt. lbs.
<b>BASIC STYLE</b>		
FJ159	1	50
FJ160	2	96
FJ161	3	140
FJ162	4	185
<b>W/RECESSED BASE &amp; SLOPE</b>		
FJ208	1	54
FJ209	2	100
FJ210	3	143
FJ211	4	188
<b>W/PERFORATED DOORS</b>		
FJ486	1	50
FJ487	2	96
FJ488	3	140
FJ489	4	185

### LOCKERETTES

Model No.	Bank of	Wt. lbs.
<b>BASIC STYLE</b>		
FJ171	1	50
FJ172	2	96
FJ173	3	140
FJ174	4	180
<b>W/PERFORATED DOORS</b>		
FJ490	1	50
FJ491	2	96
FJ492	3	140
FJ353	4	180

### ACCESSORIES

Model No.	Description
FJ930	Cylinder Lock
FJ682	Number Plates
FJ685	Coat Rod

### FREE STANDING BASE

- Ideal for making the underneath of your lockers accessible for cleaning

Model No.	For Bank of	Wt. lbs.
FJ931	1	5
FJ932	2	8
FJ933	3	12
FJ934	4	15


- Overall height of 6"
- Constructed of 14-gauge steel legs and 16-gauge steel frame
- Grey



SEE PAGE B220 FOR PADLOCKS AND COMBINATION LOCKS

## ALL-WELDED CONCORDE™ LOCKERS

- All-welded heavy-duty cold-rolled steel construction
- Dimensions: 12" W x 18" D x 72" H
- 16-gauge door game
- 20-gauge double wall door with ventilation
- 11-gauge hasp with easy padlock accessibility
- **Single tier lockers include:**  
One hat shelf and three coat hangers
- **Double and triple lockers include**  
two coat hooks per opening
- Coat hoots are rounded and polished to avoid damage to clothing
- Magnetic latch for secure door closing
- Contemporary style ventilated louvers at top and bottom of each door (12 holes of 1" x 1/4")
- High quality baked on enamel charcoal grey paint (light grey and beige also available)



Magnet in door strike ensures doors will remain closed

Full length handle

Incorporated ventilation on the doors

20-gauge double panelled door

14-gauge hinge

22-gauge galvanised steel bottom



Type	Bank of 1 Model No.	Wt. lbs.	Bank of 2 Model No.	Wt. lbs.	Bank of 3 Model No.	Wt. lbs.	Bank of 4 Model No.	Wt. lbs.
<b>SINGLE LOCKERS</b>								
Basic	FJ783	64	FJ784	119	FJ785	174	FJ786	229
<b>DOUBLE LOCKERS</b>								
Basic	FJ799	65	FJ800	121	FJ801	176	FJ802	231
<b>TRIPLE LOCKERS</b>								
Basic	FJ815	66	FJ816	122	FJ817	178	FJ818	233
<b>LOCKERETTES</b>								
Basic	FK872	64	FK873	119	FK874	174	FK883	229

Slope tops and recessed base options also available

## 16-DOOR ARCHETTES


- Ideal for confined spaces
- 16 lockable compartments
- Bar for hanging garments
- Compartment dimensions 12" W x 18" D x 12" H
- Overall dimensions: 72" W x 18" D x 72" H
- Padlock hasp
- Assembly required



Model No.	Description	Colour	Wt. lbs.
FJ175	Pop Rivet Assembled	Light Grey	165
FL359	All-Welded	Light Grey	180
FL360	All-Welded	Charcoal	180

## PLASTIC LOCKERS

A NEW GENERATION OF LOCKERS



- These plastic lockers are maintenance-free
- Drain holes make them easy to clean, just hose them down with soap and water
- Durable plastic construction makes them perfect for wet environments: food processing plants, athletic facilities, etc.
- Optional clear door design allows for easy inspection locker contents

### SPECIFICATIONS:

- Rust-proof
- No need for painting
- Easy Cleaning
- Maintenance-free
- Durable polyethylene construction
- Each unit is fully assembled
- Easy installation
- Space saving design

Model No.	Description	Dimensions			Hook	Shelf	Top	Door Colour	Wt. lbs.
		W"	x	D"					
FH725	12"H Locker (Usually Stacked 6 units high)	12	x	15	No	No	Flat	Grey	6
FH726	12"H Locker (Usually Stacked 6 units high)	12	x	15	No	No	Flat	Clear	6
FH727	12"H Locker	12	x	15	No	No	Slope	Grey	8
FH728	12"H Locker	12	x	15	No	No	Slope	Clear	8
FC689	18"H Locker (Usually Stacked 4 units high)	15	x	15	No	No	Flat	Grey	10
FC691	18"H Locker	15	x	15	No	No	Slope	Grey	45
FC693	36"H Locker (Usually Stacked 2 units high)	12	x	15	Yes	No	Flat	Grey	16
FH729	36"H Locker	12	x	15	Yes	No	Slope	Grey	18
FC695	Full Size 60"H Locker	15	x	18	Yes	Yes	Slope	Grey	42

All dimensions and weight are nominal and may vary due to molding tolerances. Mounting hardware not included

## WALL HUNG LOCKERS

- All-in-one storage for clothing and personal effects
- Four compartments measuring 12" W x 18" D x 12" H
- Baked enamel grey finish



Model No.	Description	Colour
FJ919	Pop Rivet Assembled	Light Grey
FL357	All-Welded	Light Grey
FL358	All-Welded	Charcoal

## LOCKER ROOM BENCHES

- Necessary for any locker room
- 18 gauge all-welded steel
- Wood top benches feature black powder coated legs that can be used free-standing or bolted to the floor



Model No.	Type	Dimensions				Wt. lbs.	
		L"	x	W"	x		H"
FB002	Steel	72	x	12	x	17	35
RL871	Wood	48	x	9 1/4	x	16 1/2	23
RL872	Wood	60	x	9 1/4	x	16 1/2	29
RL873	Wood	72	x	9 1/4	x	16 1/2	31
RL874	Wood	96	x	9 1/4	x	16 1/2	39

# PEDESTAL WORKBENCHES

## CUSTOMIZE YOUR OWN WORKBENCH . . . SIMPLY SELECT ANY TWO CABINETS LISTED AND ADD A TOP

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Reversible doors, can be opened on either left or right side (factory installed hinges on right side)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size
- 30" overall height with top
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Capacity: 100 lbs. per drawer evenly distributed
- Powder coat finish with grey Kleton shell and Kleton blue on doors and drawers



**FULL DOOR CABINETS**  
**Model FH666**  
16 3/4" W x 21" D x 24" H  
Internal Adjustable  
Shelf included  
Weight: 48 lbs.




**2-DOOR CABINETS**  
**Model FH667**  
(2) 16 3/4" W x 21" D x 12" H  
Weight: 48 lbs.



**2-DRAWER W/ONE DOOR CABINETS**  
**Model FH668**  
(2) 15 3/8" W x 20" D x 5 5/8" H  
(1) 16 3/4" W x 21" D x 12" H  
Weight: 59 lbs.




**2-DRAWER CABINETS**  
**Model F1166**  
(2) 15 3/8" W x 20" D x 11 5/8" H  
Weight: 66 lbs.



**3-DRAWER CABINETS**  
**Model F1167**  
(2) 15 3/8" W x 20" D x 5 5/8" H  
(1) 15 3/8" W x 20" D x 11 5/8" H  
Weight: 78 lbs.



**4-DRAWER CABINETS**  
**Model FH669**  
(4) 15 3/8" W x 20" D x 5 5/8" H  
Weight: 68 lbs.



**4-DRAWER W/ONE DOOR CABINETS**  
**Model FH670**  
(4) 15 3/8" W x 20" D x 2 5/8" H  
(1) 16 3/4" W x 21" D x 12" H  
Weight: 63 lbs.



**6-DRAWER CABINETS**  
**Model FH671**  
(4) 15 3/8" W x 20" D x 2 5/8" H  
(2) 15 3/8" W x 20" D x 5 5/8" H  
Weight: 94 lbs.



**OPTIONAL PEDESTAL BASES**  
**Model FH672**  
4" High -  
34" high with top  
Weight: 5 lbs.

## LEG AND PEDESTAL COMBINATIONS

- All-welded 14-gauge steel legs
- Knockout for standard two-outlet electrical plug
- Overall height of 34" with top
- Powder coated Kleton grey finish

Model No.	Description	Dimensions D" x H"	Wt. lbs.
ML264	Single Leg for Use w/24"D Top	22 x 32	14
ML265	Single Leg for Use w/30"D or 36" D Top	28 x 32	15
FH672*	Pedestal Base (Max 1)	4" H	5
FF920*	Bench Leg Gussets (Pkg. of 2)	-	3

\*Pedestal base and bench leg gussets are required components when building all leg/pedestal combinations



### WE TRY TO MAKE IT EASY . . . LOOK AT OUR PRE-DESIGNED LAYOUT OPTIONS ON PAGES B63 TO B64.

Customize to your specifications. If you need specific sizes or requirements not available on this page... call your Kleton dealer with your specs today!

### HOW TO ORDER

1. Choose the pedestal and leg combination desired
  2. Choose your desired top
- See our selection of workbench tops on page B62.

## CREATE A WORKBENCH DESIGNED FOR YOUR APPLICATION

- Select from the components below to build the workbench to fit your needs
- All components required to make up your workbench are on this page
- Optional features for enhanced functionality are on the following page
- All steel components constructed of 14-gauge steel unless otherwise specified
- All mounting hardware included
- Capacities range from 1000 lbs. to 3000 lbs.
- All steel components are powder coated Kleton grey
- Shipped knocked down

### A - LEGS


- Legs static or mobile
- Comes with knockout for standard two-outlet electrical plug
- Provides an overall height of 34" with top



### B - TOPS

A variety of tops are available. 14-gauge steel wood filled, laminated wood, shop top and plastic laminate in a variety of sizes.

Our complete list of tops can be found on page B62.



### C - UNIVERSAL STRINGERS

- Adds stability to the workbench
- Prevents legs from shifting
- Included in kits **ML266** to **ML269**
- Weight: 11 lbs.

**Model No. FF979** - for 48", 60" or 72" bench


**Model No. FH925** - for 84" bench

**Model No. FH926** - for 96" bench



### THINGS TO CONSIDER WHEN ORDERING A WORKBENCH

1. Determine the size (length, width, height) of the workbench required.
2. Select one of each of the required components listed on this page, respecting the determined size of the workbench.




Model No.	Description	Dimensions D" x H"	Wt. lbs.
<b>ML266*</b>	Pair of Legs for Use w/24" D Top, Includes Stringer FF979	22 x 32	38
<b>ML268*</b>	Pair of Legs for Use w/30" D or 36" D Top, Includes Stringer FF979	28 x 32	45
<b>ML264</b>	Single Leg for Use w/24" D Top	22 x 32	14
<b>ML265</b>	Single Leg for Use w/30" D or 36" D Top	28 x 32	15
<b>ML267*</b>	Mobile Kit for Use w/24" D Top (pair), Includes Stringer FF979	22 x 32	40
<b>ML269*</b>	Mobile Kit for Use w/30" D or 36" D Top (pair), Includes Stringer FF979	28 x 32	40
<b>FG732</b>	Leg Extensions to Make Height Adjustable from 34"-39" in 1" Increments (Set of 4)	-	8

\*For 84" L and 96" L tops, see Universal Stringers

## CUSTOMIZE YOUR WORKBENCH WITH ANY OF THE FOLLOWING OPTIONS

### D - DRAWERS


- Add storage to any workbench
- All-welded heavy-gauge steel
- 100% full extension with ball bearing slide mechanism
- Equipped with locks and two keys
- All locks keyed alike by drawer model
- Custom key options available
- Capacity: 100 lbs. per drawer evenly distributed
- Aluminum extrusion handles with grey end caps
- Overall Dimensions: 18" W x 21" D x 9" H



#### SINGLE DRAWER UNITS

**Model No. FH673**

(1) 15 3/8" W x 20" D x 5 5/8" H



#### DOUBLE DRAWER UNITS

**Model No. FH674**

(2) 15 3/8" W x 20" D x 2 3/4" H

### E - BENCH RISER SHELVES

- Increase storage space
- Ideal for getting tools and other equipment off work surfaces
- 9" D x 12" H • One per workbench

Model No.	Overall Width"	Wt. lbs.
<b>FF956</b>	48	19
<b>FF957</b>	60	24
<b>FF958</b>	72	29
<b>FI319</b>	84	35
<b>FI320</b>	96	42

### G - BACK STOPS

- Add a 3" edge to the back of any workbench
- One per bench top

Model No.	Overall Width"	Wt. lbs.
<b>FF704</b>	48	8
<b>FF705</b>	60	10
<b>FF708</b>	72	12
<b>FI317</b>	84	14
<b>FI318</b>	96	16

### F - LOWER SHELVES

- Add extra storage to any workbench
- One or two 9" deep shelves can be used per workbench

Model No.	Overall Width"	Wt. lbs.
<b>FF934</b>	44 (For Use with 48" Top)	14
<b>FF935</b>	56 (For Use with 60" Top)	16
<b>FF936</b>	68 (For Use with 72" Top)	18
<b>RL866</b>	80 (For Use with 84" Top)	21
<b>RL867</b>	92 (For Use with 96" Top)	24

### H - END STOPS

- Add 3" sides to any workbench
- One per side desired to enclose

Model No.	Overall Depth"	Wt. lbs.
<b>FF792</b>	24	4
<b>FF793</b>	30	5
<b>FF794</b>	36	6



WE TRY TO MAKE IT EASY . . .

LOOK AT OUR PRE-DESIGNED LAYOUT OPTIONS ON PAGES B63 TO B64.

Customize to your specifications. If you need specific sizes or requirements not available on this page... call your Kleton dealer with your specs today!

# CUSTOM WORKBENCHES

## SELECT ONE OF THESE SIX TOPS TO CUSTOMIZE YOUR WORKBENCH.

### LAMINATED HARDWOOD TOPS - SQUARE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"



Model No.	Dimensions D" x W"	Wt. lbs.	Model No.	Dimensions D" x W"	Wt. lbs.
FD015	24 x 48	56	FD025	36 x 48	84
FD016	24 x 60	70	FD026	36 x 60	105
FD017	24 x 72	84	FD027	36 x 72	126
FG969	24 x 84	98	FD028	36 x 84	147
FG970	24 x 96	112	FD029	36 x 96	168
FG972	24 x 120	140	FD023	36 x 120	210
FD019	30 x 48	70	FG976	48 x 48	112
FD020	30 x 60	88	FG977	48 x 60	140
FD021	30 x 72	105	FG978	48 x 72	168
FD022	30 x 84	123	FG979	48 x 84	196
FG973	30 x 96	140	FG980	48 x 96	224
FD018	30 x 120	175	FG982	48 x 120	280

Tops over 36" in depth are shipped in two pieces, hardware is included

### LAMINATED HARDWOOD TOPS - BULLNOSE EDGE

- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- Overall thickness: 1 3/4"




Model No.	Dimensions D" x W"	Wt. lbs.	Model No.	Dimensions D" x W"	Wt. lbs.
FI522	24 x 48	56	FH751	36 x 48	84
FI523	24 x 60	70	FI532	36 x 60	105
FI524	24 x 72	84	FI533	36 x 72	126
FH742	24 x 84	98	FH754	36 x 84	147
FI525	24 x 96	112	FI534	36 x 96	168
FI526	24 x 120	140	FH756	36 x 120	210
FI527	30 x 48	70	FH757	48 x 48	112
FI528	30 x 60	88	FH758	48 x 60	140
FI529	30 x 72	105	FH759	48 x 72	168
FI530	30 x 84	123	FH760	48 x 84	196
FI531	30 x 96	140	FH761	48 x 96	224
FH750	30 x 120	175	FH762	48 x 120	280

Tops over 36" in depth are shipped in two pieces, hardware is included

### SHOP TOPS


- Great top for medium-duty applications
- 1/2" double sealed resin boards laminated over 3/4" MDF core
- Overall thickness: 1 3/4"



Model No.	Dimensions D" x W"	Wt. lbs.
FD001	24 x 48	60
FD002	24 x 60	75
FH764	30 x 48	75
FD004	30 x 60	94
FD005	30 x 72	113
FH765	30 x 84	131
FH766	30 x 96	150
FH767	36 x 48	90
FD006	36 x 60	113
FD007	36 x 72	135
FH768	36 x 84	158
FH769	36 x 96	180

### STEEL WOOD-FILLED TOPS

- Heavy-duty 14-gauge steel with formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"
- Powder coated Kleton grey



Model No.	Dimensions D" x W"	Wt. lbs.
FD030	24 x 48	59
FD031	24 x 60	74
FH871	30 x 48	74
FD033	30 x 60	92
FD034	30 x 72	110
FH872	30 x 84	129
FH873	30 x 96	147
FH874	36 x 48	89
FD035	36 x 60	110
FD036	36 x 72	132
FH875	36 x 84	154
FH876	36 x 96	176

### PLASTIC LAMINATE TOPS


- Light-duty top with smooth white plastic laminate face covering 45-lb. density particle board
- Overall thickness: 1 5/8"
- White



Model No.	Dimensions D" x W"	Wt. lbs.
FD008	24 x 48	65
FD009	24 x 60	72
FH771	30 x 48	72
FD011	30 x 60	90
FD012	30 x 72	108
FH772	30 x 84	126
FH773	30 x 96	144
FH774	36 x 48	86
FD013	36 x 60	108
FD014	36 x 72	130
FH776	36 x 84	151
FH777	36 x 96	173

### 304 STAINLESS STEEL WOOD-FILLED TOPS

- Heavy-duty 14-gauge stainless steel with a number 4 finish and formed edges
- Reinforced with wood core for sound reduction and added strength
- Overall thickness: 1 3/4"



Model No.	Dimensions D" x W"	Wt. lbs.
FI268	24 x 48	59
FI269	24 x 60	74
FI270	30 x 48	74
FI271	30 x 60	92
FI272	30 x 72	110
FI273	30 x 84	129
FI274	30 x 96	147
FI275	36 x 48	89
FI276	36 x 60	110
FI277	36 x 72	132
FI278	36 x 84	154
FI279	36 x 96	176

### STAINLESS STEEL TOP WORKBENCHES

- Top constructed of 14-gauge stainless steel with a number 4 finish and formed edges
- Top reinforced with wood core for sound reduction and added strength
- 1 3/4" overall thickness
- Overall dimensions: 72" W x 30" D x 34" H
- Legs and stringers are constructed from 14-gauge steel powder coated Kleton grey finish
- Capacity: 2500 lbs. evenly distributed

Model No. FI296



KLETON

# WORKBENCHES



SELECT FROM ONE OF OUR PRE-DESIGNED LAYOUT OPTIONS.  
34" OVERALL HEIGHT, CAPACITY 2500 LBS. EVENLY DISTRIBUTED.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
FF672 164 lbs.	FF671 156 lbs.	FF670 166 lbs.	FF669 146 lbs.	FF667 110 lbs.
<b>LAMINATED WOOD</b>				
FF658 171 lbs.	FF657 149 lbs.	FF656 150 lbs.	FF655 130 lbs.	FF653 106 lbs.
<b>SHOP TOP</b>				
FF679 171 lbs.	FH877 157 lbs.	FF677 150 lbs.	FF676 133 lbs.	FH878 111 lbs.
<b>PLASTIC LAMINATE</b>				
FF665 171 lbs.	FH879 152 lbs.	FF663 150 lbs.	FF662 133 lbs.	FH880 108 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
FF707 201 lbs.	FF706 188 lbs.	FF703 203 lbs.	FF702 178 lbs.	FF700 142 lbs.
<b>LAMINATED WOOD</b>				
FF691 208 lbs.	FF690 181 lbs.	FF689 187 lbs.	FF688 162 lbs.	FF686 138 lbs.
<b>SHOP TOP</b>				
FF715 208 lbs.	FH881 189 lbs.	FF713 187 lbs.	FF712 165 lbs.	FH882 143 lbs.
<b>PLASTIC LAMINATE</b>				
FF698 208 lbs.	FH883 184 lbs.	FF696 187 lbs.	FF695 165 lbs.	FH884 140 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
FG293 228 lbs.	FG292 215 lbs.	FG291 230 lbs.	FG290 205 lbs.	FG289 169 lbs.
<b>LAMINATED WOOD</b>				
FG285 235 lbs.	FG284 208 lbs.	FG283 214 lbs.	FG282 189 lbs.	FG281 165 lbs.
<b>SHOP TOP</b>				
FG296 235 lbs.	FH885 216 lbs.	FG295 214 lbs.	FG294 192 lbs.	FH886 170 lbs.
<b>PLASTIC LAMINATE</b>				
FG288 235 lbs.	FH887 211 lbs.	FG287 214 lbs.	FG286 192 lbs.	FH888 167 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
FG109 209 lbs.	FG108 201 lbs.	FG107 211 lbs.	FG106 191 lbs.	FG104 161 lbs.
<b>LAMINATED WOOD</b>				
FG095 216 lbs.	FG094 194 lbs.	FG093 195 lbs.	FG092 175 lbs.	FG090 158 lbs.
<b>SHOP TOP</b>				
FG116 216 lbs.	FH889 202 lbs.	FG114 195 lbs.	FG113 178 lbs.	FH890 163 lbs.
<b>PLASTIC LAMINATE</b>				
FG102 216 lbs.	FH891 197 lbs.	FG100 195 lbs.	FG099 178 lbs.	FH892 161 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
FG277 208 lbs.	FG276 200 lbs.	FG275 210 lbs.	FG274 190 lbs.	FG273 160 lbs.
<b>LAMINATED WOOD</b>				
FG269 215 lbs.	FG268 193 lbs.	FG267 194 lbs.	FG266 174 lbs.	FG265 156 lbs.
<b>SHOP TOP</b>				
FG280 215 lbs.	FH893 201 lbs.	FG279 194 lbs.	FG278 177 lbs.	FH894 201 lbs.
<b>PLASTIC LAMINATE</b>				
FG272 215 lbs.	FH895 198 lbs.	FG271 194 lbs.	FG270 177 lbs.	FH896 158 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
FG640 213 lbs.	FG641 205 lbs.	FG642 215 lbs.	FG643 195 lbs.	FG644 165 lbs.
<b>LAMINATED WOOD</b>				
FG635 220 lbs.	FG636 198 lbs.	FG637 199 lbs.	FG638 179 lbs.	FG639 162 lbs.
<b>SHOP TOP</b>				
FG645 220 lbs.	FH897 205 lbs.	FG646 199 lbs.	FG647 182 lbs.	FH898 167 lbs.
<b>PLASTIC LAMINATE</b>				
FG648 220 lbs.	FH899 202 lbs.	FG649 199 lbs.	FG650 182 lbs.	FH900 164 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
FG245 263 lbs.	FG244 255 lbs.	FG243 265 lbs.	FG242 245 lbs.	FG241 246 lbs.
<b>LAMINATED WOOD</b>				
FG237 270 lbs.	FG236 248 lbs.	FG235 249 lbs.	FG234 229 lbs.	FG233 213 lbs.
<b>SHOP TOP</b>				
FG248 270 lbs.	FH905 256 lbs.	FG247 249 lbs.	FG246 232 lbs.	FH906 218 lbs.
<b>PLASTIC LAMINATE</b>				
FG240 270 lbs.	FH907 251 lbs.	FG239 249 lbs.	FG238 232 lbs.	FH908 215 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
FG137 304 lbs.	FG136 296 lbs.	FG135 306 lbs.	FG134 286 lbs.	FG132 257 lbs.
<b>LAMINATED WOOD</b>				
FG123 268 lbs.	FG122 289 lbs.	FG121 290 lbs.	FG120 270 lbs.	FG118 254 lbs.
<b>SHOP TOP</b>				
FG144 311 lbs.	FH901 297 lbs.	FG142 290 lbs.	FG141 273 lbs.	FH902 258 lbs.
<b>PLASTIC LAMINATE</b>				
FG130 311 lbs.	FH903 292 lbs.	FG128 290 lbs.	FG127 273 lbs.	FH904 256 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
FG229 261 lbs.	FG228 253 lbs.	FG227 263 lbs.	FG226 243 lbs.	FG225 214 lbs.
<b>LAMINATED WOOD</b>				
FG221 268 lbs.	FG220 246 lbs.	FG219 247 lbs.	FG218 227 lbs.	FG217 211 lbs.
<b>SHOP TOP</b>				
FG232 268 lbs.	FH917 254 lbs.	FG231 247 lbs.	FG230 230 lbs.	FH918 216 lbs.
<b>PLASTIC LAMINATE</b>				
FG224 267 lbs.	FH919 249 lbs.	FG223 247 lbs.	FG222 230 lbs.	FH920 213 lbs.

Continued on page B64

If you need specific sizes or requirements not available on this page ...  
see pages B60 to B62 to customize your own workbench or  
call your Kleaton dealer with your specs today!



# WORKBENCHES



SELECT FROM ONE OF OUR PRE-DESIGNED LAYOUT OPTIONS.  
34" OVERALL HEIGHT, CAPACITY 2500 LBS. EVENLY DISTRIBUTED.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
<b>FG464</b> 247 lbs.	<b>FG465</b> 239 lbs.	<b>FG466</b> 249 lbs.	<b>FG467</b> 229 lbs.	<b>FG468</b> 200 lbs.
<b>LAMINATED WOOD</b>				
<b>FG459</b> 254 lbs.	<b>FG460</b> 232 lbs.	<b>FG461</b> 233 lbs.	<b>FG462</b> 213 lbs.	<b>FG463</b> 197 lbs.
<b>SHOP TOP</b>				
<b>FG469</b> 254 lbs.	<b>FH913</b> 240 lbs.	<b>FG470</b> 233 lbs.	<b>FG471</b> 216 lbs.	<b>FH914</b> 202 lbs.
<b>PLASTIC LAMINATE</b>				
<b>FG472</b> 254 lbs.	<b>FH915</b> 235 lbs.	<b>FG473</b> 233 lbs.	<b>FG474</b> 216 lbs.	<b>FH916</b> 199 lbs.



36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
<b>FG624</b> 266 lbs.	<b>FG625</b> 258 lbs.	<b>FG626</b> 268 lbs.	<b>FG627</b> 248 lbs.	<b>FG628</b> 219 lbs.
<b>LAMINATED WOOD</b>				
<b>FG619</b> 273 lbs.	<b>FG620</b> 251 lbs.	<b>FG621</b> 252 lbs.	<b>FG622</b> 232 lbs.	<b>FG623</b> 216 lbs.
<b>SHOP TOP</b>				
<b>FG629</b> 271 lbs.	<b>FH909</b> 259 lbs.	<b>FG630</b> 252 lbs.	<b>FG631</b> 235 lbs.	<b>FH910</b> 221 lbs.
<b>PLASTIC LAMINATE</b>				
<b>FG632</b> 273 lbs.	<b>FH911</b> 254 lbs.	<b>FG633</b> 252 lbs.	<b>FG634</b> 235 lbs.	<b>FH912</b> 218 lbs.




36" x 72"	36" x 60"	30" x 72"	30" x 60"	24" x 60"
<b>STEEL - WOOD FILL</b>				
<b>FG415</b> 271 lbs.	<b>FG414</b> 263 lbs.	<b>FG413</b> 273 lbs.	<b>FG412</b> 253 lbs.	<b>FG411</b> 224 lbs.
<b>LAMINATED WOOD</b>				
<b>FG420</b> 278 lbs.	<b>FG419</b> 256 lbs.	<b>FG418</b> 257 lbs.	<b>FG417</b> 237 lbs.	<b>FG416</b> 221 lbs.
<b>SHOP TOP</b>				
<b>FG423</b> 278 lbs.	<b>FH921</b> 264 lbs.	<b>FG422</b> 257 lbs.	<b>FG421</b> 240 lbs.	<b>FH922</b> 226 lbs.
<b>PLASTIC LAMINATE</b>				
<b>FG426</b> 278 lbs.	<b>FH923</b> 259 lbs.	<b>FG425</b> 257 lbs.	<b>FG424</b> 240 lbs.	<b>FH924</b> 223 lbs.

## EXTRA HEAVY-DUTY WORKBENCHES

### ALL WELDED BENCHES

- Our most solid workbench available
- All-welded construction features a wood-filled 3/16" steel top with 11-gauge steel legs and stringers
- Mobile units come with 6" polyurethane casters, two swivel with brakes and two rigid
- Bolt-down footplates are standard
- Overall height: 34"
- Durable Kleiton blue enamel finish



3500-lb. or 5000-lb. Capacity All-Welded Bench

Model No.	Style	Dimensions			Cap. lbs.	Wt. lbs.
		W"	x	D"		
<b>FF494</b>	Static	72	x	30	5000	290
<b>FF495</b>	Static	72	x	36	5000	360
<b>FH465</b>	Mobile	72	x	30	3500	290
<b>FH466</b>	Mobile	72	x	36	3500	360

Other sizes available on request

### HEAVY-DUTY MACHINE STANDS

- Designed for use as machinery stand or work table when full-sized workbench is not necessary
- All-welded construction, 14-gauge steel lip-down shelves, with bolt-down footplates on 3/16" x 1 1/2" angle leg
- 14" shelf clearance
- Overall height: 32"
- Durable Kleiton blue enamel finish



1200-lb. Capacity All-Welded

Model No.	Dimensions			Cap. lbs.	Wt. lbs.
	W"	x	D"		
<b>FH268</b>	30	x	18	1200	60
<b>FH269</b>	36	x	24	1200	70
<b>FH270</b>	48	x	24	1200	85



CUSTOMIZE IT TO YOUR SPECIFICATIONS.  
SEE PAGE B71 FOR DETAILS.



### OPEN PEDESTAL BENCHES

- Designed for workshop applications
- Feature 1 3/4" thick solid laminated hardwood top, mounted on all-welded pedestals with two shelves
- Pedestal dimensions: 18" W x 24" D x 32" H
- Overall height: 34"
- Durable Kleiton blue finish



2500-lb. Capacity Pedestal Bench


Model No.	Dimensions			Wt. lbs.
	W"	x	D"	
<b>FF120</b>	60	x	30	158
<b>FF121</b>	72	x	30	175
<b>FF122</b>	84	x	30	192
<b>FF119</b>	120	x	30	245

\* 36" deep units and/or steel tops available upon request.

### ECONOMY GRADE OPEN WORKBENCHES




- Meet any strength requirement for light manufacturing, assembly operations, maintenance service, etc.
- Heavy gauge adjustable legs from 29" to 34", front and back electrical knockouts, 12" wide lower shelf
- Choose between 1" presswood top or plastic top (1 1/2" grey laminated plastic surface) widely used in electronics, laboratories, and institutions
- Capacity: 200 lbs. per sq. ft.




Optional drawer FH271 can be added to all models

Model No.	Description	Dimensions			Wt. lbs.
		W"	x	D"	
<b>FH213</b>	1" Presswood Top	48	x	24	70
<b>FH214</b>	1" Presswood Top	60	x	24	76
<b>FH215</b>	1" Presswood Top	72	x	24	82
<b>FH216</b>	1" Presswood Top	60	x	30	83
<b>FH217</b>	1" Presswood Top	72	x	30	92
<b>FF649</b>	1 1/2" Plastic Top	48	x	24	77
<b>FF650</b>	1 1/2" Plastic Top	60	x	24	83
<b>FF651</b>	1 1/2" Plastic Top	72	x	30	122
<b>FH271</b>	Optional Drawer Only	18	x	12	12

## BUILD YOUR OWN CABINET WORKBENCH



- Versatile cabinet workbench suited for any industrial application that requires work surface and secure tool and parts storage
- Capacity: 1000 lbs. evenly distributed
- Durable Kleton blue enamel finish



### A - CABINET SHELL ONLY

- Made of heavy gauge all-welded 14-gauge steel

Model No.	Dimensions				Wt. lbs.
	W"	x	D"	x H"	
FH165	59	x	28	x 32	105

### B - TOPS

- Our complete list of tops can be found on page B63.



Material	60" W x 30" D	72" W x 30" D	60" W x 36" D	72" W x 36" D
Blue Steel Wood Filled	FH183	FH184	FH185	FH186
Laminated Wood	FD020	FD021	FD026	FD027
Laminated Plastic	FD011	FD012	FD013	FD014
Shop Top	FD004	FD005	FD006	FD007

### C - SHELVES

- Made of 14-gauge steel
- Maximum two per cabinet
- Capacity: 300 lbs.

Model No.	Dimensions			Wt. lbs.
	W"	x	D"	
FH164	58 3/4	x	27 3/4	15


### D - DOORS

- Made of 18-gauge steel on rollers
- Recessed handles
- Includes: Plunger lock and two keys

Model No.	Description	Wt. lbs.
FH163	Door Set, Lock Included	40

### E - DRAWERS

- All-welded heavy gauge steel
- 100% full extension with ball bearing slide mechanism
- All locks keyed alike by drawer model
- Aluminum extrusion handles with grey end caps
- Capacity: 100 lbs. per drawer evenly distributed
- Includes: Locks and two keys



Model No.	Drawer Dimensions				Wt. lbs.
	W"	x	D"	x H"	
FH938	15 3/8	x	20	x 5 5/8	30
FH939	15 3/8	x	20	x 2 3/4	35

## ERGONOMIC WORKSTATIONS

- Highly functional and flexible system of above-work surface accessories and modular components
- Ergonomically designed, delivering easy accessibility with no stretch or strain
- Modular design allows for easy reconfiguration
- Workstation benefits include:
  - Greater productivity and efficiency
  - Reduced strain and increased ergonomic ease
  - Equipped to exactly suit your needs
  - Properly illuminated work areas
- Assembly required

### TO PICK THE RIGHT FRAME FOR YOUR NEEDS YOU MUST DETERMINE THE FOLLOWING MEASUREMENTS:

**Inside Useable Width (A):** Is measured from the inside of one upright to the other.


**Section Width (B):** Is measured from the centre of one upright to the other.

**Overall Width (C):** Is measured from the outside of one foot plate to the other.

Then determine if you require a single frame or double frame unit.

### SURFACE MOUNT FRAMES

- Frames are made from a heavy gauge steel and are notched front and back at 1" increments
- Foot Plate is 2 3/4" x 4"



Model No.	Height"	Inside Useable Width" (A)	Section Width" (B)	Overall Width" (C)	Min Work Surface Width" Required
<b>SINGLE FRAME SECTION</b>					
F1368	30	22 3/4	24	26 3/4	30
F1369	48	22 3/4	24	26 3/4	30
F1370	30	28 3/4	30	32 3/4	36
F1371	48	28 3/4	30	32 3/4	36
FH992	30	34 3/4	36	38 3/4	42
FH994	48	34 3/4	36	38 3/4	42
FH993	30	46 3/4	48	50 3/4	54
FH995	48	46 3/4	48	50 3/4	54
<b>DOUBLE FRAME SECTION</b>					
F1747	30	(2) 22 3/4	(2) 24	50 3/4	54
F1748	30	(1) 22 3/4, (1) 28 3/4	(1) 24, (1) 30	56 3/4	60
F1749	48	(2) 22 3/4	(2) 24	50 3/4	54
F1750	48	(1) 22 3/4, (1) 28 3/4	(1) 24, (1) 30	56 3/4	60



# WORKBENCHES

## ACCESSORIES FOR ERGONOMIC WORKSTATIONS

### OVERHEAD CABINETS

- Protect, secure above-work-surface storage of large, bulky items



Model No.	Overall Dimensions				
	W"	x	D"	x	H"
FI364	24	x	15	x	16
FI365	30	x	15	x	16
FI366	36	x	15	x	16
FI367	48	x	15	x	16

### PLASTIC BOX RAILS

- Easily adjustable for ergonomic access
- Can be mounted either parallel or a 15° angle to the workstation
- Suitable to use with bins that have a rear lip
- Plastic bins not included



Model No.	Overall Width"
FI030	24
FI031	30
FI032	36
FI033	48

### STEEL LOUVERED BACK PANELS

- Designed to accommodate industry standard plastic bins that featured louvered edge or lip



Model No.	Overall Dim. W" x H"	Model No.	Overall Dim. W" x H"
FI034	24 x 18	FI038	24 x 30
FI035	30 x 18	FI039	30 x 30
FI036	36 x 18	FI040	36 x 30
FI037	48 x 18	FI041	48 x 30

### STEEL PEGBOARD PANELS

- Accepts all standard pegging devices
- Holes are 1/4" in diameter



Model No.	Overall Dim. W" x H"	Model No.	Overall Dim. W" x H"
FI042	24 x 18	FI046	24 x 30
FI043	30 x 18	FI047	30 x 30
FI044	36 x 18	FI048	36 x 30
FI045	48 x 18	FI049	48 x 30

### REVERSIBLE MARKERBOARDS/TACKBOARDS

- Two-sided reversible board
- Features white magnetic marker board on one side and grey fabric panel on the other



Model No.	Overall Dimensions W" x H"		
FI050	24	x	30
FI051	30	x	30
FI052	36	x	30
FI053	48	x	30

### OVERHEAD LIGHT FIXTURES

- Tilts up or down 10°
- Kit includes a switch, 8' grounded electrical cord, support track, standard acrylic diffuser and T8 bulbs
- Support brackets not included



Model No.	Use with Frame Overall Width"
FI019	48
FI020	60

Model No.	Support Brackets for Worktops
FI327	Less than 30" Deep
FI328	Greater or Equal to 30" Deep

### HORIZONTAL POWER BOARDS


- 15 Amps with six plugs
- Pivots on axis providing full horizontal adjustability



Model No.	Overall Width"
FI022	24
FI023	30
FI024	36
FI025	48

### ADJUSTABLE SHELVES

- Adjustable, heavy gauge steel shelves can be mounted parallel to the work surface or at a 15° angle for easy ergonomic access
- 100-lb. capacity evenly distributed



Model No.	Overall Dimensions W" x D"		
FI001	24	x	12
FI002	30	x	12
FI003	36	x	12
FI004	48	x	12
FI005	24	x	15
FI006	30	x	15
FI007	36	x	15
FI008	48	x	15
FI009	24	x	18
FI010	30	x	18
FI011	36	x	18
FI012	48	x	18

### SHELF DIVIDERS

- Steel dividers fit over the edge of the shelf when it is mounted parallel to the work surface



Model No.	Overall Dimensions D" x H"		
FI013	12	x	4
FI014	12	x	6
FI015	12	x	8
FI016	15	x	4
FI017	15	x	6
FI018	15	x	8

### VERTICAL POWER BOARDS

- 15 Amps with six outlets
- Mounts vertically to front and back of upright
- Features a lighted on/off switch, 6' cord with grounded plug and circuit breaker
- Bracket and hardware included

Model No. FI021




# WORKBENCHES & WORKSTATIONS

## TOOLS BALANCERS

- Designed to enhance productivity, comfort and safety
- Protect tools from being damaged
- Aircraft (steel/nylon) cable and a standard 360° swivel hanger
- No force required to maintain load, light force to position load
- Installed easily in minutes
- Recommended that a secondary support chain/cable be attached to equipment suspended overhead

Model No.	Mfg. No.	Locking Model No.	Mfg. No.	Capacity lbs.	Cable Travel ft'	Duty
FA124	GM-31	-	-	1-12	4.8	Light
FA125	RB2	-	-	1-2	5.2	Light
FA126	RB4	-	-	2-4	5.2	Light
FA127	RF6	FA128	RFL6	4-6	6.6	Light
FA129	RF8	FA130	RFL8	6-8	6.6	Light
FA131	BF9	FA132	BFL9	6-9	6.6	Light
FA133	BF13	FA134	BFL13	9-13	6.6	Light
FA135	BF18	FA136	BFL18	13-18	6.6	Light



## MAXI-BENCH WORKSTATIONS



- Bring your workstation to your work
- Features a sturdy 30" x 60" wood filled steel top and heavy duty all-welded 14-gauge steel frame mounted on 5" nylon non-marking casters, two rigid, two swivel (with brakes)
- Standard features: 42" high peg board panel, double drawers, swivel-out stool, lower shelf; end stops
- **FF068** (shown) and **FF071** include fluorescent lamp, 25' incandescent drop light, 4-outlet power bar
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish
- Shipped assembled



Model No.	Description	Overall Height"	Wt. lbs.
FF068	Mobile, Complete	76	435
FF069	Mobile, No Electrical	76	415
FF071	Static, Complete	70	425
FF072	Static, No Electrical	70	405


## SINGLE PEDESTAL BENCHES

- Heavy gauge steel cabinet with 1" round tube frame
- Top tray lined with a rubber mat
- Full extension drawers with a capacity of 100 lbs. per drawer
- Four 4" non-marking casters with brakes for smooth, easy rolling
- Overall dimensions 20" W x 21" D x 37" H
- Capacity: 800 lbs. evenly distributed
- Cabinet frame powder coat finish with grey shell and Kleton blue on doors and drawers
- Comes complete with locks and two keys



Model No.	Description	Wt. lbs.
FF984	4-Drawer Cabinet	120
MH801	Single Door Cabinet	75

## 72" LOUVERED BENCH RACKS



- All-welded louvered bench rack designed to be permanently installed on a 72" wide workbench
- Provides tool and storage for assembly or repair operations when combined with plastic parts bins
- 72" W x 15" D x 40" H
- Constructed of 1 1/4" square tube frame
- Durable Kleton blue enamel finish



Model No.	Description
CB364	Bench Rack Only

## RACK/BIN COMBINATIONS

Red	Model No. Blue	Yellow	Bin Qty	Overall Bin Dimensions W" x D" x H"
CB173	CB172	CB174	144	4 1/8 x 7 3/8 x 3
CB176	CB175	CB177	72	5 1/2 x 10 7/8 x 5
CB185	CB184	CB186	36	8 1/4 x 14 3/8 x 7



# SERVICE BENCHES & CABINETS

## MOBILE CABINET BENCHES

- Ideal for maintenance, repair and assembly departments
- Mount one, two or three cabinets from six choices of cabinets
- Heavy-duty 11-gauge steel base, 1 1/4" thick laminated hardwood top and a push handle
- Four 5" non-marking casters: two rigids and two swivels with brake
- Doors are reversible, can be opened either left or right side (factory installed hinges on right)
- All locks keyed alike by pedestal model
- Capacity: 1200 lbs. evenly distributed
- Cabinet frame powder coat finish with grey shell and Kleton blue on doors and drawers
- Shipped knocked down



FH666



FH667



FH668



FH669



FH670



FH671



FI166



FI167

### CONFIGURE YOUR OWN UNIT BY CHOOSING:

1. The pedestal style(s) that suits your needs (to a maximum of three pedestal(s))
2. Add to that the assembly kit, whether it be single, double or triple.  
Assembly kit includes casters, base, handles and 1 1/4" laminated hardwood top.



Assembly Kit

### 1 - PEDESTAL STYLES - COMPLETE WITH LOCK AND TWO KEYS

Model No.	Description	Wt. lbs.
FH666	One Door	51
FH667	Two Half Doors	52
FH668	Two Large Drawers and One Half Door	75
FH669	Four Large Drawers	97
FH670	Four Small Drawers and One Half Door	84
FH671	Four Small Drawers and Two Large Drawers	98
FI166	Two Large Drawers	66
FI167	One Large Drawer and Two Small Drawers	78

### 2 - ASSEMBLY KITS

Model No.	Description	Wt. lbs.
FH407	Single	35
FH408	Double	65
FH409	Triple	95

## MOBILE TOOL BOX BENCHES

- A versatile unit combining tool/storage area with a work surface
- All-welded construction, heavy-duty 11-gauge steel top and base
- Four 5" non-marking casters: two rigids and two swivels with brake
- Overall dimensions: 60" W x 22" D x 37" H
- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish



FF993



FF994

### 3-DRAWER CABINETS WITH FLIP TOP PANEL COMPARTMENT

- One 22 1/8" W x 16 3/4" D x 2" H drawer
- One 22 1/8" W x 16 3/4" D x 4" H drawer
- One 26 1/2" W x 18" D x 12 3/8" H flip top compartment

### 5-DRAWER CABINETS

- One 22 1/8" W x 16 3/4" D x 2" H drawer
- Two 22 1/8" W x 16 3/4" D x 4" H drawers
- Two 22 1/8" W x 16 3/4" D x 6 1/8" H drawers

Model No.	Description	Wt. lbs.
FF993	Five Drawers/Three Drawers	285
FF994	Three Drawers and Side Shelves	220
FF995	Five Drawers and Side Shelves	235



FF995



# TOOL CARTS & MOBILE BENCHES

## ALL WELDED INDUSTRIAL DUTY MOBILE SERVICE BENCHES

- Designed for moving heavy parts and tools to the job site
- 16-gauge all-welded steel construction
- Four 5" non-marking casters: two rigids and two swivels with brake
- Provides a strong maintenance-free surface to work on
- Laminated hardwood top
- Overall dimensions: 42" W x 24" D x 37" H
- Capacity: 1200 lbs. evenly distributed
- Shell durable Kleton blue enamel finish
- Cabinets are powder coated grey and Kleton blue
- Locks included
- Shipped assembled



Model No.	Description	Wt. lbs.
ML325	Two Doors	235
ML326	One Drawer/One Door	190
ML327	Four Drawers/One Door	275
ML328	Eight Drawers	300

**Note:** Choose any combination of cabinets on page B60 to create your customized mobile service bench.



## TOOL TOTER CARTS

- For safe convenient storage of tools and equipment. An excellent addition to any tool centre
- Don't waste time looking for your tools and jigs
  - Each drawer is 15 1/4" W x 23 3/4" D x 4 3/4" H with padlocking hasp
  - Carrier is 18" W x 24" D x 34 1/2" H with 3" hard rubber swivel casters
  - Drawer capacity: 50 lbs.
  - Shipped knocked down



Model No.	Description	Wt. lbs.
FH210	Two Drawers	55
FH211	Four Drawers	85
FH212	Two Drawers and Cabinet	93



## CABINET TABLES

- Sturdy combination storage cabinets and work tables provide safe locked-in storage
- Ideal for mounting vises, grinders or small power tools
- Heavy gauge steel
- Cylinder lock built into handle on door for added security
- Grey baked enamel finish

### 1-SHELF CABINETS

- 24" W x 24" D work area with 2" lip
- Unit is 34" H
- One full size centre shelf adjustable on 1 3/4" centres
- 12 cu. ft. of storage space
- Capacity: 250 lbs. per shelf, evenly distributed
- Weight: 80 lbs.
- Shipped knocked down

**Model No. FF075**

### LOCKING CABINET TABLES

- 36" W x 24" D table top offers a large work area
- Unit is 34" H
- 2" deep lip prevents supplies from falling off
- Comes with one full-size centre shelf adjustable on 1 1/2" centres
- 18 cu.ft. of storage space
- Capacity: 250 lbs. per shelf, evenly distributed
- Weight: 110 lbs.
- Shipped knocked down

**Model No. FF076**

### 3-SHELF CABINETS

- 21" W x 15 1/2" D work surface can be mounted to form a 2" deep tray, or reversed to provide a rimless work area
- Unit is 34" H
- Three adjustable shelves
- 6.2 cu ft of storage space
- Capacity: 125 lbs. per shelf, evenly distributed; 500 lbs. per cabinet
- Weight: 46 lbs.
- Shipped knocked down

**Model No. FF078**



# SHOP DESKS & CABINETS

## WALL-MOUNTED SHOP DESK



- Durable carbon steel construction
- Ideal for areas with limited floor space
- Four compartment organizer and slightly sloped writing surface
- Easy to assemble, wall brackets included
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 19" H
- Weight: 74 lbs.
- Grey enamel finish
- Shipped knocked down

Model No. FI518



## CABINET STYLE SHOP DESK



- Durable carbon steel construction
- Same features as the open floor style shop desk, with an added double door locking cabinet
- Two compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 53" H
- Weight: 146 lbs.
- Grey enamel finish

Model No. FI520



## OPEN FLOOR STYLE SHOP DESK



- Durable carbon steel construction
- Ideal for receiving/shipping clerks, watchmen and shop foremen
- Two compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 24" W x 28" D x 3 1/2" H locking drawer on quiet nylon rollers
- Overall dimensions: 34 1/2" W x 30" D x 53" H
- Weight: 93 lbs.
- Grey enamel finish
- Shipped knocked down

Model No. FI519

### OPTIONAL CASTER KIT

Model No. FI521



## DELUXE SHOP DESKS



- All-purpose desk for warehouses, shops, shipping and receiving departments
- Comes with one tray lockable drawer, two double-deep file drawers, one all purpose drawer, desk top sorter and lower shelf
- Overall dimensions: 39" W x 28 3/4" D x 55 1/2" H
- Capacity: 275 lbs.
- Weight: 179 lbs.
- Grey baked enamel finish
- Shipped knocked down

Model No. FH459



## OPEN STYLE SERVICE WRITERS



- This unit provides a locking upper door cabinet with one shelf for added storage space
- 25 3/8" W x 16 1/2" D x 3 1/4" H locking drawer on smooth slides
- Overall dimensions: 31 1/2" W x 21" D x 72 1/2" H
- Capacity: 200 lbs.
- Weight: 127 lbs.
- Tan baked enamel finish
- Shipped knocked down

Model No. FH386



## CLOSED STYLE SERVICE WRITERS



- Same features as FH386 plus a locking lower door compartment with one shelf for storage of large/bulky items
- Overall dimensions: 31 1/2" W x 21" D x 72 1/2" H
- Capacity: 200 lbs.
- Weight: 171 lbs.
- Tan baked enamel finish
- Shipped knocked down

Model No. FH385



**BUILT** 100% Canadian Owned **KLETON** **TOUGH**



KLETON builds quality and dependability into all of their products. The same is true for products specially built to meet your specifications. Look throughout the catalogue for the KLETON Custom Symbol indicating which products can be customized to meet your specific needs.



## PLASTIC TOOL BOXES

- ABS plastic latches
- Heavy-duty polypropylene fabrication
- Removable inner trays
- Deep storage compartments
- Padlock eye for safe storage

*aurora tools*



TLV083



TLV082



TLV084

Model No.	Dimensions				Features
	W"	x	D"	x H"	
TLV082	15	x	7	x 5 1/2	1 Removable Inner Tray
TLV083	17 1/2	x	9 1/2	x 8	1 Removable Inner Trays
TLV084	17 1/2	x	9 1/2	x 8	1 Removable Inner Trays, 2 Parts Boxes, 1 Organizer
TLV085	22	x	11	x 10 1/2	1 Removable Inner Tray, 3 Organizers
TLV086	22	x	11	x 14 1/2	1 Removable Inner Tray, 3 Organizers, 2 Drawers
TLZ117	5 1/2	x	5 1/2	x 1 1/2	Parts Box

## UTILITY BOXES

- Heavy gauge steel construction
- Fully welded seams provide maximum strength
- Side handles facilitates transportation
- Diamond plate finish
- Black powder coat finish



TEP498

*aurora tools*

Model No.	Dimensions				Wt. lbs.
	W"	x	D"	x H"	
TEP498	31	x	13 1/2	x 10	15
TEP499	45	x	15	x 15	35

## 4-POCKET MULTI-PURPOSE TOOL HOLDERS

- Versatile three-way attachment
- Securely holds small tools or accessories

Model No. WI957



## TOOL/UTILITY HOLDERS

### UTILITY KNIFE HOLDERS

- Made of polyester fabric
- Designed for utility and "lock-back"-style knives, pliers and snips
- Sleeves for pens, markers, carpenter's pencils, with integral measuring tape clip
- Easily snaps on to belts up to 2" wide

Model No. TEP509



### UTILITY POUCHES

Made of full grain leather. Holds knife, pencil, felt marker, and other miscellaneous tools. Excellent for warehousing and utility use.

Model No. TP214



### UTILITY KNIFE & PLIER HOLDERS

Made of heavy top grain leather. All-rivet construction with belt slots. Fits most standard utility style trim knives and most pliers.

Model No. TN244



### UTILITY KNIFE, PEN/PENCIL HOLDERS

Made of full grain leather. Comes with quick release snap belt loop.

Model No. TBN197

# TOOL STORAGE

## ATB100 PORTABLE TOOL BOXES

- Durable steel construction
- Heavy-plated latches
- Inner trays in regular hand boxes
- High gloss powder coat paint finish


**aurora tools®**



TEP337




TEP338



TEP336



TEP339



TEP340

Model No.	Description	Overall Dimensions			Wt. lbs.
		W" x D" x H"			
TEP516	16" Tool Box w/Metal Tool Tray	16 x 6 x 6.5		10	
TEP336	21" Tool Box w/Metal Tool Tray	21 x 8 3/4 x 9		12	
TEP337	26" Tool Box w/Metal Tool Tray	26 x 8 3/4 x 9		15	
TEP338	20" Hip Roof Box w/Metal Tool Tray	20 x 7 x 8		8	
TEP339	21" Cantilever Tool Box	21 x 8 3/4 x 12		16	
TEP340	21" 3-Drawer Chest	21 x 8 3/4 x 12		20	



TEP516

## ATB200

- Double wall construction
- Full extension drawers with smooth action compound drawer slides
- Sturdy 5" x 2" casters
- Heavy-duty 14-gauge caster rails
- 75-lb. load rated drawers
- High gloss powder coat scratch resistant red paint



TEP328



TEP331



TEP333

Model No.	No. of drawers	Dimensions			Capacity lbs.	Wt. lbs.
		W" x D" x H"				
<b>CHESTS</b>						
TEP328	6	26 x 12 x 14 1/2		525	54	
TEP329	12	26 x 18 x 20 1/2		925	59	
TEP330	10	26 x 18 x 20 1/2		825	85	
<b>TOOL CARTS</b>						
TEP493	3	27 x 18 3/4 x 35 5/8		600	89	
TEP331	5	27 x 18 3/4 x 35 5/8		600	93	
TEP332	11	27 x 18 3/4 x 42 3/8		1600	135	

**aurora tools®** **7 YEAR** Limited Warranty

### ACCESSORIES

Model No.	Description	Dimensions			Wt. lbs.
		L" x W" x H"			
TEP333	1-Shelf Side Cabinet	15 x 18 3/4 x 30 1/2		57	
TEP334	7-Drawer Side Cabinet	15 x 18 3/4 x 30 1/2		73	
TEP335	8-Drawer Side Cabinet	15 x 18 3/4 x 37		89	

## ATB300

- Double wall steel construction
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Heavy-duty 5" x 1 1/4" casters on TEP313 and TEP315
- Heavy-duty 5" x 2" casters on TEP317 and TEP319
- Gas struts on lid of TEP316 and TEP318 for ease of opening and closing
- Non-slip drawer liners
- High gloss powder coat scratch resistant black paint



TEP312



TEP314



TEP315

TEP495

Model No.	No. of Drawers	Dimensions			Drawer Capacity lbs.	Capacity lbs.	Wt. lbs.
		W" x D" x H"					
<b>CHESTS</b>							
TEP312	4	26 x 12 x 14 1/2		75	375	41	
TEP314	6	26 x 18 x 19		75	675	75	
TEP316	10	41 x 18 x 19		120	1200	119	
TEP318	6	56 x 24 x 19		120	720	163	
<b>TOOL CARTS</b>							
TEP313	5	27 x 18 x 31		100	500	85	
TEP315	7	27 x 18 x 35 5/8		100	700	102	
TEP317	11	42 x 18 x 40		120	1320	175	
TEP319	10	56 x 24 x 39 1/2		120	1200	320	

### ACCESSORIES

Model No.	Description	Dimensions			Wt. lbs.
		W" x D" x H"			
TEP495	1-Shelf Side Cabinet	14 x 18 x 33 1/2		43	
TEP496	2-Shelf Side Cabinet	15 1/2 x 18 1/4 x 52		80	
TEP497	2-Shelf Side Cabinet	15 x 24 x 51		66	

## ATB400

- Heavy-duty double wall steel construction
- Quadra level ball bearing slides on all drawers
- Heavy-duty reinforced bottom support rails
- Heavy-duty casters 5" x 2" with double layer ball bearings
- Full extension slides for easy reach inside
- Integrated latch security drawer system prevents drawers from accidentally opening
- Heavy-duty gas struts on top lid
- High-gloss powder coat scratch-resistant blue paint
- Includes non-slip drawer liners

**7**  
YEAR  
Limited Warranty



TEP322



TEP323

*aurora tools*


Model No.	No of Drawers	Dimensions			Drawer Capacity Lbs.	Unit Capacity Lbs.	Wt. lbs.		
CHESTS									
TEP320	4	26 7/8	x	18 1/4	x	18 1/4	100	500	74
TEP322	5	26 7/8	x	18 1/4	x	17	100	600	84
TEP324	6	41 1/2	x	18 1/4	x	20	100	700	118
TEP326	9	53 1/2	x	18 1/4	x	22 1/4	100	1000	173
TOOL CARTS									
TEP321	5	28 7/8	x	18 7/8	x	31 3/8	100	600	111
TEP323	7	28 7/8	x	18 7/8	x	36 5/8	100	800	135
TEP325	14	43 3/8	x	18 7/8	x	37 3/4	120	1600	221
TEP327	13	55 7/16	x	18 7/8	x	37 1/2	120	2400	264

## WATERLOO SERIES

- Ball-bearing slides provide 50-lb. drawer load rating
- Standard 4 1/2" x 1 1/2" casters provide 700-lb. unit load rating
- Keyed locks with internal lock bars
- 41" cabinet includes MDF work surface and full-width top drawer for long-tool storage



TEP411



Model No.	Mfg No.	No. of Drawers	Dimensions		
CHESTS					
TEP411	WCH-266RD	6	26	x	12 x 15 1/2
TEP415	WCH-265RD	5	26	x	16 x 20
TEP439	WCH-418RD	8	41	x	16 x 20
INTERMEDIATE CHESTS					
TEP435	WIN-262RD	2	26	x	16 x 10 1/4
CABINETS					
TEP419	WCA-265RD	5	26	x	18 x 32
TEP427	WCA-266RD	6	26	x	18 x 41
TEP443	WCA-4111RD	11	41	x	18 x 37 1/2

## UTILITY CARTS

- Heavy-duty steel construction
- Full extension ball bearing slides on all drawers
- High quality 4" swivel casters
- Drawer capacity: 100 lbs.
- Unit capacity: 550 lbs.
- High gloss powder coat scratch resistant black paint



TEP502



TEP483

*aurora tools*

Model No.	No. of Drawers	Dimensions			Wt. lbs.
UTILITY CARTS					
TEP502	2	46	x	16 1/2 x 36	105
TEP483	4	33	x	18 x 39	100

## WATERLOO SHOP SERIES

- Full-width drawer pulls allows drawer access from all angles
- Friction slides provide 25-lb. drawer load rating
- Sturdy 4" casters for easy mobility provide 500-lb. unit load rating (Tool Center has 3" casters)
- External lock bar with keyed lock
- Top chests include inset handles



TEP457

Model No.	Mfg No.	No. of Drawers	Dimensions		
CHESTS					
TEP457	SCH-264RD-F	4	26	x	12 x 15 1/2
TEP458	SCH-267RD-F	7	26	x	12 x 17 1/2
INTERMEDIATE CHESTS					
TEP460	SIN-263RD-F	3	26	x	12 x 11 1/2
CABINETS					
TEP459	SCA-26514RD-F	5	26	x	14 x 32
TEP461	SCA-265RD-F	5	26	x	18 x 32



# TOOL STORAGE

## JOBBOX HAS:

### EZ-LOADER® SKID BOLSTERS

- Fork lift from any side
- Easily load or unload heavy, fully loaded boxes from any sides
- One piece 7-gauge steel skid bolster reinforces the bottom of the box
- With holes for optional casters

### TEXTURED POWDER PAINT FINISH

- Improved durability over liquid paint
- 10 times more corrosion resistance
- 5 times more abrasion resistance
- 2 times more chip resistance
- 2 times more scratch resistance

### SITE-VAULT™ SECURITY SYSTEM

- 3-locking point system
- Cover plates protect the 3-lock hooks from being bent, broken, cut or pulled out
- Full length, high strength 12-gauge lock console protects the system and reinforces the front of the lid or door
- Exclusive: fluorescent reflective orange tape indicates when the JOBBOX is unlocked

## JOBSITE CHESTS

- Site-Vault™ security system
- Ez-Loader® skid bolsters
- Grip-Rite™ recessed lifting channel
- Staked and welded hinge: 14-gauge steel, 3/8 continuous hinges with 1/4" steel pin and extra-large 1" knuckles
- Heavily reinforced lid and body



## SLOPE LID CHESTS

- All the characteristics of a regular Jobsite Chest plus:
  - Propped lid allows for a flat working surface
  - Full length reinforced channel
  - Lift-N-Stow hinged shelf to store bulky items in the bottom
- 60" W x 30" D x 39 1/2" H
- Usable cu. ft.: 32.7
- Weight: 243 lbs.



## JOBBOX

Model No.	Dimensions					Usable Cu. Ft.	Wt. lbs.
	W"	x	D"	x	H"		
TEP092	36	x	20	x	23 3/4	8.3	98
TEP136	42	x	20	x	23 3/4	9.3	118
TEP137	48	x	24	x	27 3/4	15.4	148
TEP156	60	x	24	x	27 3/4	19.3	182
TEP157	48	x	30	x	33 3/8	24.3	190
TEP158	72	x	24	x	27 3/4	23.2	220

## JOBBOX

## CASTERS

- Heavy-duty casters for added mobility
- **Set includes:** Two fixed and two swivels
- Hardware included



4" Model No. TEP230

6" Model No. TEP231

## PIANO BOXES

- Site-Vault™ security system
- Ez-Loader® skid bolsters
- Grip-Rite™ recessed lifting channel
- Lift-N-Stow bottom shelf
- 3/8 continuous hinges with 1/4" steel pin and extra-large 1" knuckles
- Gas spring door lifts with quick release mount
- Recessed handles, door opens full 90°
- Two storage bins on both sides of walls
- Formed lid sides welded to lid bolsters resists pry bar entry
- **TEP164:** Punch holes for hanging safety harnesses, three shelves with 500-lb. capacity and three storage bins
- **TEP165 and TEP166:** Tapered drop down ramp that closes with a padlock (not included)



## JOBBOX

## SMALL CHESTS & WELDER'S BOXES

- Compact and portable for flexible, secure storage
- A heavily-reinforced 16-gauge steel construction
- **TEP175** offers a heavily-reinforced lid able to resist pry bar entry, a recessed grip channel for opening lid, a bolt cutter proof locking system with a padlock (not included, **SR890**) protecting the lock from bolt cutters and pry bars and tall, strong bottom bolsters
- Staked and welded steel hinges
- **TEP348** is a welder's box that offers a notched upper side for storing tools connected to supply hoses

## JOBBOX



TEP175



TEP348

Model No.	Description	Dimensions				Usable Cu. Ft.	Wt. lbs.
		W"	x	D"	x H"		
TEP175	Small Chest w/Embedded Lock	31	x	18	x 15 1/2	4	5.7
TEP349	Small Chest w/Hasp Lock	30	x	16	x 12	3.3	4.6
TEP348	Welder's Box	30	x	16	x 12	3.3	4.6

Model No.	Dimensions				Usable Cu. Ft.	Wt. lbs.
	W"	x	D"	x H"		
TEP161	48	x	31	x 50	38	286
TEP162	60	x	31	x 50	47.5	326
TEP163	74	x	31	x 50	56.5	423

### HIGH CAPACITY MODEL

TEP164	74	x	34 5/8	x 63	85.7	500
--------	----	---	--------	------	------	-----

### DROP-FRONT MODELS

TEP165	60	x	30	x 50	47.5	405
TEP166	74	x	30	x 50	56.5	468

## FIELD OFFICE

- Site-Vault™ security system
- Ez-Loader® skid bolsters
- One handle lock operation
- 30 cu. ft. storage locker
- Full length heavy-duty stainless steel hinges
- Built-in bottom door storage shelves
- Features overhead tube storage, steel pegboard, storage area for plans and binders, lockable large desktop area and door safety pin latch



## JOBBOX

Model No.	Dimensions				Usable Cu. Ft.	Wt. lbs.
	W"	x	D"	x H"		
TEP167	63	x	42	x 80	100	660

## DRAWER CABINETS

- Site-Vault™ security system
- Ez-Loader® anti-tip skid bolsters
- Hand or foot operated latch released system
- 4 1/2" deep top shelf and 3" x 3" deep shelves on each door
- 3/8 continuous hinges with hardened 1/4" steel pin and extra-large 1" knuckles
- Three 5/8" steel locking pins per door
- High load capacity drawer: Three 2 1/2" deep drawers have 75-lb. capacity, five 5 1/2" deep drawers have 125-lb. load rating
- 60 1/8" W x 30 1/4" D x 53 1/4" H
- Usable cu. ft.: 58.7
- Weight: 610 lbs.

Model No. TEP173

## JOBBOX



## CABINETS

- Site-Vault™ security system
- Heavy-duty doors with Grip-Rite™ channel
- Hand or foot operated latch released system
- 3/8 continuous hinges with hardened 1/4" steel pin and extra-large 1" knuckles
- Heavy-duty high strength shelves
- Three 5/8" steel locking pins per door
- Five models to choose from:

**TEP168:** Two doors, 24" deep  
**TEP169:** Four doors, features front and back access  
**TEP170:** Two doors, tall closed on right side  
**TEP171:** Two doors, 30" deep  
**TEP172:** Two doors, bin and clam shell, has heavy-duty galvanized movable dividers



Model No.	Dimensions					Usable Cu. Ft.	Wt. lbs.
	W"	x	D"	x	H"		
TEP168	60 1/8	x	24 1/4	x	60 3/4	47.5	379
TEP169	60 1/8	x	32 1/4	x	60 3/4	63.7	523
TEP170	60 1/8	x	24 1/4	x	60 3/4	47.5	366
TEP171	60 1/8	x	30 1/4	x	60 3/4	58.7	436
TEP172	72	x	24	x	60 5/8	49	522

## ROLLING WORK BENCHES

- High capacity, fully adjustable interior; drawers and shelves are easy to move to match your requirements, additional drawers and shelves can be added in
- 18-gauge steel drawers with heavy-duty ball bearing glides
- **Includes:** Two fixed and two lockable swivelling casters



Model No.	Description	Dimensions				Usable Cu. Ft.	Wt. lbs.	
		W"	x	D"	x			H"
TEP180	Basic Unit with 6" Casters	49 7/8	x	26 7/8	x	40 5/8	24.6	264
TEP176	2 Drawers, 2 Shelves, 4" Casters	43 7/8	x	26 7/8	x	38 1/2	21.7	266.5
TEP177	2 Drawers, 2 Shelves, 6" Casters	43 7/8	x	26 7/8	x	40 1/2	21.7	279.5
TEP178	4 Drawers, 1 Shelf, 4" Casters	43 7/8	x	26 7/8	x	38 1/2	21.7	294
TEP179	4 Drawers, 1 Shelf, 6" Casters	43 7/8	x	26 7/8	x	40 1/2	21.7	307
TEP181	6 Drawers, 1 Shelf, 6" Casters	49 7/8	x	26 7/8	x	40 5/8	24.6	342

Additional drawers and shelves available upon request

## TRUCK CHESTS

- Gear-Lock II™ locking system
- Self-aligning latch hoops
- Heavy-duty gas spring guards
- High-strength deep bevelled edge lid
- Recessed hinge on all chests, allows lid to be raised fully even when chest is placed flush against truck bed
- Usable Cu. Ft.: 10.2
- 5-year limited warranty



TEP214

Model No.	Dimensions					Finish	Wt. lbs.
	W"	x	D"	x	H"		
<b>ALUMINUM</b>							
TEP214	59 3/8	x	20 1/4	x	19	Clearcoat	49
TEP247	59 3/8	x	20 1/4	x	19	Black	49
<b>STEEL</b>							
TEP248	59 1/8	x	20 1/4	x	19	White	120

## CROSSOVERS TRUCK BOXES

- Gear-Lock II™ locking system
- Self-latching latch hoops cannot be bent or pried out of the lock,
- Deep beveled edge lid design allows body to fit deeper inside the lid
- Channel reinforced front panel, one-piece box body construction, full length bolster reinforcement
- Full-length lock console, drill resistant push button locks
- 5-year limited warranty



TEP192 Single Lid

### SINGLE LID CROSSOVERS TRUCK BOXES

Model No.	Dimensions					Usable Cu. Ft.	Finish	Wt. lbs.
	W"	x	D"	x	H"			
<b>ALUMINUM</b>								
TEP192	72	x	21	x	18 7/8	10.7	Clearcoat	75
TEP232	72	x	21	x	18 7/8	10.7	Black	75
TEP234	72	x	30	x	18 7/8	17.5	Clearcoat	97.5
TEP235	72	x	30	x	18 7/8	17.5	Black	97.5
<b>STEEL</b>								
TEP196	72	x	21	x	18 7/8	10.7	White	156
TEP241	72	x	30	x	18 7/8	17.5	White	191

## UNDERBED TRUCK BOXES

- 3-point locking system
- Rotating T-Handle and drill resistant lock cylinder
- Heavy-duty housing and locking rods
- 3/4" wide rain gutter surrounds the door opening
- Quick-release keyway connectors allow the door end of the support cable to be easily and quickly disconnected to allow the door to drop down
- **Steel underbed truck box** have 3" long industrial grade hinges with 1/2" diameter stainless steel pins, 1-piece lock housing and quick release keywall connectors
- **Aluminum underbed truck box** has continuous 3/8" diameter hinges with 1" knuckles for superior strength and durability

### STEEL

White Model No.	Black Model No.	Dimensions			Wt. lbs.
		W"	x	D"	
TEP199	TEP249	18	x	18	55
TEP200	TEP250	24	x	18	68
TEP201	TEP251	30	x	18	80
TEP202	TEP252	36	x	18	92
TEP203	TEP253	48	x	18	117
TEP204	TEP254	60	x	18	142

### ALUMINUM

Model No.	Dimensions			Wt. lbs.
	W"	x	D"	
TEP205	18	x	18	35
TEP206	24	x	18	40
TEP207	30	x	18	44
TEP208	36	x	18	48
TEP209	48	x	18	61
TEP210	60	x	18	74



TEP207

### MOUNTING BRACKETS

- Sold in pairs

Model No.	Description	Wt. lbs.
TEP360	Mounting Brackets, 18" x 18"	15
TEP361	Mounting Brackets, 24" x 24"	15

# WORK PLATFORMS

## HIGH WORK MAINTENANCE PLATFORMS

- All-welded, ready to use
- Convert forklift truck into safe, efficient work platform
- Take care of overhead maintenance problems without setting up ladders or scaffolds
- Non-skid platform
- 72" safety mesh backscreen keeps operator and equipment away from lift mechanism
- Forks slip easily into pockets and are secured with safety chains
- Load capacity: 1000 lbs.
- Durable Kleton blue enamel finish
- No assembly required



**Note:**  
Kleton maintenance platforms meet or exceed ASME B56.1 safety standard when a safety harness and lanyard are worn.



Model No.	Description	Wt. lbs.
MD444	High Work Platform - 36" W x 36" D x 75" H Platform	230
MH800	High Work Platform - 48" W x 48" D x 75" H Platform	300
MD338	Optional 6" Phenolic Caster Kit, 2 Rigid, 2 Swivel	22
MD948*	Light Bulb Caddy 15" W x 15" D x 43" H	25

### OPTIONAL TOOL TRAYS

MI787	36" L x 4" W x 3" D, Fits on MD444	-
MI788	48" L x 4" W x 3" D, Fits on MH800	-

\* Mounts on MD444 and MH800.

## MAXI ROUND SCAFFOLDING

- Multi-level working area
- 16-gauge steel frame painted using a polyester powder coating
- Anti-slip painted 14-gauge steel platform adjust every 4", comes with three platforms
- Dimensions: 6' 3" L x 2' 5" W x 6' 4" H
- Capacity: 700 lbs.
- Weight: 140 lbs.

Model No. MB086



### ACCESSORIES



Model No.	Description
MB087	3' Vertical Extension
MB088	6' Vertical Extension
MB089	Set of Four 5" Casters
VC200	Anti-Slip Platform
VC201	Set of Four Outriggers w/Casters

## DELTA™ HARNESES

- Patented triangular No-Tangle™ design
- Repel™ webbing is water repellent
- Spring-loaded stand-up dorsal D-ring
- Impact indicators provide a visual alert that the harness has been involved in a fall
- Features tongue-buckle leg connections
- Universal size
- Certified to CSA standard Z259.10-06, Class A

Model No. SEB406 Mfg. No. 1102000C



## EZ-STOP™ SHOCK ABSORBING LANYARDS

- Features the lightest, smallest, and strongest shock absorber in the world
- Thinnest-ever webbing using HI-10™ Vectran™ energy management material, a multifilament high tenacity performance yarn spun from liquid crystal polymer that is five times stronger than steel
- Repel™ webbing repels water to reduce the attraction of mold and dirt
- High abrasion resistance
- Excellent chemical and cut resistance
- High impact resistance

Model No. SEJ420 Mfg. No. 1246011C



## EMERGENCY STOP SWITCHES

- Safety kill switch for person on work platform
- Will cut power to forklift in case of an emergency
- Consists of control box for platform, plug-in box (to be installed on forklift), and wire that extends 6' to 20'
- Switch is easy to install
- Recommended for maintenance platform MD444 and MH800

Model No. MD328



## MAXI SQUARE ALUMINUM SCAFFOLDING

- Lightness and sturdiness
- Can be used in stairways
- Anodized aluminum tube 1 1/2" sq. frame
- Anti-slip anodized aluminum platform adjusts every 2", comes with one platform
- Dimensions: 6' 2" L x 2' 5" W x 6' 3" H
- Capacity: 700 lbs.
- Weight: 90 lbs.

Model No. VC032



### ACCESSORIES



Model No.	Description
VC203	Set of Four Outriggers w/Casters
VC202	5" Swivel Caster with Locking System
VC204	Guardrail System

## STEEL SCAFFOLDING

- Multi-level working area
- 1" O.D. 16-gauge steel frame
- Two anti-slip 14-gauge steel platforms
- Height: 4'
- Reach: 9'
- 4" heavy-duty double locking casters
- Units fold/collapse for easy storage
- Capacity: 500 lbs.
- Yellow powder coat finish
- Meets and exceeds CSA, OSHA & ANSI standards



Model No.	Overall Dimensions L" x W" x H"	Weight lbs.
VC782	41 x 22 1/2 x 45 3/4	50
VC781	49 1/2 x 22 1/2 x 57 3/4	59

\* More sizes & options available upon request



## WHAT HEIGHT?

### STEPLADDER

Max. Height You Want to Reach*	Buy This Size
7'	4'
8'	5'
9'	6'
10'	7'
11'	8'
12'	10'
14'	12'
16'	14'
18'	16'
20'	18'
22', 24'	20'

\*Assumes a 5' 6" person with a vertical 12" reach


### EXTENSION LADDER

Height of Top Support Point	Buy This Size*
9' max.	16'
9' to 13'	20'
13' to 17'	24'
17' to 21'	28'
21' to 25'	32'
25' to 28'	36'
28' to 31'	40'

\*Reflects section overlap, ladder angle

## WHAT LOAD CAPACITY?

### Formula:



200 lbs.	<b>CSA Grade 3</b> Household
225 lbs.	<b>CSA Grade 2</b> Tradesman and Farm
250 lbs.	<b>CSA Grade 1</b> Construction and Industrial
300 lbs.	<b>CSA Grade 1A</b> Construction and Industrial meets ANSI Type1A, Industrial Heavy Duty
375 lbs.	<b>CSA Grade 1AA</b> Construction and Industrial meets ANSI Type1AA, Extra Heavy-Duty

## INDUSTRIAL-DUTY FIBREGLASS STEPLADDERS (6300 SERIES)

### CSA Grade 1, ANSI Type 1, 250-lb. Load Rating

- Durable non-conductive "C" channel front rails in high visibility safety orange
- Super tough copolymer utility top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Rear horizontal struts every 12", top and bottom struts reinforced with zinc-coated steel diagonal braces
- Heavy-duty slip-resistant safety shoes

VC025



### FEATHERLITE INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC023	4	46	23	20	30	17
VC024	5	57	34	21	34	18
VC025	6	68	45	23	43	20
VC026	7	79	56	24	44	23
VC027	8	90	67	26	55	26

## INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6900 SERIES)

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Super tough copolymer utility top
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms
- Full rear "L" horizontal struts every 12"
- Reinforced with zinc-coated steel diagonal braces at top and bottom steps
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance

MF609



### FEATHERLITE INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
MF606	3	34	11	19	23	12
MF607	4	45	23	20	28	14
MF608	5	56	34	21	34	17
MF609	6	68	45	23	39	20
MF610	7	79	56	24	44	23
MF611	8	90	67	26	51	26
MF612	10	113	90	29	61	37
MF613	12	137	114	32	74	48

## INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6400 SERIES)

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Super tough copolymer top for strength and durability
- Slip-resistant serrated aluminum steps
- Inside spreader arms complete with "wraparound" brackets to strengthen spreader to rail connection
- Full rear "L" horizontal struts every 12", top and bottom struts reinforced with zinc-coated steel diagonal braces
- Extra-large PVC rubber safety boots are heavy-duty and provide increased rail protection and slip-resistance

MD490



### FEATHERLITE INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC211	2	24	11	17	17	8
MD487	3	34	11	19	23	12
MD488	4	46	23	20	28	15
MD489	5	57	34	21	34	19
MD490	6	68	45	23	39	23
MF516	7	79	56	24	44	27
MD491	8	90	67	26	50	30
MD492	10	113	90	29	61	38
MD493	12	137	114	32	74	52

## INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS STEPLADDERS (6800 AA SERIES)

### CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Extra strong non-conductive "C" channel side rails in high visibility safety orange
- Super tough copolymer top for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wraparound" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Each step is double braced with zinc-coated steel diagonal braces providing incredible strength and stiffness
- Full rear "L" horizontal struts reinforced with zinc-coated steel diagonal braces offer maximum rigidity
- Heavy-duty aluminum "wraparound" sleeves at base of rails for maximum protection

VC256



### FEATHERLITE INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC254	4	46	23	20	28	15
VC255	5	57	34	21	34	19
VC256	6	68	45	23	39	27
VC257	7	79	56	24	45	31
VC258	8	90	67	25	50	35
VC259	10	113	90	29	61	44
VC260	12	136	113	31	72	59

# FIBREGLASS LADDERS

## INDUSTRIAL HEAVY-DUTY FIBREGLASS PLATFORM STEPLADDERS (6500 SERIES)

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Each step reinforced with zinc-coated steel diagonal braces providing strength and stiffness
- Rear horizontal struts reinforced with zinc-coated steel braces offer maximum rigidity
- Heavy-duty slip-resistant safety shoes



MF411

**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC205	4	46	24	21	30	17
VC206	5	57	35	23	36	22
MF411	6	68	46	24	42	25
MF412	8	90	68	26	53	33
MF413	10	113	92	29	67	41
VC207	12	135	115	31	75	50

## INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS PLATFORM STEPLADDERS (6500 AA SERIES)

### CSA Grade 1AA, ANSI Type 1AA, 375-lb Load Rating

- Extra strong non-conductive "C" channel side rails in high visibility safety yellow
- Large safe and comfortable standing platform, 14" x 18"
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy duty aluminum "wraparound" sleeves at base of rails
- Rugged outside zinc-coated steel spreader arms
- Each step reinforced with zinc-coated steel diagonal braces providing strength and stiffness



VC225

**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC223	4	46	24	20	38	24
VC224	5	57	35	22	47	28
VC225	6	68	46	23	56	32
VC226	8	90	68	26	72	48
VC227	10	113	92	29	91	57
VC228	12	135	115	32	109	66

## INDUSTRIAL HEAVY-DUTY FIBREGLASS 2-WAY STEPLADDERS (6600 SERIES)

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Double front construction allows two climbers to access the ladder from opposite sides
- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Wide aluminum top with extra-thick brackets for strength and durability
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Inside spreader arms complete with "wraparound" sleeves that strengthen spreader-to-rail connection and protect spreader arms during storage/loading/transit
- Reinforced with zinc-coated steel diagonal braces on the front of every other step providing extra rigidity
- Extra-large PVC rubber safety boots are heavy-duty and provide rail protection and slip-resistance



MF414

**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC214	4	45	23	20	38	19
VC461	5	57	34	22	49	25
MF414	6	67	45	23	56	26
VC462	7	79	56	25	65	36
MF415	8	90	67	26	72	36
MF416	10	112	89	29	91	46
VC215	12	135	112	32	109	58

## INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS 2-WAY STEPLADDERS (6600 AA SERIES)

### CSA Grade 1A, ANSI Type 1AA, 375-lb. Load Rating

- Extra strong non-conductive "C" channel side rails in high visibility safety orange
- Double front construction allows access from either side
- Extra strength fiberglass side rails in high visibility safety yellow
- Redesigned super-tough top bracket system for even greater stability
- Slip-resistant 3" aluminum steps
- Heavy-duty aluminum "wraparound" sleeves at base of rails



VC219

**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Approx Weight lbs.
VC218	4	45	23	20	38	19
VC219	6	67	45	23	56	26
VC220	8	90	67	26	72	36
VC221	10	112	89	29	91	46
VC222	12	135	112	32	109	58

## SAFETY DO'S

### Care & Maintenance

- Inspect the rails of fiberglass ladders for weathering due to UV (ultraviolet) exposure
- Keep the ladder protected from heat, weather, and corrosive materials



### Safety Before You Climb

- Use fiberglass ladders if there is even a remote possibility of working near electricity or overhead power lines. Fiberglass is electrically non-conductive
- NEVER use metal, water logged or dirty wood ladders near electricity!



# FIBREGLASS LADDERS

## INDUSTRIAL HEAVY-DUTY FIBREGLASS PRO PLATFORM STEPLADDERS (FXP1700 SERIES)

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Super tough copolymer utility top includes multiple tool slots
- Durable non-conductive "C" channel side rails in high visibility safety orange
- Platform dimensions: 14 3/4" W x 21" D
- Utility top is 30" above the platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty slip-resistant safety shoes
- Rugged outside zinc-coated steel spreader arms



VD407



Model No.	Nominal Height'	Open Height'	Highest Standing Point"	Base Width"	Base Depth"	Approx. Weight lbs.
VD405	4 1/2	53 1/4	24	21 1/4	32 5/8	18
VD406	5 1/2	64 5/8	36	23 1/3	38 5/8	22
VD407	6 1/2	76	48	24 4/5	44 4/7	24
VD408	7 1/2	87 1/2	60	26 1/5	50 1/2	27
VD409	8 1/2	97 7/8	72	27 3/4	56 4/9	30
VD410	10 1/2	121 3/4	96	30 7/8	68 1/4	46
VD411	12 1/2	144 1/2	120	33 4/5	80 1/8	60
VD412	14 1/2	167 1/2	144	36 4/5	92	72

## INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS PRO PLATFORM STEPLADDERS (FXP1800 SERIES)

### CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Super tough copolymer utility top includes multiple tool slots
- Durable non-conductive "C" channel side rails in high visibility safety orange
- Platform dimensions: 14 3/4" W x 21" D
- Utility top is 3' above the platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty slip-resistant safety shoes
- Rugged outside zinc-coated steel spreader arms



VD413



Model No.	Nominal Height'	Open Height"	Highest Standing Point"	Base Width"	Base Depth"	Wt. lbs.
VD413	5	57 5/8	24	21 1/4	32 5/8	19
VD414	6	69 1/8	36	23 1/3	38 5/8	23
VD415	7	80 1/2	48	24 4/5	44 4/7	25
VD416	8	91 7/8	60	26 1/5	50 1/2	28
VD417	9	103 3/8	72	27 3/4	56 4/9	31
VD418	11	127	96	30 7/8	68 1/4	47
VD419	13	149	120	33 4/5	80 1/8	61
VD420	15	172 3/8	144	36 4/5	92	73

## INDUSTRIAL HEAVY-DUTY FIBREGLASS 2-WAY PLATFORM STEPLADDERS (FMP1500 SERIES)

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety orange
- Platform dimensions: 14 2/5" W x 17 1/10" D
- Top rail guard height is 21" above platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Heavy-duty slip-resistant safety shoes
- Double-rivet step construction
- Rugged outside zinc-coated steel spreader arms



VD428



Model No.	Nominal Height'	Open Height'	Highest Standing Point"	Base Width"	Base Depth"	Wt. lbs.
VD428	6	67 7/8	48	25 3/8	53 3/8	35
VD421	8	96	72	28 3/8	69 1/2	56
VD373	10	114 1/8	96	31 3/8	85	77
VD372	12	113 7/8	120	34 3/8	100 1/4	98

## EXTRA WIDE HEAVY-DUTY INDUSTRIAL FIBREGLASS PLATFORM STEPLADDERS (6500-XW SERIES)

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive "C" channel side rails in high visibility safety yellow
- Large, safe and comfortable slip-resistant platform, 24" W x 18" D
- 3" wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Heavy-duty aluminum "wrap around" sleeves at base of rails
- Each step reinforced with zinc-coated steel diagonal braces providing strength and stiffness
- Rear horizontal struts reinforced with zinc coated steel brace offer maximum rigidity
- Heavy-duty slip resistant safety boots



VC721



Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.
VC719	4	46	23	25	36	18
VC720	5	57	34	27	42	22
VC721	6	68	46	28	48	27
VC722	8	90	68	30	59	31

## INDUSTRIAL HEAVY-DUTY FIBREGLASS EXTENSION LADDERS (6900 SERIES)

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable non-conductive fiberglass side rails in high visibility safety yellow
- Rung through rail design
- Slip-resistant serrated "D" rungs for safe climbing and comfort
- Black ABS, high impact non-marring end caps
- Large heavy-duty pivot feet with slip-resistant rubber pads and ice picks



VC329



Model No.	Nominal Height'	Max. Open Height'	Base Section		Fly Section		Wt. lbs.
			Outside Width"	Inside Width"	Outside Width"	Inside Width"	
VC329	16	13	17 1/8	14 3/4	16 1/8	13 3/4	34
VC330	20	17	17 1/8	14 3/4	16 1/8	13 3/4	43
VC331	24	21	17 1/8	14 3/4	16 1/8	13 3/4	51
VC332	28	25	17 1/8	14 3/4	16 1/8	13 3/4	58
VC333	32	28	17 1/8	14 3/4	16 1/8	13 3/4	65

## INDUSTRIAL EXTRA HEAVY-DUTY STRAIGHT LADDERS (5600 SERIES)

### CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Durable non-conductive fiberglass side rails in high visibility safety yellow
- Riveted rung to rail design maintains continuous strength of fibres and allows for easy repair
- Slip-resistant serrated rungs for safe climbing
- Black ABS, high impact non-marring end caps
- Feature large heavy-duty pivot feet with slip-resistant rubber pads and ice picks



VC263



Round Rung Model No.	"D" Rung Model No.	Nominal Height'	Outside Width"	Inside Width"	Approx. Weight lbs.
VC263	VC268	8	17 3/8	15	18
VC264	VC269	10	17 3/8	15	21
VC265	VC270	12	17 3/8	15	24
VC266	VC271	14	17 3/8	15	28
VC267	VC272	16	17 3/8	15	31

# ALUMINUM LADDERS

## INDUSTRIAL HEAVY-DUTY ALUMINUM STEPLADDERS (3400 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating.

- High strength to weight ratio provides an economical alternative for general contract work
- Super tough copolymer top for strength and durability
- Wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- 10" x 10" heavy-duty hinged utility tray for holding tools and paint accessories
- Heavy-duty slip-resistant safety shoes



**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Point"	Base Width"	Base Depth"	Wt. lbs.
VC241	4	46	23	18	29	12
VC242	5	57	34	20	35	14
VC243	6	68	45	21	41	17
VC244	8	91	67	24	54	22
VC245	10	114	90	26	66	28
VC315	12	135	114	32	78	40
VC316	14	158	134	35	88	51
VC317	16	181	160	38	102	59

## INDUSTRIAL HEAVY-DUTY ALUMINUM PLATFORM STEPLADDERS (3500 SERIES)

CSA Grade 1A, ANSI Type 1, 300-lb. Load Rating.

- Ideal for general fixed height work
- Large comfortable slip-resistant platform, 14" x 18"
- Wide slip-resistant serrated aluminum steps for safe climbing
- Outside spreader arms
- Heavy-duty slip-resistant safety shoes



**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.
MF069	4	46	23	21	28	13
VC460	5	56	34	22	33	17
VC246	6	68	46	24	42	19
VC247	8	90	68	26	54	24
VC248	10	114	92	29	66	30
VC312	12	135	115	34	78	43
VC313	14	157	136	36	87	52
VC314	16	180	158	39	102	60

## COMMERCIAL-DUTY ALUMINUM STEPLADDERS (2400 SERIES)

CSA Grade 2, ANSI Type 2, 225-lb. Load Rating

- Super tough molded copolymer utility top
- Durable yet light-weight extruded side rails
- 3" slip-resistant serrated steps
- J-shaped spreader arms
- Heavy-duty rubber safety shoes



**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Highest Standing Height"	Base Width"	Base Depth"	Wt. lbs.
MF063	4	45	24	18	31	9
MF064	6	67	45	21	44	13
VC458	7	79	57	24	50	18
MF065	8	90	67	25	56	19
VC459	10	114	92	28	69	26

## INDUSTRIAL HEAVY-DUTY 2-WAY STEPLADDERS (3600 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Double-front construction allows access from either side
- Serrated steps and side rails
- Features extra thick top brackets for greater stability and heavy-duty rubber safety shoes



**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Base Width"	Spread"	Wt. lbs.
VC318	4	19	39	14
VC319	6	21	57	20
VC320	8	24	72	28
VC321	10	26	89	36

## INDUSTRIAL HEAVY-DUTY ALUMINUM EXTENSION /STRAIGHT LADDERS

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Heavy-duty "C" channel construction
- Side rails: 2 1/2" x 1" for straights up to 14'
- Side rails: 3" x 1" for straights up to 16' and up
- Heavy-duty serrated "D" rungs prevent slipping for safe and sure climbing
- Black ABS, high impact, non-marking end caps
- Heavy-duty safety shoes

Model No.	Nominal Length'	Working Length'	Outside Width"	Wt. lbs.
SINGLE LADDERS (3100D SERIES)				
VC273	8	-	17 3/4	12
VC274	10	-	17 3/4	14
VC275	12	-	17 3/4	18
VC276	14	-	17 3/4	21
VC277	16	-	17 3/4	24
VC278	18	-	17 3/4	27
VC279	20	-	17 3/4	30

Model No.	Nominal Length'	Working Length'	Outside Width"	Wt. lbs.
EXTENSION LADDERS (3200D SERIES)				
VC322	16	13	17 3/4	31
VC323	20	17	17 3/4	36
VC324	24	21	17 3/4	43
VC325	28	25	17 3/4	51
VC326	32	29	17 3/4	58
VC327	36	32	17 3/4	69

VC276

**FEATHERLITE**  
INDUSTRIAL LADDERS



VC322

### SAFETY DONT'S


- DON'T stand above the highest **safe standing level**
- DON'T stand above the second step from the top of a stepladder and the 4th rung from the top of an extension ladder. A person standing higher may lose their balance and fall



# ALUMINUM LADDERS

## 4 TO 1 RATIO

Place an extension ladder at a 75 1/2° angle. The set-back ("S") needs to be 1 ft. for each 4 ft. of length ("L") to the upper support point.



## SAFETY DO'S

- Climb facing the ladder. Center your body between the rails. Maintain a firm grip
- Always move one step at a time, firmly setting one foot before moving the other
- Haul materials up on a line rather than carry them up an extension ladder
- Use extra caution when carrying anything on a ladder

## SAFETY DONT'S

- DON'T place the base of an extension ladder too close to the building as it may tip over backward
- DON'T place the base of an extension ladder too far away from the building, as it may slip out at the bottom. **Set the ladder at a 75 1/2° angle**
- DON'T over-reach, lean to one side, or try to move a ladder while on it. You could lose your balance or tip the ladder. **Climb down and then reposition the ladder closer to your work!**



## INDUSTRIAL HEAVY-DUTY ALUMINUM EXTENSION /STRAIGHT LADDERS

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Rigid box section side rails, unequalled for strength and durability
- Side-mounted rope pulley and slide guide system keeps rope clear of climbers feet and allows easy raising (only on extension)
- Yellow ABS, high impact non-marring end caps
- Premium heavy-duty rung locks (only on extension)
- Slip-resistant serrated "D" rungs for safe climbing and comfort (round rung on single)
- Heavy-duty ribbed swivel feet with ice picks




**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Nominal Length'	Working Length'	Width"	Wt. lbs.
<b>SINGLE LADDERS (4100 SERIES)</b>				
MD506	8	-	14 5/8	13
MD507	10	-	14 5/8	16
MD508	12	-	14 5/8	19
MD509	14	-	14 5/8	22
MD510	16	-	14 5/8	25
MD511	18	-	14 5/8	28
MD512	20	-	14 5/8	31
<b>EXTENSION LADDERS (4200D SERIES)</b>				
VC033	16	13	17	29
VC034	20	17	17	37
VC035	24	21	17	44
VC036	28	25	17	50
VC037	32	29	18 1/2	69
VC038	36	32	18 1/2	78

## MULTI-PURPOSE JAWS™ TELESCOPIC LADDERS

### CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Compact and multifunctional, replaces all conventional ladders
- Easily folds for storage or transport
- Flared ends with slip-resistant feet provide superior stability in any position
- Polymer rung locks are virtually indestructible
- Welded outer rungs
- Extra deep side rails make the Jaws™ stiffer and stronger
- Mechanical interlocking tooth hinges for superior strength and five locking positions
- Extruded 6061-T6 marine alloy for strength and corrosion resistance
- JLT Series has extra-strong "Box-beam" rails for maximum strength and durability



MEETS OR EXCEEDS  
**ANSI**  
14.2 STANDARD  
WHERE APPLICABLE

MA742

**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Folded Height	Extension Range'	Stepladder Range'	Scaffold Height'	Wt. lbs.
MA740	4' 9"	9 to 15	4 1/2 to 7 1/2	1 to 4	36
MA741	5' 9"	11 to 19	5 1/2 to 9 1/2	1 to 5	41
MA742	6' 9"	13 to 23	6 1/2 to 11 1/2	1 to 6	50

## EXTRA WIDE HEAVY-DUTY INDUSTRIAL ALUMINUM PLATFORM STEPLADDERS (3500-XW SERIES)

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Large, safe and comfortable slip-resistant platform, 24" W x 18" D
- 3" wide slip-resistant serrated aluminum steps for safe climbing
- Rugged outside zinc-coated steel spreader arms
- Heavy-duty slip-resistant safety boots



**FEATHERLITE**  
INDUSTRIAL LADDERS

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.
VC709	4	46	23	25	35	16
VC710	5	56	34	27	39	20
VC711	6	68	46	28	48	24
VC712	8	90	68	30	53	29

## INDUSTRIAL HEAVY-DUTY ALUMINUM 2-WAY PLATFORM STEPLADDERS (AMP1500 SERIES)

### CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Durable "C" channel side rails
- Large, safe and comfortable slip-resistant platform, 14 2/5" x 17 1/10"
- Top rail guard height is 21" above platform
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Double-ribose step construction
- Heavy-duty slip-resistant safety shoes
- Rugged outside zinc-coated steel spreader arms



**Louisville**  
LADDER

Model No.	Nominal Height'	Open Height"	Platform Height"	Base Width"	Base Depth"	Wt. lbs.
VD422	6	69 5/8	48	25 3/8	53 3/8	35
VD423	8	92 1/2	72	28 3/8	69 1/2	56
VD424	10	114 7/8	96	31 3/8	85	77
VD425	12	136 1/4	120	34 3/8	100 1/4	98



# LADDERS & STANDS

## HEAVY-DUTY WORKHORSES

- All-welded, ready to use
- Overbuilt to be the last sawhorse you'll ever need
- Capacity: 2000 lbs. each, evenly distributed
- Powder coated finish safety yellow



VC158

Model No.	Height"	Width"	Depth"	Wt. lbs.
VC157	24	36	20	43
VC158	36	48	20	60

## INDUSTRIAL EXTRA HEAVY-DUTY FIBREGLASS 2-WAY STEP STOOLS

CSA Grade 1AA, ANSI Type 1AA, 375-lb. Load Rating

- Height: 2'
- Wide 3" slip-resistant serrated aluminum steps for safe climbing
- Base width: 21"
- Base depth: 23"
- Slip-resistant feet
- Double-ribose step construction
- Weight: 11 lbs.

Model No. VD426



## INDUSTRIAL HEAVY-DUTY FIBREGLASS WORKING PLATFORMS

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- 12" wide slip-resistant standing platform
- Platform height: 21"
- Platform dimensions: 12" W x 37 1/4" D
- Base width: 16 1/4"
- Base depth: 46 7/8"
- Weight: 13 lbs.

Model No. VD404



## ALUMINUM STEP STOOL/LADDERS (3400 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Super tough copolymer top for strength and durability
- Both front and rear legs are braced
- Solid aluminum rivets in front prevent steps from loosening
- Slip-resistant vinyl feet

FEATHERLITE INDUSTRIAL LADDERS

VC239



Model No.	Height'	Base Width"	Spread"	Wt. lbs.
VC239	2	15 1/2	17 1/2	5
VC240	3	17	24	6

## INDUSTRIAL-DUTY ALUMINUM SAWHORSES/STEPS

- Engineered to allow for convenient mixing of sizes in plank applications
- Durable extruded aluminum steps and side rails, serrated for strength and safety
- Trestle design allows safe access from either side
- J-shaped spreaders for easy set-up and storage
- Heavy-duty rubber safety shoes
- Capacity: 250 lbs.



VC010

FEATHERLITE INDUSTRIAL LADDERS

Model No.	Height'	Open Height"	Base Width"	Base Depth"	Wt. lbs.
VC010	2	23	32	24 1/2	10
VC011	3	35	33	32	14
VC012	4	47 1/2	34 1/2	34 1/2	19

## FIBREGLASS STEP STOOL/LADDERS (6400 SERIES)

CSA Grade 1A, ANSI Type 1A, 300-lb. Load Rating

- Super tough copolymer top for strength and durability
- Slip-resistant serrated aluminum steps
- Extra-large PVC rubber safety boots are heavy-duty and provide increased rail protection and slip-resistance

FEATHERLITE INDUSTRIAL LADDERS

Model No.	Height'	Base Width"	Spread"	Approx Weight lbs.
VC211	2	17	17	8
MD487	3	19	23	12



VC211

## LADDER CARTS

- Provides greater mobility, enhanced access, safe ladder handling, and minimal storage requirements
- Compact footprint increases maneuverability
- Safely carries a 6' ladder without hitting doorways, walls or elevators
- Tall profile improves access and offers a more comfortable work height
- Commercial-grade hybrid construction of powder-coated steel and structural foam
- Fully adaptable to work site requirements, with long-item storage, tool holders
- Perforated panels hold 1/4" and locking cabinets on model MI824
- Overall dimensions: 27" W x 31.5" D x 42" H
- Capacity: 500 lbs.



MI823



MI824

Model No. MI823

WITH LOCKABLE CABINET

Model No. MI824

## ALUMINUM TELESCOPIC LADDERS

- Compact and easy to move, use and store
- Extends and locks in 12" increments
- Indicators let you know when the rungs are locked into place
- Anti-slip rungs
- Capacity: 250 lbs.
- CSA Grade 1

VC441



METALTEC

Model No.	Height'	Reach'	Closed Dimensions W" x D" x H"	Colour	Weight lbs.
VC441	12	16	19 x 4.5 x 32	Yellow	25
VC252	15	19	19.5 x 4.5 x 36	Blue	37

\* Other sizes available

## ROLLING LADDER STANDS

- Ideal wherever there is a need to reach bulky materials
- Roll easily into position and lock firmly to the floor for maximum safety
- 2 to 6-step ladders operate on spring-loaded casters
- Casters retract under operator's weight, rubber feet drop down
- First step on all 8 to 16-step ladders activates the floor locking mechanism (step off and kick release to make the ladder mobile)
- Non-clogging slip-resistant steel steps
- Frame is rugged welded 1" round steel tubing
- 8 to 16-step ladders shipped knocked down, easily assembled
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- **CSA certified to the ANSI A14.7 standard**

**Note:**  
Ladders are not to be used as work platforms.



Model No.	No. of Steps	Top Step Height"	Overall Height"	Top Step W" x D"	Base W" x D"	Wt. lbs.
<b>WITHOUT HANDRAILS</b>						
MA612	2	19	19	22 x 16	24 x 26	32
MA613	3	28	28	22 x 16	24 x 30	42
MH279	4	37	37	22 x 16	24 x 37	52
MA615	5	46	46	22 x 16	24 x 41	61
<b>WITH HANDRAILS</b>						
MA614*	4	37	78	22 x 16	30 x 36	78
MA616*	5	46	87	22 x 16	30 x 46	89
MA617*	6	55	95	22 x 16	30 x 51	100
MA622**	8	72	113	30 x 16	38 x 60	180
MA623**	10	89	130	30 x 16	38 x 72	230
MA624**	12	109	149	30 x 16	38 x 80	250
MA625**	14	128	167	30 x 16	38 x 93	275
MA626**	16	144	185	30 x 16	38 x 104	305


\* Only front casters are spring loaded. \*\* Locking step.

## MECHANICS/MAINTENANCE ROLLING LADDER STANDS

- Double-straddle base puts worker in close proximity for hard-to-reach jobs
- Tilt and roll wheelbarrow mobility allows easy movement over rough surfaces
- Oversize 22" W x 24" D top step for easier worker movement
- Removable 24" W x 10" D tool tray fits on front or side railing (included)
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish



Tool Tray Included MH242




Model No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.
MH212	3	28	58	24 x 44	85
MH213	4	38	68	24 x 50	98
MH214	5	47	77	24 x 56	112
MH215	6	57	87	24 x 68	125

## TILT-N-ROLL LADDER STANDS

- Balanced design allows ladder to tilt into the rolling position
- Ladder moves easily two 4" casters
- 1-piece all-welded steel construction
- Legs have reinforced rubber tips that hold ladder secure during use
- Oversize 22" W x 24" D top step allows worker more freedom/movement and comfort
- 30" high rails with 24" wide expanded metal steps
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish



Optional Tool Tray MH242



Model No.	No. of Steps	Top Step Height"	Overall Height"	Base W" x D"	Wt. lbs.
MD603	3	27	57	25 x 44	70
MD604	4	38	68	25 x 50	81
MD605	5	47	77	25 x 56	93
MD606	6	56	86	25 x 62	105
MH242			Optional tool tray		9

## ROLLING STEP STANDS

- Ideal wherever there is a need to reach materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- All the ladders operate on spring-loaded casters
- Casters retract under operator's weight and rubber feet drop down
- Non-clogging slip-resistant steel steps
- Frame is welded 1" round steel tubing
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish

Model No.	No. of Steps	Step W" x D"	Top Step W" x D" x H"	Base W" x D"	Wt. lbs.
VC131	2	18 x 8	18 x 16 x 19	20 x 26	28
VC132	3	18 x 8	18 x 16 x 28	20 x 30	38
VC133	4	18 x 8	18 x 16 x 37	20 x 37	48
VC134	5	18 x 8	18 x 16 x 46	20 x 41	57



# ROLLING LADDERS

## PORTABLE FOLDING LADDERS

- Foldable locking design saves onstorage space when not in use
- Welded construction
- 58° slope, 7" deep steps for easy climbing
- Perforated step
- Locks in the folded or climbing positions
- Approximately 10" deep when folded for easy storage
- Maximum capacity: 350 lbs.



Model No.	No. of Steps	Top Step Height"	Open W" x L"	Folded Dimensions W" x D" x H"	Wt. lbs.
VC436	2	20	24 x 17	24 x 10 x 41	30
VC437	3	30	24 x 23	24 x 10 x 52	35
VC438	4	40	24 x 30	24 x 10 x 65	42

## ALUMINUM ROLLING LADDERS

- Widely used in hospitals, banks, offices, pharmaceutical and food processing applications
- Corrosion resistant, easy to clean and non-magnetic
- 3/4" schedule 40, 1-1/16" O.D. pipe
- 7" deep steps
- 14" deep top step
- Slip-resistant ribbed tread style steps, a more aggressive serrated is available upon request for all sizes
- Spring-loaded casters included on 2-7 step models only
- Step lock included on 8-12 step models only
- Capacity: 350 lbs.
- All-welded with unpainted aluminum mill finish
- Complies with OSHA and ANSI standards



Number of Steps	Top Step Height"	Overall Height"	16" W Step Model No.	Base W" x D"	24" W Step Model No.	Base W" x D"
<b>WITHOUT HANDRAILS</b>						
1	10	10	VC470	16 x 14	VC471	24 x 14
2	20	20	VC472	19 x 24	VC473	28 x 24
3	30	30	VC474	21 x 30	VC475	28 x 30
4	40	40	VC476	21 x 36	VC477	29 x 36
<b>WITH HANDRAILS</b>						
2	20	52	VC478	19 x 24	VC479	28 x 24
3	30	62	VC480	21 x 31	VC481	29 x 31
4	40	72	VC482	21 x 37	VC483	30 x 37
5	50	82	VC484	21 x 44	VC485	30 x 44
6	60	92	VC486	26 x 51	VC487	32 x 51
7	70	102	VC488	26 x 57	VC489	32 x 57

Also available in other sizes and tread styles

## ROLL & FOLD STEEL ROLLING LADDERS

- Mobile ladder can be folded for space-saving storage or transporting
- Ideal for use on asphalt or similar rough surfaces
- 1-1/16" tubular steel construction
- 16" W x 10" D top step with 16" W x 7" D intermediate steps
- Two 10" diameter semi-pneumatic wheels on rear of ladder, reinforced rubber tips on front legs to secure ladder during use
- Capacity: 450 lbs.
- Grey powder coat finish
- Complies with OSHA and ANSI standards
- Shipped knocked down



Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Grip Strut Step Tread Model No.
6	66	27 x 50	90	VC523	VC533
7	76	27 x 57	100	VC524	VC534
8	86	36 x 63	112	VC525	VC535
9	96	36 x 70	122	VC526	VC536
10	106	36 x 77	132	VC527	VC537
11	116	36 x 83	142	VC528	VC538
12	126	36 x 90	152	VC529	VC539

Also available in other sizes

## STOP-STEP LADDERS

- Stops still when you step on it
- Gives 18" to 54" of firm footing
- 1" square high tensile aluminum struts, frames and braces
- Heavy gauge extruded aluminum 16" x 8" cross steps with 9" raise
- Long lasting 1 5/8" retractable casters allow rubber base cups to grip floor
- Download rating: 300 lbs.
- Colour: Beige
- OSHA compliant
- 10 year limited warranty
- Shipped knocked down



Model No.	No. of Steps	Top Step Height"	Overall Dimensions W" x D" x H"	Wt. lbs.
<b>STOP-STEP</b>				
MD623	2	18	21 x 19 3/4 x 22 3/4	16
MD624	3	27	21 x 26 3/4 x 31 3/4	22
MD625	4	36	22 3/4 x 33 1/2 x 40 3/4	34
<b>STOP-STEP W/DOUBLE HANDRAIL</b>				
MD626	3	27	21 x 26 3/4 x 56 1/2	32
MD627	4	36	23 3/4 x 33 1/2 x 65 1/2	39

## ALL DIRECTIONAL STEEL ROLLING LADDERS

- Ladder turns within its own radius; rolls in all directions
- 1 1/16" tubular steel construction
- 24" W x 10" D top step with 24" W x 7" D intermediate steps
- Step lock standard on all models
- Capacity: 450 lbs.
- Grey powder coat finish
- Complies with OSHA and ANSI standards
- Shipped knocked down



Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Grip Strut Step Tread Model No.
7	70	35 x 56	106	VC540	VC550
8	80	35 x 63	116	VC541	VC551
9	90	35 x 68	126	VC542	VC552
10	100	35 x 75	136	VC543	VC553
11	110	35 x 82	146	VC544	VC554
12	120	35 x 89	156	VC545	VC555

Also available with a 50° forward descent safety angle

## 50° SAFETY SLOPE STEEL ROLLING LADDERS

- 1 1/16" tubular steel construction
- 24" W x 17" D top step with 24" W x 8 1/2" D intermediate steps
- Step lock included on all models
- Capacity: 450 lbs.
- Grey powder coat finish
- Complies with OSHA and ANSI standards
- Shipped knocked down



Number of Steps	Top Step Height"	Base W" x D"	Overall Height"	Perforated Step Tread Model No.	Grip Strut Step Tread Model No.
6	60	35 x 66	96	VC607	VC621
7	70	35 x 74	106	VC608	VC622
8	80	35 x 82	116	VC609	VC623
9	90	35 x 91	126	VC610	VC624
10	100	35 x 99	136	VC611	VC625
11	110	35 x 107	146	VC612	VC626
12	120	35 x 116	156	VC613	VC627

Also available in other sizes

# STEP STOOLS, STANDS & LADDERS

## STEP STOOLS

### HEAVY-DUTY STEP STOOLS

- Comes with a double platform with non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper
- 16 1/2" overall height
- Capacity: 500 lbs.
- Wt.: 10 lbs.

Model No. ON528



### STEP STOOLS

- Tough 1-piece poly construction with anti-skid bottom
- Threaded top and expanded step
- 16" diameter base provides added stability
- Glides easily on retractable rubber casters
- 13" overall height
- Capacity: 350 lbs.
- Wt.: 7 lbs.



OA300



Model No.	Mfg. No.	Colour
OA299	2523BL	Black
OA300	2523BE	Beige

### INDUSTRIAL STEP STOOLS

- Durable, nestable, corrosion-proof
- Moulded-in handles make them easy to carry
- Includes rubber feet and a non skid tape surface
- Capacity: 500 lbs.
- Colour: Safety Yellow

MN532



Model No.	Description	Overall Dimensions L" x W" x H"	Wt. lbs.
MN531	Single Step	28 x 20 x 13	10
MN532	Double Step	36 x 28 x 20	20

## INDUSTRIAL STEP STOOLS

- Durable, corrosion-proof, 500-lb. capacity polyethylene construction
- Two, three and four step stools have rear opening to access storage compartments
- Four-step stool comes standard with handrails and casters
- Hand holes and light weight weight combine for easy manoeuvrability
- All stools include rubber feet and non skid tape surface
- Safety yellow for visibility
- Also available in other colours



MN601

Model No.	Description	Overall Dimensions L" x W" x H"	Wt. lbs.
MN599	Single Step	18 x 12 x 12	10
MN600	Double Step	22 x 21 x 20	22
MN601	Triple Step	32 x 22 x 30	33
MN644	Quad Step w/Casters	43 x 22 1/2 x 66	53

## INDUSTRIAL STEP STOOLS

- Durable, nestable, corrosion-proof
- Hand holes and light weight combine for easy manoeuvrability
- Includes rubber feet and a non skid tape surface
- Pronounced ribbing provides additional structural support
- Capacity: 500 lbs.
- Colour: Safety Yellow



MN656

Model No.	Description	Overall Dimensions L" x W" x H"	Wt. lbs.
MN656	Single Step	25 x 25 x 10 1/2	8.5
MN657	Single Step	25 x 25 x 14 3/4	11
MN658	Double Step	32 3/4 x 25 3/4 x 20	18.5
MN659	Double Step	33 x 25 3/4 x 24	19

## STEP STANDS

- Rugged all-welded construction
- Rolling stands come with spring-loaded casters
- Dimensions: 16" D x 12" H • Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- Meets ANSI standard A14.7



MH225

### STEP STANDS

Model No.	Base Width"	Platform Dimensions W" x D"	Wt. lbs.
MH228	20	18 x 16	11
MH229	24	22 x 16	13
MH230	32	30 x 16	16

### ROLLING STANDS

Model No.	Base Width"	Platform Dimensions W" x D"	Wt. lbs.
MH225	20	18 x 16	17
MH226	24	22 x 16	19
MH227	32	30 x 16	22

## 4' ALUMINUM LIGHT-DUTY PLATFORM STANDS (1300 SERIES)

### CSA Grade 3, ANSI Type 3, 200-lb. Load Rating

- 1" tubular construction makes this ladder lightweight and compact for storage
- Handrail with comfort foam grip
- Fold-down utility tray for paint, tools, etc.
- Non-marring, slip-resistant feet
- Overall height: closed: 55"; open: 51"
- Overall platform height: 22 1/2"
- Approximate weight: 8 lbs.

Model No. TJZ869



## WORK STEP STANDS

- Solid all-welded construction
- Elevate workers to comfortable working heights
- Provides solid footing around machinery and other work areas
- Capacity: 800 lbs.
- Durable Kleton blue enamel finish

Model No.	Platform Dimensions W" x D"	Top Step Height"	Wt. lbs.
VC127	24 x 32	6	28
VC128	32 x 32	6	34
VC129	24 x 32	12	32
VC130	32 x 32	12	38



VC127

## TILT-N-ROLL STEP STANDS

- Frame is welded 1" round steel tubing
- Non-clogging slip-resistant steel steps
- Handle allows step stand to move easily on two 4" casters
- Capacity: 300 lbs.
- Durable Kleton blue enamel finish
- Meets ANSI standard A14.7

VC336



### REPLACEMENT PARTS

Model No.	Description
VC055	Rubber Foot Tip



Model No.	No. of Steps	Step Dimension W" x D"	Top Step W" x D"	Top Step Height"	Base Dim. W" x D"	Wt. lbs.
VC335	1	22 x 8	22 x 16	12	29 x 16	24
VC336	2	22 x 8	22 x 16	19	29 x 24	33

# PALLET HANDLING EQUIPMENT

## HEAVY-DUTY SERIES

Rugged construction makes these pallet trucks the best value for your material handling needs. Forks feature entry rollers and tapered design for easy pallet entry and are reinforced for heavy-duty loads. The 3-function hand control (raise, neutral and lower) and the spring-loaded self-righting safety loop handle enhance comfort and ease of operation. Hardened chrome piston with protective dust cover for dependable performance. Durable powder coat finish.

### HYDRAULIC PALLET TRUCKS

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- 6 1/4" (158.75 mm) wide forks
- High visibility orange
- **2-year limited warranty**




Model No.	Forks		Frame Width"	Fork Length"	Capacity lbs.
	Lowered"	Raised"			
MJ484	2 7/8	7 3/4	20 1/2	36	5500
MJ485	2 7/8	7 3/4	20 1/2	42	5500
MJ486	2 7/8	7 3/4	20 1/2	48	5500
MJ487	2 7/8	7 3/4	27	36	5500
MJ488	2 7/8	7 3/4	27	42	5500
MJ489	2 7/8	7 3/4	27	48	5500
ML372*	2 7/8	7 3/4	27	48	5500


\* Heavy-duty nylon wheels

### HYDRAULIC PALLET TRUCKS

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Double rollers for easy moving of extra heavy loads
- Reinforced fork channels deliver exceptional durability
- 6 1/4" (158.75 mm) wide forks
- Kleton blue
- **2-year limited warranty**



Forks feature double entry rollers and tapered design for easy pallet entry



Model No.	Forks		Frame Width"	Fork Length"	Capacity lbs.
	Lowered"	Raised"			
MJ490	2 7/8	7 3/4	20 1/2	36	6600
MJ491	2 7/8	7 3/4	20 1/2	42	6600
MJ492	2 7/8	7 3/4	20 1/2	48	6600
MJ493	2 7/8	7 3/4	27	36	6600
MJ494	2 7/8	7 3/4	27	42	6600
MJ495	2 7/8	7 3/4	27	48	6600
ML373*	2 7/8	7 3/4	27	48	6600

\* Heavy-duty nylon wheels

## STANDARD-DUTY HYDRAULIC PALLET TRUCKS

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Heavy-duty plastic rollers facilitate entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- High visibility yellow
- **1-year limited warranty**



Model No.	Forks		Frame Width"	Fork Length"	Capacity lbs.
	Lowered"	Raised"			
ML966	3 1/4	7 3/4	20 1/2	36	5500
ML967	3 1/4	7 3/4	20 1/2	42	5500
ML968	3 1/4	7 3/4	20 1/2	48	5500
ML969	3 1/4	7 3/4	27	36	5500
ML970	3 1/4	7 3/4	27	42	5500
ML971	3 1/4	7 3/4	27	48	5500
ML972*	3 1/4	7 3/4	27	48	5500

\* All nylon core steering wheels and rollers

## SUPER HEAVY-DUTY HYDRAULIC PALLET TRUCK

- Extra heavy-duty all steel steering wheels and rollers provide maximum mobility and performance
- Double rollers for easy moving of extra heavy loads
- Heavy-duty plastic exit rollers facilitate entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Dark blue
- **2-year limited warranty**



Model No.	Forks		Frame Width"	Fork Length"	Capacity lbs.
	Lowered"	Raised"			
ML994	3	7 3/8	27	48	11 000

## 6' LONG FORK HYDRAULIC PALLET TRUCKS

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon exit roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 5/8"
- Capacity: Up to 5500 lbs.
- High visibility yellow
- **2-year limited warranty**



Model No.	Fork Width"	Fork Length"
MN459	27	72

## LOW PROFILE HYDRAULIC PALLET TRUCKS

- Permits the handling of pallets and containers that are lower than the standard height
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and all steel rollers provide superior performance
- 1.5" exit ramp facilitates exit of pallets
- 6" (152 mm) wide forks
- Lowered pallet truck height: 2"
- Raised pallet truck height: 5 1/2"
- High visibility orange
- **2-year limited warranty**



Model No.	Frame Width"	Fork Length"	Capacity lbs.
MN061	27	48	5500

# PALLET HANDLING EQUIPMENT

## MULTI-DIRECTIONAL HYDRAULIC PALLET TRUCKS

- Transrollers permit lateral movement in addition to forward/backward
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels provide superior performance
- Double load rollers, one polyurethane tread bonded to cast iron core and one nylon for easy moving of extra heavy loads
- 2 1/5" exit ramp facilitates exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 1/2"
- Capacity: Up to 5500 lbs. in standard mode and up to 3300 lbs. in lateral mode
- High visibility orange
- **2-year limited warranty**



Model No.	Frame Width"	Fork Length"
MN062	27	48



## DIGITAL SCALE HYDRAULIC PALLET TRUCKS

- Permits the weighing of skids and containers while handling them
- Mettler Toledo digital cUL listed scale offers maximum precision on load weights
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon roller facilitates entry and exit of pallets
- 6 5/8" (168 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 11/16"
- High visibility orange
- **2-year limited warranty**



Model No.	Frame Width"	Fork Length"	Capacity lbs.
MN063	27	44 1/2	4400



## GALVANIZED HYDRAULIC PALLET TRUCKS

- Heavy-duty all nylon steering wheels and rollers provide superior mobility and performance
- Nylon exit roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- Lowered pallet truck height: 3"
- Raised pallet truck height: 7 1/16"
- Galvanized finish offers corrosion resistance and is ideal for wet and cold conditions
- **2-year limited warranty**



Model No.	Frame Width"	Fork Length"	Capacity lbs.
MN059	27	48	5500
MN648	27	42	5500



## STAINLESS STEEL HYDRAULIC PALLET TRUCKS

- Heavy-duty all nylon steering wheels and rollers provide superior mobility and performance
- Nylon exit roller facilitates entry and exit of pallets
- 6 1/4" (158.75 mm) wide forks
- High grade 304 stainless steel is ideal for medical, food, sanitary, pharmaceutical, wet and cold applications
- **2-year limited warranty**



Model No.	Fork Height Lowered"	Fork Height Raised"	Frame Width"	Fork Length"	Capacity lbs.
MN060	3	7 1/16	27	48	5500



## 4-WAY HYDRAULIC PALLET TRUCKS

- Can enter pallet from all four sides
- Reinforced forks
- Adjustable fork connecting rods
- Steel 1.70" load wheels
- 6" polyurethane steering wheels
- **3-year limited warranty**



Model No.	Frame Width"	Fork Length"	Capacity lbs.
MN136	33	48	4000



## ECO I-55 AUTOMOTIVE BRAKE PALLET TRUCK

- Quality german-designed pump
- 200 degree handle pivot
- Ergonomic cushioned handle
- 3-position finger tip control
- High-quality powder coat finish
- Polyurethane wheels and load rollers
- Fork width: 6.3"
- Raised height: 7.9"
- Lowered height: 2.9"



Model No.	Frame Width"	Fork Length"	Capacity lbs.
LU002	27	48	5500




# PALLET HANDLING EQUIPMENT

## ADJUSTABLE WIDTH PALLET TRUCKS

- Overall fork width adjusts from 21" to 27"
- Fork length: 48"
- 7" mold-on polyurethane steering wheel
- 3" mold-on polyurethane load wheels
- 6" (152 mm) wide forks
- Raised height: 7 3/4"
- Lowered height: 3"
- Capacity: 5500 lbs.
- **5-year limited warranty**

Model No. MI820



## ALL TERRAIN PALLET TRUCKS

- Welded steel tubular frame construction for maximum strength
- Features large pneumatic wheels for use on gravel, dirt and other types of rough terrain
- Wheels include sealed bearings for dust protection and long life
- Overall fork length: 32"
- Fork lowered height: 3"
- Fork raised height: 9"
- Overall dimensions: 64" W x 50" L x 51" H
- Usable straddle width is 50" between outriggers
- Rear wheel diameter: 10"
- **90-day limited warranty**



MN461

Model No.	Capacity lbs.	Overall Fork Width	Wt. lbs.
MN461	2000*	9 1/2" - 26"	239
MN462	2500**	10" - 26 3/4"	457
MN463	Optional Tow Bar Package		20

\* 2,000 lbs. at 12" horizontal load center, 1,500 lbs. at 15" and 1,000 lbs at 24".  
 \*\* 2,500 lbs. at 12" horizontal load center, 2,000 lbs. at 15" and 1,500 lbs at 24".

## QUICK LIFT HYDRAULIC PALLET TRUCKS

- Maximize operator efficiency with this quick-lift pallet truck
- Lifts to full height with only four pumps when empty
- 2-speed pump automatically switches to low-speed operation
- Allows forks to quickly rise to upper pallet boards for quicker operation
- Each fork measures 6 1/4" wide
- Poly-on-steel wheels are the best in the industry
- **90-day limited warranty**



Model No.	Fork Height		Frame Width"	Fork Length"	Capacity lbs.
	Lowered"	Raised"			
MN365	3	7 1/2	20	48	5500
MN366	3	7 1/2	27	48	5500

## PALLET TRUCK CADDY

- Durable molded plastic
- Economical product will convert a standard pallet truck into a portable workstation in minutes
- Overall dimensions: 16 1/4" W x 7 3/4" D x 18 5/8" H
- **Includes:** Tool pockets on each side, pen and pencil tray, clipboard holder, built-in cup or can holder, and storage compartment

Model No. MN368



Model No. MN367

## POWER-START TECHNOLOGY™ PALLET TRUCKS


### THE RIGHT TOOL FOR ERGONOMIC PALLET MOTION!

- Reduces starting resistance even when truck is heavily loaded
- Select travel direction via option on handgrip, squeeze the handgrip, pump the tow bar and the truck is launched in the walking direction
- When handgrip is pressed downward, and tow bar raised, the truck is launched in the direction of the forks
- **2-year limited warranty**

### Specifications:

- Forks: 27" W x 48" L
- Minimum fork height: 3"
- Maximum fork height: 7 1/2"
- Rated capacity: 5000 lbs.
- Weight: 188 lbs.

Model No. MH736



## LIFT-RITE® TITAN PALLET TRUCKS

- New one-piece pump for improved performance and reliability
- Includes ergonomic handles and articulating steering wheels
- 7" wide forks
- Fork lowered height: 3"
- Fork raised height: 7 3/4"
- **2-year limited warranty**



Model No	Frame Width"	Fork Length"	Capacity lbs.
ML052	20 1/2	36	5500
ML053	20 1/2	42	5500
ML054	20 1/2	48	5500
ML055	27	36	5500
ML056	27	42	5500
ML057	27	48	5500


Custom sizes available



## UNIVERSAL PALLET TRUCK FOOTGUARDS

- Steel construction with powder-coat finish
- Prevents crushed toes and other foot injuries
- Universal design fits most manual hand pallet trucks
- Wraparound guard, floats up and down allowing for use on dock levelers and dock plates
- Offers full range of motion and does not interfere with normal pallet truck operation
- Width: 8"

Model No. MN367



## FORK EXTENSIONS

- Handle large and odd shaped loads with increased stability and minimum damage
- Available in 4", 5" and 6" fork widths, lengths are from 54" to 96"
- Easy to use slide-on design
- Fork fits up to 2" thick
- Convenient on/off design
- Locking bar keeps extensions in place
- Fork extension not to exceed 50% more than existing fork length



Model No.	Accommodates Fork Width"	Fork Extension Overall Width"	Length"	Max. Fork Thickness"	Wt. lbs.
MF775	4	5	54	2	84
MF776	4	5	63	2	98
MF778	4	5	84	2	124
MF781	5	6	54	2	96
MF782	5	6	63	2	110
MF784	5	6	84	2	129
MF785	5	6	96	2	158
MF787	6	7	54	2 1/2	104
MF788	6	7	63	2 1/2	116
MF789	6	7	72	2 1/2	134
MF790	6	7	84	2 1/2	156
MF791	6	7	96	2 1/2	181

Also available: Add-on for optional pins style fork extension and other lengths.

## WALL BRACKETS

- All welded heavy-duty
- To keep fork extensions out of the way when not in use
- One wall bracket required for each pair of forks
- Kleton safety yellow



Model No.	Dimensions W" x H"	Wt. lbs.
ML282	6 x 8	5

Hardware not included

## FORK EXTENSIONS


- Handle large and odd shaped loads with increased stability
- Easy to use slide-on design
- Steel retaining strap prevents extensions from sliding off forks during use
- Fork extension not to exceed 50% more than existing fork length
- Available in 4" and 5" fork widths, with lengths of 72" and 96"



Model No.	Accommodates Fork Width"	Fork Extension Overall Width"	Length"	Wt. lbs.
ML346	4	5	72	105
ML347	5	6	72	116
ML348	4	5	96	140

## CABLE REEL ROLLERS

- All welded, ready to use
- For winding or dispensing cable, chain, wire, rope and hose
- Turns reel handling into a one person operation
- Accommodates unlimited reel widths and all reel diameters, flanges up to 5 1/2" thick
- Rear roller adjusts to six positions
- Heavy-duty side rollers eliminate slipping or wedging between rollers and reel
- Inclined ramp permits easy loading and unloading
- Dimensions: 28" L x 9" W x 4 1/4" H
- Capacity: 3000 lbs in pairs
- Weight: 58 lbs/pair
- Must be anchored to floor
- Durable Kleton blue enamel finish




Model No. MD166



## WINCH-OPERATED EASY-LIFTS

- Ideal for use in factory, office or shipping department
- Can perform numerous functions from lifting objects and positioning production at best working height, to moving light loads without tying up heavy equipment
- Manoeuvres easily in areas too narrow for a lift truck
- Two swivel casters under forks allow the shop lifter to do a 360° turn on twice the length of the base



### SPECIFICATIONS:

Capacity: .....500 lbs. at 10" load centre  
 Overall height: .....60"  
 Platform size: .....20" x 20"  
 Lowered platform height: .....4 1/2"  
 Lift above floor: .....52"  
 Wheels: .....6" diameter  
 Swivel Casters: .....3" diameter  
 Weight: .....98 lbs.

Model No. MA479

## HYDRAULIC STACKERS

- Allows workers to manoeuvre and lift heavy loads safely to comfortable needed height
- Front 5" and rear 4" phenolic casters allow loads to be moved easily
- Stackers come standard with floor locks, safety screen and foot guards for safety



### SPECIFICATIONS:

Capacity: .....1000 lbs. at 15" load center  
 Overall dimensions: .....25.5" W x 40" D x 80" H  
 Platform size: .....24" x 24"  
 Lowered platform height: .....5 3/4"  
 Raised platform height: .....68"  
 Base legs: .....15" inner, 21" outer  
 Wheels: .....5" front, 4" rear  
 Weight: .....234 lbs.

Model No. MH690

## HYDRAULIC STACKER

- Allow workers to manoeuvre and lift heavy loads safely to comfortable needed height
- Foot pedal folds safely out of the way
- Front 5" polyurethane casters and rear 3" polyurethane wheels allow loads to move easily



### SPECIFICATIONS:

Capacity: .....880 lbs.  
 Overall dimensions: .....22 1/2" W x 39" D x 67 3/4" H  
 Platform dimensions: .....25 3/4" L x 22 3/4" W  
 Lowered platform height: .....4"  
 Raised platform height: .....60"  
 Weight: .....174 lbs.

Model No. MN397



# LIFTING EQUIPMENT & DOLLIES

## HYDRAULIC STACKERS



- Rugged frame construction
- Solid steel adjustable forks
- Designed for pallet loading and removal from racking storage even in the smallest storage spaces
- Straddle length: 42"
- Fork length: 42"
- Load centre: 24"
- Manually propelled with electric powered hydraulic lift
- Battery-powered is standard (AC power available)
- Automatic built-in battery charger included
- Other capacities available

### PLEASE SPECIFY WHEN ORDERING:

Single stage stacker between 38" and 50"

Telescopic stacker between 42" and 54"

**Note:** Inside straddle dimension is recommended to be 2" greater than the overall pallet width (outside straddle is 6" greater than straddle inside dimension).



### SINGLE STAGE STACKERS

Model No.	Clearance of Top Mast"	Raised Height of Top Forks"	Capacity lbs.	Wt. lbs.
LT395	72	60	1500	625
LT396	82	70	1500	638
LT397	92	80	1500	652

Other dimensions and capacities available

### TELESCOPIC (TWO STAGE) STACKERS

Model No.	Clearance of Top Mast"	Raised Height of Top Forks"	Capacity lbs.	Wt. lbs.
LT398	70	96	1500	815
LT399	82	120	1500	875
LT400	88	132	1500	900
LT401	94	144	1500	924

Other dimensions and capacities available

## PALLET CAROUSELS

Loading and unloading operations that originally required a large amount of time can be done more efficiently with less fatigue and risk of back injury. The carousel may be added to an existing workbench, scissors table or simply placed on the floor. This Lazy Susan concept is constructed from two pieces of rolled structural angle. A series of roller bearings transfer the load smoothly and evenly to the supporting surface. Overall height is 2".


Model No.	Outside Diameter"	Capacity lbs.	Wt. lbs.
MH204	40	2000	43
MH205	40	4000	47
MH206	40	6000	47

Model No.	Outside Diameter"	Capacity lbs.	Wt. lbs.
MH207	48	2000	51
MH208	48	4000	57
MH209	48	6000	69



## PRY DOLLIES

- Move heavy boxes, die blocks and machinery
- Heavy-duty nose plate gets under the load, 6' steel or wooden handle gives tremendous leverage
- Come with 5" x 2" poly-on-steel casters
- Use in pairs to move large objects without the need of a separate dolly



Model No.	Handle	Nose Plate"	Cap. lbs.	Wt. lbs.
MF870	Wood	6 x 3 1/8	4250	32
MF871	Steel	6 x 3 1/2	5000	42

## ALUMINUM DECK DOLLIES

- 3/8" aluminum treadplate construction, countersunk bolts
- Four bolted-on 4" swivel non-marking rubber casters
- Capacity: 1200 lbs. evenly distributed



Model No.	Dimensions W" x D"	Wt. lbs.
MA196	18 x 18	25
MA197	18 x 24	27
MA198	24 x 24	30

# MACHINERY MOVERS & ROLLERS

## LIGHT-DUTY SERIES ROLLERS

- Featuring an endless chain action design and comes in either rigid or swivel tops
- Both versions available topped with rough, rugged non-slip pads or smooth top style, ideal for permanent mounting applications
- Light duty series rollers are low and have high capacity



MA825



Model No.	Cap. Tons	Top Style	Dimensions			Wt. lbs.
			L"	x W"	x H"	
MA802	3/4	Swivel Padded	6 1/2	x 3 5/8	x 3 5/16	9
MA825	2	Swivel Padded	6 1/2	x 4 1/8	x 3 15/16	15
MD551	3/4	Swivel Smooth	6 1/2	x 3 5/8	x 3	9
MD552	2	Swivel Smooth	6 1/2	x 4 1/8	x 3 9/16	15
MA801	3/4	Rigid Padded	6 1/2	x 3 5/8	x 3	9
MA824	2	Rigid Padded	6 1/2	x 4 1/8	x 3 9/16	15

## LIGHT-DUTY RIGGER KITS

### 3 TONS TO 8 TONS

- Kits contain two steering handles and four padded rollers offered with four swivel tops or two swivel and two rigid tops
- Sturdy steel carrying case stores all items and measures 16" L x 12 3/8" W x 4 3/8" D
- Handles knock down to fit in case



Model No.	Capacity Tons	Kit Contents	Wt. lbs.
MA879	3	4 x MA802 Swivel Top	55
MA875	3	2 x MA802 Swivel, 2 x MA801 Rigid Top	43
MA887	8	4 x MA825 Swivel Top	85
MA876	8	2 x MA825 Swivel, 2 x MA824 Rigid Top	83

## TOE JACKS

- Strong, portable and safe
- Lifts loads with only 1" ground clearance
- 5 and 10-ton models operate horizontally and vertically
- Base, toe and pump assembly swivel independently of each other
- Perfect complement to any Hilman roller



Model No.	Max Lifting Height	Pick-Up Position At Base	Capacity Tons	Wt. lbs.
MH825	8.24	1.06	5	44
MH826	9.32	1.06	10	64
MH827	9.32	2.16	25	203

## TRI-GLIDE 3-POINT MOVING SYSTEMS

### 6 TONS TO 18 TONS

- Tri-Glide 3-point moving system is designed for moving heavy loads over specially coated floors
- Comprised of a front steering unit and two rear adjustable units
- Additional modules can be added to further stabilize large, bulky loads
- Developed in response to a growing demand for floor protection when moving heavy loads over smooth, painted, finished, or sealed floors




Model No.	Cap. Tons	Roll Material	Dimensions Front Unit			Rear Unit Width Adj."	Wt lbs.
			L"	x W"	x H"		
MH768	6	Nylon	21 1/16	x 18 1/2	x 4	10-48	186
MH769	12	Nylon	23 1/8	x 18 1/2	x 4	14-48	215
MH770	18	Nylon	25 5/8	x 18 1/2	x 4	19-48	24

## DELUXE KITS

### 15 TONS TO 60 TONS

- Rugged kits are preferred by many professional riggers and movers
- Use them at the job site, in the factory, to solve your heavy load moving problems
- Steel chain-action rollers are perfect for machinery and equipment moves and convenient to have in every tool crib
- Kits include four locking rollers with either padded or diamond steel tops and two steering handles (four preload pads are included with diamond top kits)
- Kit cases are lockable and have sturdy lifting grips for easy handling



MA878



Model No.	Capacity Tons	Kit Contents	Wt. lbs.
MA878	15	4 x MA839 Padded Tops	196
MA877	15	4 x MA838 Diamonds, 4 x Preload Pad Tops	196
MA881	30	4 x MA863 Padded Tops	208
MA880	30	4 x MA862 Diamonds, 4 x Preload Pad Tops	208
MA883	40	4 x MA805 Padded Tops	212
MA882	40	4 x MA804 Diamonds, 4 x Preload Pad Tops	212
MA885	60	4 x MA812 Padded Tops	248
MA884	60	4 x MA811 Diamonds, 4 x Preload Pad Tops	252

## BOLT-ON ROLLERS

- Oversized tops enable them to be bolted or welded to heavy load
- Work equally well upside down or right side up
- Ideal for applications requiring permanent or semi-permanent mounting (linear motion, bearing slides, heavy casters, or conveyors)




Model No.	Capacity Tons	Dimensions			Wt. lbs.
		L"	x W"	x H"	
MA800	3/4	6 1/2	x 7	x 3 1/4	12
MA826	2 1/2	6 1/2	x 7	x 3 5/8	21
MA850	5	8	x 8	x 3 1/8	22
MA810	15	10 5/8	x 10	x 3 7/8	46
MA827	20	10 5/8	x 10	x 3 7/8	49
MA849	37 1/2	15	x 12	x 5 1/2	121
MA867	75	21	x 14	x 6 3/4	241

# MOVING SUPPLIES

## POLYETHYLENE TARPULINS

- Reinforced polypropylene rope sewn-in welded hems
- Heavy-duty rust resistant grommets every 3'
- Increased UV resistance for long life
- Water resistant coating
- Finished sizes may vary due to hem allowance

NI771



### STANDARD-DUTY BLUE

- 8 x 8 weave density
- 100-micrometres thick (4 mil)



Reinforced Corner

NI783 Heavy-Duty White

### HEAVY-DUTY WHITE

- 10 x 10 weave density
- 150-micrometres thick (6 mil)
- Four corner patches



3-Layer Corner

JB567

### INDUSTRIAL GREEN/SILVER

- 14 x 14 high density weave
- 225-micrometres thick (9 mil)
- 9" x 9" triple layered on four corners

### SUPER HEAVY-DUTY SILVER

- 16 x 16 high density weave
- 300-micrometres thick (12 mil)
- 9" x 9" triple layered on four corners
- Silver side provides heat and UV light diversion



JC626



Dimensions'	Model No.			
	Standard-Duty Blue	Heavy-Duty White	Industrial Green/Silver	Super Heavy-Duty Silver
5 x 7	NI768	-	-	-
6 x 8	NI769	NI780	JB567	-
8 x 10	NI770	NI781	JB568	JC626
10 x 12	NI771	NI782	JB569	JC627
10 x 20	NI772	-	-	-
12 x 16	NI773	NI783	JB570	-
16 x 20	NI774	NI784	JB571	JC628
18 x 24	NI775	JC512	-	JC629
20 x 30	NI776	JC513	JB572	JC630
24 x 30	NI777	NI785	-	JC631
30 x 40	NI778	JC514	JC516	JC632
30 x 50	JC510	JC515	JC517	JC633
30 x 60	-	-	-	JC634
40 x 50	JC511	JC625	JC518	-
40 x 60	NI779	JB508	JB573	JC635

## INSULATED TARPULINS

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- R value: 1.0
- Dimensions: 12' x 20'

Model No. JD420



## CLEAR TARPULINS


- Polyethylene tarpaulin with reinforced nylon gridding
- Water and mildew resistant coating
- Heavy-duty rust resistant grommets
- 3 x 3 weave density
- 200 micrometers (8-mil) thick
- Finished sizes may vary due to hem allowance



Model No.	Dimensions'
JD414	8 x 10
JD415	10 x 12
JD416	16 x 20
JD417	20 x 30
JD418	30 x 40
JD419	40 x 60

## FURNITURE PADS

- Protect furniture from scratches when moving
- Zigzag stitching provides durability and consistent cushioning
- Cotton and polyester material
- 72" W x 80" L



PF460

### PREMIUM FURNITURE PADS

- 40-oz. filling
- Dark blue/light blue
- Weight: 5.5 lbs.

Model No. PF460

### STANDARD FURNITURE PADS

- 29-oz. filling
- Dark blue/green
- Weight: 5 lbs.

Model No. PF461



PF461

## STRAP-ALL™ ONE INCH STRAPS

- Ratchet strap with ratchet
- Light-duty tie-down can be used on pick-up trucks utility trailers, car top racks and boat trailers



Model No.	Strap Length'	Breaking Strength lbs.	Working Load Limit lbs./kg
ND361	16	1200	835/380

## 2" LOGISTIC STRAPS

- Designed to take care of most interior van loading requirements
- Standard 48" fixed end
- Adjustable captive end to avoid loss or theft
- Comes with ratchet buckle and webbing
- Spring-loaded "E"



ND352



Model No.	Strap Length'	Strap Width"	Breaking Strength lbs.	Colour	Working Load Limit lbs./kg
ND352	12	2	3000	Gold	1000/455
ND353	16	2	3000	Grey	1000/455
ND354	20	2	3000	Blue	1000/455

## RUBBER TIE DOWNS

- Retains its rebound qualities
- Rot resistant
- Zinc-plated steel hooks

Model No.	Length"	Model No.	Length"
PE366	5	PE369	21
PE367	9	PE370	31
PE368	15	PE371	41



### 10-PC. BASIC TIE DOWN SET

Model No. PF090 Set contains: 4 PE369, 2 PE370 and 4 PE371

### 16-PC. ALL-PURPOSE TIE DOWN SET

Model No. PF091 Set contains: 2 PE367, 2 PE368, 4 PE369, 4 PE370 and 4 PE371

### 20-PC. PROFESSIONAL TIE DOWN SET

Model No. PF092 Set contains: 10 PE369 and 10 PE371



## HARDWOOD DOLLIES

- Kiln dried
- Countersunk bolts prevent scratches
- Wood thickness: 7/8"
- Rounded edges and handles facilitate storage and movability
- Non-marking casters
- Shipped knocked down



MN204



MN217



MN200



### REPLACEMENT CASTERS

Model No.	Description
ML391	3" Swivel Polyolefin
ML044	3" Swivel Polyurethane
ML393	4" Swivel Polyolefin
ML333	4" Swivel Blue Elastic Rubber
ML045	4" Swivel Polyurethane

## CHOOSE FROM THREE CASTER TYPES



4" Polyolefin      3" Polyurethane      4" Blue Elastic Rubber

Model No.	Dimensions W" x D"	Caster Type	Caster"	Capacity lbs.*
<b>ALL WOOD</b>				
MN189	18 x 24	Polyolefin	3	900
MN195	18 x 24	Polyurethane	3	900
MN201	18 x 24	Polyolefin	4	1000
MN213	18 x 24	Blue Elastic	4	1400
MN207	18 x 24	Polyurethane	4	1600
MN192	18 x 30	Polyolefin	3	900
MN198	18 x 30	Polyurethane	3	900
MN204	18 x 30	Polyolefin	4	1000
MN216	18 x 30	Blue Elastic	4	1400
MN210	18 x 30	Polyurethane	4	1600
<b>CARPETED ENDS</b>				
MN190	18 x 24	Polyolefin	3	900
MN196	18 x 24	Polyurethane	3	900
MN202	18 x 24	Polyolefin	4	1000
MN214	18 x 24	Blue Elastic	4	1400
MN208	18 x 24	Polyurethane	4	1600
MN193	18 x 30	Polyolefin	3	900
MN199	18 x 30	Polyurethane	3	900
MN205	18 x 30	Polyolefin	4	1000
MN217	18 x 30	Blue Elastic	4	1400
MN211	18 x 30	Polyurethane	4	1600
<b>RUBBER ENDS</b>				
MN191	18 x 24	Polyolefin	3	900
MN197	18 x 24	Polyurethane	3	900
MN203	18 x 24	Polyolefin	4	1000
MN215	18 x 24	Blue Elastic	4	1400
MN209	18 x 24	Polyurethane	4	1600
MN194	18 x 30	Polyolefin	3	900
MN200	18 x 30	Polyurethane	3	900
MN206	18 x 30	Polyolefin	4	1000
MN218	18 x 30	Blue Elastic	4	1400
MN212	18 x 30	Polyurethane	4	1600

\* Evenly distributed

## WOOD DOLLY RACKS

- Convert a basic wood dolly into a multi-purpose panel caddy
- All-welded 1" tube design for durability
- Tubular steel rack is padded to prevent scratching or marring
- Durable Kleton blue enamel finish




Wood dolly not included

Model No.	Description	Wt. lbs.
MD549	Use with Wood Dolly 18" x 24"	12
MD550	Use with Wood Dolly 18" x 30"	15

## STEEL DECK DOLLIES


- Heavy-duty, all-welded 14-gauge steel deck
- Four bolted-on 4" swivel non-marking rubber casters
- MA199 - Optional 34" long steel T-handle for ease of movement under full loads
- Capacity: 1200 lbs. evenly distributed
- Caster assembly required
- Durable Kleton blue enamel finish



Model No.	Dimensions W" x D" x H"	Wt. lbs.
MA243	18 x 18 x 7	23
MA243	18 x 24 x 7	25
MA244	24 x 24 x 7	27
MA199	34" Handle	2

## ANGLE FRAME DOLLIES

- Heavy-duty all-welded 1 1/2" x 1 1/2" x 1/8" angle frame construction
- Four bolted-on 4" swivel non-marking rubber casters
- Capacity: 1200 lbs. evenly distributed
- Caster assembly required
- Durable Kleton blue enamel finish



MA193




Model No.	Dimensions W" x D" x H"	Wt. lbs.
MA190	18 x 18 x 7	23
MA191	18 x 24 x 7	25

Model No.	Dimensions W" x D" x H"	Wt. lbs.
MA192	24 x 24 x 7	27
MA193	24 x 36 x 7	30

## POLYETHYLENE DOLLIES

- Modular, high-impact polyethylene design
- Won't splinter, swell or rot
- Round corners and edges with channel steel reinforced sides
- 4" polyolefin swivel casters
- Capacity: 400 lbs.



MA194

Model No.	Dimensions W" x D" x H"	Platform Type	Wt. lbs.
MA194	18 x 30 x 6	Flush Deck	21
MA195	18 x 30 x 6	Padded Rubber Deck	23



CUSTOMISE IT TO YOUR SPECIFICATIONS. SEE PAGE B71 FOR DETAILS

## PREMIUM HARDWOOD DOLLIES

### MEDIUM-DUTY

- 7/8" wood top; countersunk bolts
- Carpeted dolly will prevent marks and scratches on equipment being moved
- 3" polyolefin casters
- Capacity: 900-lbs. evenly distributed
- Shipped knocked down

### HEAVY-DUTY

- 1 3/4" wood top (2 x 1 1/16" pieces); countersunk bolts
- Carpeted dolly will prevent marks/scratches on equipment
- 4" resilient non-marking casters
- Capacity: 1400 lbs. evenly distributed
- Shipped knocked down



Medium-duty



Heavy-duty



Model No.	Dim. W" x D"	Platform Type	Wt. lbs.
<b>MEDIUM-DUTY</b>			
MA186	18 x 24	Standard	26
MA187	18 x 24	Carpeted	28
MD515	18 x 30	Standard	32
MD516	18 x 30	Carpeted	34

Model No.	Dim. W" x D"	Platform Type	Wt. lbs.
<b>HEAVY-DUTY</b>			
MA188	18 x 24	Standard	30
MA189	18 x 24	Carpeted	32
MD517	18 x 30	Standard	38
MD518	18 x 30	Carpeted	40

# HAND TRUCKS

## RUBBER WHEEL HAND TRUCKS

- Constructed of 1" 16-gauge steel tube
- 7-gauge steel nose plate
- Overall width: 19 1/2"
- Wheel dimensions: 8" x 2"
- Powder coated finish



Model No.	Description	Nose Plate Dimensions		Overall Height"	Capacity lbs.	Wt. lbs.
		W"	x D"			
MK728	Continuous Handle	14	x 8 1/2	46	600	24
MK729	Dual Handle	14	x 8 1/2	48	600	24
MN103	P-Handle	14	x 9	51	600	24

### REPLACEMENT PARTS & WHEELS

Model No.	Description
ML812	Rubber Wheel
MK993	Hand Grip



MK729

MK728

MN103

## PNEUMATIC WHEEL HAND TRUCKS

- Constructed of 1" 16-gauge steel tube
- 8-gauge steel nose plate
- Overall width: 21 1/2"
- Wheel dimensions: 10" x 3"
- Powder coated finish



Model No.	Description	Nose Plate Dimensions		Overall Height"	Capacity lbs.	Wt. lbs.
		W"	x D"			
MH300	Dual Handle	14	x 10	46	600	23
MH301	Continuous Handle	14	x 10	48	600	26
MH302	P-Handle	14	x 9	51	600	23

### REPLACEMENT PARTS & WHEELS

Model No.	Description
ML810	Pneumatic Wheel
MK993	Hand Grip



MH301

MH300

MH302

## FLAT FREE WHEEL HAND TRUCKS

- Constructed of 1", 16-gauge steel tubing
- Nose plate 8-gauge steel
- Overall width: 22"
- Wheel dimensions: 10" x 3 1/2"
- Powder-coated



Model No.	Description	Nose Plate Dimensions		Overall Height"	Capacity lbs.	Wt. lbs.
		W"	x D"			
MN389	Dual Handle	14	x 10	46	600	20
MN390	Continuous Handle	14	x 10	48	600	22
MN391	P-Handle	14	x 9	51	600	22

### REPLACEMENT PARTS & WHEELS

Model No.	Description
MN378	Flat Free Wheel
MK993	Hand Grip



MN389

MN390

MN391

## HEAVY-DUTY DUAL HANDLE HAND TRUCKS

- Constructed of 1 1/4" 14-gauge steel tube
- 6-gauge steel nose plate
- Overall height: 46"
- Overall width: 20"
- Powder coated finish



Model No.	Description	Wheel Dimensions"	Nose Plate Dimensions		Capacity lbs.	Wt. lbs.	
			W"	x D"			
MK731	Pneumatic Wheel	10	x 3	14	x 8	800	36
MK730	Rubber Wheel	8	x 2	14	x 8	1000	36

### REPLACEMENT PARTS & WHEELS

Model No.	Description
ML813	Rubber Wheel
ML811	Pneumatic Wheel
ML030	Hand Grip



MK730

MK731

## HEAVY-DUTY SPADE TRUCKS

- All welded, ready to use
- Constructed of double-welded 1 1/4" round 14-gauge steel tubing
- Oversized nose plate and easy grip frame helps with the balancing of larger items
- Tapered 22" L x 13" D x 1/4" thick nose plate
- Two 10" mold-on rubber wheels
- Capacity: 1200 lbs.
- Durable Kleton blue enamel finish



Model No	Dimensions W" x H"	Wt. lbs.
ML324	22" x 53"	92



## APPLIANCE TRUCKS

- Move large appliances easily
- Heavy-duty all welded industrial construction
- Vinyl bumpers on face of truck to prevent damage to appliances
- Heavy-duty continuous stair climbers for easy climbing/descending
- 8" solid rubber wheels
- Ratchet mechanism for easy fastening of loads
- Overall dimensions: 14 1/2" L x 24" W x 59" H
- Capacity: 550 lbs.
- Weight: 46 lbs.

Model No. ML616



## VENDING MACHINE APPLIANCE TRUCKS

- Move large appliances easily
- Heavy-duty all welded industrial construction
- Vinyl bumpers on face of truck to prevent damage to appliances
- Heavy-duty continuous stair climbers for easy climbing/descending
- Fold out rear legs with two 4" swivel casters
- 8" solid rubber front wheels
- Ratchet mechanism for easy fastening of loads
- Overall dimensions: 14 1/2" L x 24" W x 66" H
- Capacity: 850 lbs.
- Weight: 65 lbs.

Model No. ML617



## MOVING STRAPS

- Allows for safe movement of appliances and larger items
- Movers can constantly stay in an upright position during the move, reducing the risk of back injuries
- Nylon (5000 lbs. test)
- Includes: Two transport straps, 4' x 4', and two adjustable straps, 1 3/4" x 9'

Model No. MD223



## HEAVY-DUTY DUAL HANDLE HAND TRUCKS

- Constructed of 1 1/4", 14-gauge steel tubing
- Nose plate 6-gauge steel
- Overall height: 46"
- Overall width: 20"
- 8" x 12" nose plate
- Powder-coated



Model No.	Description	Wheel"	Capacity lbs.	Wt. lbs.
MA376	Rubber Wheel	10 x 2	1000	40




## DELUXE 12" NOSE PLATE HAND TRUCKS

- All welded, ready to use
- Constructed of 1" round 14-gauge steel tubing
- Transport short to tall loads easily
- P handle ideal for one hand control
- Strong 12" L x 14" D x 3/16" thick nose plate
- Double welded 3/16" x 1 1/2" cross bars
- Add a folding nose extension to be able to transport larger loads
- Two 10" full pneumatic wheels
- Capacity: 700 lbs.
- Durable Kleton blue enamel finish

ML321



ML322



ML323  
Nose Extension

Model No	Description	Overall Dimensions W" x H"	Wt. lbs.
ML321	Lo-Boy	23 x 50	40
ML322	Hi-Boy	23 x 72	46
ML323	Nose Extension	12x22" Nose Length	8

## CONVERTIBLE DELUXE STEEL HAND TRUCKS

- Constructed of 1" round 14-gauge steel tubing
- Quickly converts from a 2-wheel hand truck to a 4-wheel platform truck
- 8" x 14" nose plate
- Comes with two welded-on stair glides
- Two 10" full pneumatic wheels and two 3" bolted-on casters
- Capacity: Hand truck 600 lbs.  
Platform truck 800 lbs.
- Durable Kleton blue enamel finish



Model No	Overall Dimensions W" x D" x H"	Wt. lbs.
ML320	14 x 43 x 46	75

## HAND TRUCKS WITH SWIVEL CASTERS

- 4" rear poly casters allow small diameter turns in tight areas
- Combination two handle and utility bar design reduces strain of lifting, lowering and transporting
- 8" deep nose plate
- 10" x 2 3/4" semi-pneumatic front wheels
- Overall dimensions: 20 1/2" W x 47 1/2" H
- Capacity: 800 lbs.
- Weight: 53 lbs.

Model No. MD758



# HAND TRUCKS

## NYLON FRAME HAND TRUCKS

**STRONG AS STEEL, LIGHTER THAN ALUMINUM**

- Long fibre nylon frame will not mar products or damage goods
- Stair glides integrate into frame
- Aluminum loop handles, 14" W x 8" D nose plate
- Frame width: 12"
- Capacity: 500 lbs.



Loop Handle



Model No.	Wheel Type	O.A. Height"	Wt. lbs.
<b>FLAT BACK FRAME</b>			
MN268	10" Rubber	52	21
MN269	10" Pneumatic	52	19
<b>CURVED BACK FRAME*</b>			
MN270	10" Rubber	52	21
MN271	10" Pneumatic	52	19

\*Handles cylindrical or flat beds

## NYLON LITE HAND TRUCKS

- Lighter than aluminum trucks
- Glass-filled nylon frame will not mark products or damage goods
- Steel handle, 14" W x 7" D steel base plate
- 10" x 3 1/2" pneumatic tires
- Frame width: 12"
- Overall height: 48"
- Capacity: 500 lbs.
- Weight: 22 lbs.

Model No. MD642



## CONVERTIBLE NYLON LITE TRUCKS

- Lighter than equivalent aluminum trucks
- Glass-filled nylon frame
- Steel handle and 14 1/2" W x 7" D steel base plate
- Converts in seconds from 2-wheel hand truck to 4-wheel platform truck
- 5" swivel casters, 10" x 3 1/2" pneumatic wheels
- 12" frame width and 20 1/2" overall width
- Capacity: 600 lbs., two wheels; 700 lbs., four wheels



Model No.	Hand Truck		Platform/Truck		Wt. lbs.
	Cap. lbs.	Height"	Length	Height"	
MD643	600	49 1/2	40	36	25

## CURB RAMP

- Light, portable and easy to handle
- Dimensions: 27" x 27"
- Capacity: 600 lbs.


Model No. MH224



## LOAD RETENTION HAND TRUCKS

- Constructed of 1" round 14-gauge steel tubing
- 18 1/2" x 53" load retention grill to safely handle wide and awkward loads
- 7-gauge steel nose plate
- 18 1/2" W x 9 3/4" D nose plate
- Two 10" full pneumatic wheels
- Capacity: 600 lbs.
- Durable Kleton blue enamel finish

Model No. MN412



## FOLDING HAND TRUCKS

- Lightweight and durable aluminum construction
- Convenient folding design permits storage in small spaces
- Comfortable ergonomic handle
- Elastic straps help to secure load
- Non-marking and shock-absorbing rubber wheels
- Capacity: 175 lbs. evenly distributed
- Weight: 8.75 lbs.



Model No.	Extended Dimensions"	Folded Dimensions"	Nose Plate W" x D"	Wheel Dimensions"
ML447	39 5/8 x 15 1/2 x 16 1/2	25 x 15 x 2 3/8	15 1/4 x 11	5 x 1 1/4

## ALUMINUM STAIR CLIMBING HAND TRUCKS

- Battery-powered stair climbing hand trucks help reduce worker fatigue and the risk of injury, as well as reduce the number of employees needed to deliver cargo
- Pivoting and fixed ergonomic handle configurations available to handle a wide variety of cargo
- Lift wheels are uni-directional to help prevent cargo from accidentally rolling down the stairs
- Dual speed control on all models to fit your application
- Electronic overload protection protects operating components if capacity is exceeded
- Grooved 16 1/2" W x 13 1/3" D nose plate provides superior grip to hold load in place
- 10" pneumatic wheels
- Capacity: 375 lbs.
- Quick-change battery and charger included



Model No.	Frame Type	Dimensions		
		W"	x	H"
MN247	Ergo	18 1/2	x	63
MN248	Fold	18	x	61 (40 Folded)
MN249	Uni	17 1/2	x	59
MN250	Fold-L	19	x	64 1/2 (51 Folded)

**Note:** Each unit is capable of being customized with various options (i.e. wheel type and nose plate size). Also available in 240-lb. and 300-lb. capacities.

# ALUMINUM HAND TRUCKS

## CONVERTIBLE HAND TRUCKS

- Lightweight aluminum construction
- Converts easily from a 2-wheel hand truck to a 4-wheel platform truck
- 5" polyurethane casters and 10" flat free wheels
- Shipped assembled



Model No.	Nose Plate W" x D"	Hand Truck Cap. lbs.	Hand Truck Height"	Platform Truck Cap. lbs.	Platform Truck L" x W"	Wt. lbs.
ML621	18 x 10	600	52	1250	12 x 43	54



## ALUMINUM HAND TRUCKS

- Strong lightweight hand truck provides exceptional durability and versatility
- Weld-free design for easy maintenance
- Capacity: 500 lbs.
- Shipped knocked down




Model No.	Nose Plate W" x D"	Overall Height"	Wheels	Wt. lbs.
A. MN024	14 x 7 1/2	48	8" Mold-On	17.5
B. MN025	18 x 7 1/2	48	8" Mold-On	20.5
C. MN026	14 x 7 1/2	52	10" Pneumatic	21.5
D. MN027	18 x 7 1/2	48	8" Mold-On	20
E. MN028	18 x 7 1/2	52	10" Pneumatic	23
E. MN029	18 x 7 1/2	52	10" Flat-Free	20
F. MN030	14 x 7 1/2	52	10" Pneumatic	22
G. MN031	18 x 10	52	10" Pneumatic	26.5
G. MN032	18 x 10	52	10" Flat-Free	23
H. MN033	18 x 7 1/2	52	10" Pneumatic	23.5
I. MN034	14 x 7 1/2	48	10" Flat-Free	20

## HAND TRUCK ACCESSORIES



### FRAME EXTENSIONS




• Size: 17"

Model No. MN021

• Size: 23"

Model No. MN022


### STAIR CLIMBERS



Model No. MN015

### NOSE EXTENSIONS

- Only compatible with cast nose plates



• Size: 20"

Model No. MN019

• Size: 27"

Model No. MN020

### REPLACEMENT WHEELS



• 10" Pneumatic  
Model No. MN012

• 8" Mold-On Rubber  
Model No. MN013

• 10" Flat-Free  
Model No. MN014



# ALUMINUM HAND TRUCKS

## BUILD YOUR OWN HAND TRUCK IN 4 EASY STEPS



### STEP 1: SELECT YOUR HANDLE



• Standard loop with rubber sleeve  
**Model No. ML997**



• Standard loop  
**Model No. ML998**



• Vertical loop  
• Not for use with MN006 and MN007  
**Model No. ML999**



• Double grip  
**Model No. MN001**



• Single grip  
**Model No. MN002**



• Double "P"  
**Model No. MN003**

### STEP 2: SELECT YOUR FRAME




• Straight frame  
**Model No. MN004**



• Straight frame with large cross bar  
**Model No. MN005**



• Curved back frame  
**Model No. MN006**




• Lattice back frame  
**Model No. MN007**




**MN026**

### STEP 3: SELECT YOUR NOSE PLATE




• Cast nose plate  
• Dimensions: 14" x 7 1/2"  
**Model No. MN008**



• Cast nose plate  
• Dimensions: 18" x 7 1/2"  
**Model No. MN009**



• Extrude nose plate  
• Dimensions: 18" x 7 1/2"  
**Model No. MN010**



• Extrude nose plate  
• Dimensions: 18" x 10"  
**Model No. MN011**

### STEP 4: SELECT YOUR WHEEL ASSEMBLY

Assembly includes two wheels, two axle brackets and one axle



• 8" Mold-On rubber  
**Model No. MN035**



• 10" Pneumatic  
**Model No. MN036**



• 10" Flat-Free  
**Model No. MN037**



**MN033**

# ALUMINUM HAND TRUCKS

## GEMINI® CONVERTIBLE ALUMINUM TRUCKS

- Converts in seconds from a 2-wheel hand truck to a 4-wheel platform truck
- Lightweight, high strength aluminum construction
- Balanced to assure easier wheeling and positive load control
- 18" W x 7 1/2" D rugged cast aluminum noseplate
- 5" swivel casters; 10" x 3 1/2" full pneumatic wheels
- 16 5/8" frame width, 20 1/2" O.A. width
- Shipped knocked down



Model No.	Gemini	Hand Truck Cap.	Hand Truck Ht."	Platform Truck Cap.	Platform Truck Ht."	Lgth."	Wt. lbs.
MA319	Jr.	500 lbs.	51	1000 lbs.	40	38	44
MA320	Sr.	500 lbs.	61	1000 lbs.	45 1/8	51	45

### OPTIONAL SNAP-ON DECK

Model No.	Description	Wt. lbs.
MB198	43 1/4" for Gemini Jr.	5
MB197	56" for Gemini Sr.	6

Gemini Sr.  
MA320



Gemini Jr.  
MA319



## ALUMINUM HAND TRUCKS

- Strength, durability and versatility in a lightweight truck
- Totally modular trucks have no welds to break
- 500-lb. capacity on all models
- Shipped knocked down



Model No.	Nose Plate W" x D"	Overall Ht."	Wheels	Wt. lbs
A. MA250	14 x 7 1/2"	48	8" Mold-On	18
B. MA269	18 x 7 1/2"	48	8" Mold-On	19
C. MA275*	14 x 7 1/2"	48	10" Pneumatic	21
D. MA258	14 x 7 1/2"	52	8" Mold-On	19
D. MA255	14 x 7 1/2"	52	10" Pneumatic	21
E. MA263	14 x 7 1/2"	48	8" Mold-On	21
E. MA261	14 x 7 1/2"	48	10" Pneumatic	24
F. MA271	18 x 9"	48	8" Mold-On	19
F. MA270	18 x 9"	48	10" Pneumatic	22
G. MA266	18 x 7 1/2"	52	8" Mold-On	19
G. MA265	18 x 7 1/2"	52	10" Pneumatic	22
H. MA268	18 x 7 1/2"	54	8" Mold-On	19
H. MA267	18 x 7 1/2"	52	10" Pneumatic	22

\* Frame has a curved back for cylindrical or flat loads



## FOLDING HAND TRUCK

- Easy-to-use latch system may be engaged with one hand
- Heavy-duty construction
- Features a comfort grip handle
- 8" mold-on rubber wheels
- 14" x 7" locking folding nose plate
- Overall height: 48"
- Capacity: 500 lbs.
- Weight: 22 lbs.

Model No. MN117



## THREE-POSITION HAND TRUCK

- Can be used to transport all your needs, from general use items to bulky equipment
- 18" x 7 1/2" nose plate included
- Two 10" pneumatic wheels and two 5" polyurethane casters
- Two wheel position: 500 lbs. capacity, overall height 51"
- Four wheel position: 750 lbs. capacity, overall height 40"
- Weight: 43 lbs.

Model No. MN118



## Y-CABLE BRAKE HAND TRUCK

- Provides safer load control and reduces operator's accumulated muscle strain
- Easy ergonomic self-equalizing brake actuators
- Stair climber included
- 18" x 9" nose plate
- 10" pneumatic wheels
- Overall height: 60"
- Capacity: 500 lbs.
- Weight: 38 lbs.

Model No. MN119

